



Sirius

EDITION 2017

WELCOME
TO FIRST CLASS

Sirius S.p.a., established in 1996, operates in the residential air ventilation and purification market sector, in particular it produces cooker hoods for residential kitchens. Quality, innovation, professional competence, technology and design are rolled into one with a clear and dynamic commercial policy that has permitted rapid growth of the company, ensuring market penetration throughout the world.

Sirius has, in a short time, become a world leader in the sector of high quality decorative cooker hoods, encompassing a wide product range and exporting 90% of its production. The strategic choices accomplished in the technical productivity sectors, dictated by many years of experience, have been of fundamental importance for the growth and success of the company.

The wide range of products, the different technological possibilities and innovation, the functionality of the components used, such as the motors and the different ventilation components, represent a combination between design and functionality. This gives the clients a wide choice to meet all of their ventilation needs. Our company's philosophy, innovative in the residential kitchen ventilation market, aims to maintain and improve the high quality standards of our production in style, technology and design, synthesized by the realization of the modular and innovative ventilation systems.



CERAMIC HANDMADE

HIVE SILT 27	p. 11
SNOOP SLT 104	p. 15
DERUTA SILT 26	p. 17
LINK SLT 106	p. 19
SQUARES SLTC 103	p. 23
ECLIPSE SLTC 94	p. 25

DOWNDRAFT / UPRIGHT

SUNRISE SDD13	p. 29
ESSENCE SDD16	p. 33
JOLLY SDD17	p. 35
SMOOTH SDD12	p. 37
PUSH UP SDD11	p. 39
SDD2 L TC	p. 41
SDD2 L INOX	p. 43
SDD2 TC / INOX	p. 45
SDD4 TC	p. 47
SDD3 TC	p. 49
UPRIGHT	p. 51

CEILING HOODS

SHAPE SLT 967	p. 55
POD SLT 966	p. 57
RING SLT 962	p. 59
SLT 960	p. 60
SLT 965	p. 61
SLT 963	p. 63
SLT 958 WHITE / INOX	p. 65
SLT 951	p. 67

DECORATIVE ISLAND

ROLL SILT 28	p. 71
SILT 18 / 18 L	p. 73
SILT 21	p. 74
MO 406	p. 75
MO 404	p. 76
MO 405	p. 77
SIL 24 TC	p. 78
SIL 24	p. 79
SIL 5	p. 80

WALL HOODS

APPLIQUE SLT 105	p. 85
TAKSIM SLTC 95	p. 87
SKINNY SLTC 93	p. 89
JEEG SLTC 97	p. 91
SLTR 75	p. 93
SLTC 75	p. 94
SLTC 91	p. 95
SLTC 90	p. 96
SLTC 86	p. 97
SLTC 92	p. 98
SL 92	p. 99
SL 31	p. 100
SL 89	p. 101
SL 50	p. 102
MO 207	p. 103
MO 208	p. 104

BUILT-IN PRODUCTS

WING SLTC 919	p. 109
SL 913	p. 110
SL 914	p. 111
SL 906 L	p. 112
SL 903-P	p. 113
SL - SLT - SM 900	p. 114
SM 905	p. 115
SL 909	p. 116
SL 907	p. 117

INSTALLATION SCHEMES	p. 118
----------------------	--------

REMOTE MOTORS

SEM 1	p. 128
SEM 2	p. 128
SEM 7 BRH	p. 128
SEM 8	p. 128
SEM 9 BRH	p. 129
SEM 10	p. 129
SEM 12 BRH	p. 129
SEM 13	p. 129

ACCESSORIES	p. 130
-------------	--------

ENERGY DATA LABEL	p. 131
-------------------	--------

*“A man who works with his hands
is a laborer; a man who works
with his hands and his brain
is a craftsman; but a man who
works with his hands and his brain
and his heart is an artist”*

L. Nizer

CERAMIC
HANDMADE

MADE IN DERUTA, ITALY



Ceramic is an extraordinary material. Among the natural ones, it's the material that offers most versatility. Various methods of manufacturing allow, in fact, many different applications. You can find it in the most diverse contexts: in a high school classroom, where students shape clay using a press during art classes or in the most technological and advanced implementations, such as the coverings of the Space Shuttle.

Though originating from the plain mixing of water and clay, it has the most resistant physical features.

Extraordinary objects have been carved out of this material: from Jo Ponti and Raymond Loewy's porcelains to the creations of the most influencing Italian design master, Ettore Sottsass.

In spite of its limitless potential, ceramic has always been considered as a material belonging to the world of arts, rather than industry. Apart from bathrooms, there are only few examples of ceramic applications for the production of industrial goods.

The curiosity of experimenting new languages in a pretty industrial field - as the one of electric appliances is - pushed us forward. It drew us to cross the border between art/handcraft and industry.

Thanks to the cooperation of professional figures coming from different fields - such as: industrial designers, craftsmen, engineers, technical designers - we gave life to objects with a technological soul. Though being produced in series, they maintain that authenticity typical of the unique piece.




HIVE SILT 27



remote control / on board motor / rounded strip led / stainless steel filter / only filtering version

DESIGN GIACOMO FAVA

ceramic
gold / silver / copper / white




motor: 550 m3 h
absorption: 110 W
noise level: 68 dBA
lighting: rounded led 20W





SNOOP SLT 104




motor: 600 m3 h
absorption: 230 W
noise level: 65 dBA
lighting: led strip 6,5W

remote control / on board motor / led strip / stainless steel filter / only filtering version

DESIGN GIACOMO FAVA



SILT 26 LAMP
lighting: round neon 82W



motor: 550 m3 h
absorption: 110 W
noise level: 68 dBA
lighting: rounded led 20W

DERUTA SILT 26



DESIGN GIACOMO FAVA

ceramic
white / gold / silver / copper / black

remote control / on board motor / rounded strip led / stainless steel filter / only filtering version




LINK SLT 106



remote control / on board motor / led strip / stainless steel filter / only filtering version


DESIGN GIACOMO FAVA

ceramic
gold / silver / copper / white



motor: 600 m3 h
 absorption: 230 W
 noise level: 65 dBA
 lighting: led strip 6,5W





product dim. motor model identifier EEI
 SLTC 103 700 on-board P103070TC1280113 A
 energy label pag. 134

SQUARES SLTC 103



touch control / on board motor / led strip / top or back vented / aluminium anodized filter


DESIGN GIACOMO FAVA

glass / ceramic

white glass and ceramic panel (gold - silver - copper)
 black glass and ceramic panel (gold - silver - copper)



ECLIPSE SLTC 94



product dim. motor model identifier EEI
SLTC94 800 on-board P094080TC1280113 A
energy label pag. 134

touch control / on board motor / led strip / top or back vented / aluminium anodized filter

DESIGN GIACOMO FAVA

glass / ceramic

white glass and ceramic panel (gold - silver - copper)
black glass and ceramic panel (gold - silver - copper)


*“There is a moment in every
dawn when light floats,
there is the possibility of magic.
Creation holds its breath.”*

Douglas Adams

DOWNDRAFT
UPRIGHT



SUNRISE S DD 13




remote control / on board motor / external motor / led strip / polished stainless steel filter


DESIGN GIACOMO FAVA

stainless steel / glass
gold / copper

DOWNDRAFT - UPRIGHT | 29



external motor



motor on board

note
- For the installation create a niche in the countertop of 115 x 850mm
- The motor on board needs to be purchased separately.
- The motor is not included on the external motor version. See p. 128-129


product	dim. motor	model identifier	EEL
S-DD13	880 on-board	D013088TC1283163	A
S-DD13 EM	880 SEM1	D013088TC1293163	A
S-DD13 EM	880 SEM2	D013088TC1153163	B
S-DD13 EM	880 SEM8	D013088TC1173163	C
S-DD13 EM	880 SEM10	D013088TC1303163	C

energy label pag. 131





ESSENCE S DD 16



note
 - Suction opening by 45° and 90°
 - For the installation create a niche in the countertop of 102 x 832mm
 - The motor is not included on the external motor version. See p. 128-129

*** It can be installed only on kitchen counters measuring more than 750mm of depth**

product	dim.	motor	model identifier	EEL
S-DD16 EM 845	SEM1		D016085TC129XX61 A	
S-DD16 EM 845	SEM2		D016085TC115XX61 B	
S-DD16 EM 845	SEM10		D016085TC130XX61 B	
BRH S-DD16 EM 845	SEM12		D016085TC131XX61 B	
* S-DD16 EM 845	SEM13		D016085TC125XX61 C	


energy label pag. 131
 installation schemes pag. 118

touch control / external motor / patented filter with oil collector

DESIGN GIACOMO FAVA



JOLLY S DD 17




note
- For the installation create a niche in the
countertop of 114 x 486mm
- The motor is not included on the external motor
version. See p. 128-129

product	dim. motor	model identifier	EEL
S-DD17 EM 520 SEM1		D017052TC129XX69	A
S-DD17 EM 520 SEM2		D017052TC115XX69	B
S-DD17 EM 520 SEM10		D017052TC130XX69	C
BRH S-DD17 EM 520 SEM12		D017052TC131XX69	B
S-DD17 EM 520 SEM13		D017052TC125XX69	C

energy label pag. 131
installation schemes pag. 118

touch control / external motor / patented filter with oil collector

DESIGN GIACOMO FAVA



note

- For the installation create a niche in the countertop of 115mm x 865mm
- This downdraft is equipped with anti-crushing safety system
- The motor on board needs to be purchased separately.
- The motor is not included on the external motor version. See p. 128-129

product	dim. motor	model identifier	EEL
S-DD12 TC	870 on-board	D012088TC1282339	A
S-DD12 EM TC	870 SEM1	D012088TC1292339	B
S-DD12 EM TC	870 SEM2	D012088TC1152339	B
S-DD12 EM TC	870 SEM8	D012088TC1172339	B
S-DD12 EM TC	870 SEM10	D012088TC1302339	C

energy label pag. 131
installation schemes pag. 118

SMOOTH S DD 12




touch control / on board motor / external motor / led strip / polished stainless steel filter

DESIGN GIACOMO FAVA



PUSH UP S DD 11



note
 - For the installation create a niche in the countertop of 100mm x 790mm
 - The motor on board needs to be purchased separately.
 - The motor is not included on the external motor version. See p. 128-129

product	dim. motor	model identifier	EEL
S-DD11 X	810 on-board	D011088PB1282219 B	
S-DD11 EM X	810 SEM1	D011088PB1292219 B	
S-DD11 EM X	810 SEM2	D011088PB1152219 C	
S-DD11 EM X	810 SEM10	D011088PB1302219 C	
BRH S-DD11 EM X	810 SEM12	D011088PB1312219 C	

energy label pag. 131
 installation schemes pag. 118


chromed push-button / on board motor / external motor / led strip / polished stainless steel filter

DESIGN GIACOMO FAVA


painted stainless steel / glass
 white / black



S DD 2 L TC



external motor



motor on board


DESIGN SIRIUS

product	dim.	motor	model identifier	EEL
SDD2-L TC	575	on-board	D002058TC1281116	B
SDD2-L-EM TC	575	SEM1	D002058TC1291116	B
SDD2-L-EM TC	575	SEM2	D002058TC1151116	C
SDD2-L-EM TC	575	SEM8	D002058TC1171116	C
SDD2-L-EM TC	575	SEM10	D002058TC1301116	C
SDD2-L TC	875	on-board	D002088TC1281415	A
SDD2-L-EM TC	875	SEM1	D002088TC1291415	B
SDD2-L-EM TC	875	SEM2	D002088TC1151415	C
BRH SDD2-L-EM TC	875	SEM7 Ø150	D002088TC1161415	A
BRH SDD2-L-EM TC	875	SEM7 Ø200	D002088TC1161415	A
SDD2-L-EM TC	875	SEM8	D002088TC1171415	C
SDD2-L-EM TC	875	SEM10	D002088TC1301405	C
BRH SDD2-L-EM TC	875	SEM12	D002088TC1311405	B
SDD2-L TC LED	875	on-board	D002088PB1282415	A
SDD2-L-EM TC LED	875	SEM1	D002088PB1292415	B
SDD2-L-EM TC LED	875	SEM2	D002088PB1152415	C
BRH SDD2-L-EM TC LED	875	SEM7 Ø150	D002088PB1162415	A+
BRH SDD2-L-EM TC LED	875	SEM7 Ø200	D002088PB1162415	A+
SDD2-L-EM TC LED	875	SEM8	D002088PB1172415	C
SDD2-L-EM TC LED	875	SEM10	D002088PB1302415	C
BRH SDD2-L-EM TC LED	875	SEM12	D002088PB1312415	B
SDD2-L TC	1175	on-board	D002118TC1281317	B
SDD2-L-EM TC	1175	SEM1	D002118TC1291317	B
SDD2-L-EM TC	1175	SEM2	D002118TC1151317	C
SDD2-L-EM TC	1175	SEM8	D002118TC1171317	C
SDD2-L-EM TC	1175	SEM10	D002118TC1301317	C


energy label pag. 131
installation schemes pag. 118

note
- For the installation create a niche in the countertop using the following dimensions:
for 575 mm: 100x542 mm
for 875 mm: 100x842 mm
for 1175 mm: 100x1142 mm
- This downdraft is equipped with anti-crushing safety system
- The motor is not included on the external motor version. See p. 128-129
- The motor on board needs to be purchased separately.

touch control / on board motor / external motor / anodized aluminium filter



external motor



motor on board

S DD 2 L / INOX

DESIGN SIRIUS				
product	dim.	motor	model identifier	EEL
SDD2-L INOX	575	on-board	D002058PB1281116	B
SDD2-L-EM INOX	575	SEM1	D002058PB1291116	B
SDD2-L-EM INOX	575	SEM2	D002058PB1151116	C
SDD2-L-EM INOX	575	SEM8	D002058PB1171116	C
SDD2-L-EM INOX	575	SEM10	D002058PB1301116	C
SDD2-L INOX	875	on-board	D002088PB1281415	A
SDD2-L-EM INOX	875	SEM1	D002088PB1291415	B
SDD2-L-EM INOX	875	SEM2	D002088PB1151415	C
BRH SDD2-L-EM INOX	875	SEM7 Ø150	D002088PB1161415	A
BRH SDD2-L-EM INOX	875	SEM7 Ø200	D002088PB1161415	A
SDD2-L-EM INOX	875	SEM8	D002088PB1171415	C
SDD2-L-EM INOX	875	SEM10	D002088PB1301405	C
BRH SDD2-L-EM INOX	875	SEM12	D002088PB1311405	B
SDD2-L INOX LED	875	on-board	D002088TC1282415	A
SDD2-L-EM INOX LED	875	SEM1	D002088TC1292415	B
SDD2-L-EM INOX LED	875	SEM2	D002088TC1152415	C
BRH SDD2-L-EM INOX LED	875	SEM7 Ø150	D002088TC1162415	A+
BRH SDD2-L-EM INOX LED	875	SEM7 Ø200	D002088TC1162415	A+
SDD2-L-EM INOX LED	875	SEM8	D002088TC1172415	C
SDD2-L-EM INOX LED	875	SEM10	D002088TC1302415	C
BRH SDD2-L-EM INOX LED	875	SEM12	D002088TC1312415	B
SDD2-L INOX	1175	on-board	D002118PB1281317	B
SDD2-L-EM INOX	1175	SEM1	D002118PB1291317	B
SDD2-L-EM INOX	1175	SEM2	D002118PB1151317	C
SDD2-L-EM INOX	1175	SEM8	D002118PB1171317	C
SDD2-L-EM INOX	1175	SEM10	D002118PB1301317	C
energy label pag. 131				
installation schemes pag. 118				

note
- Create a niche in the countertop using the following dimensions:
for 575 mm: 100x542 mm
for 875 mm: 100x842 mm
for 1175 mm: 100x1142 mm
- This downdraft is equipped with anti-crushing safety system
- The motor is not included on the external motor version. See p. 128-129
- The motor on board needs to be purchased separately.

touch control / on board motor / external motor / anodized aluminium filter




SDD 2 INOX




SDD 2 TC

DESIGN SIRIUS



external motor



motor on board

product	dim.	motor	model identifier	EEl
SDD2 INOX	580	on-board	D002058PB128XX07	A
SDD2_EM INOX	580	SEM1	D002058PB129XX07	A
SDD2_EM INOX	580	SEM2	D002058PB115XX07	C
SDD2_EM INOX	580	SEM8	D002058PB117XX07	C
SDD2_EM INOX	580	SEM10	D002058PB130XX07	B
SDD2 TC	580	on-board	D002058TC128XX07	A
SDD2_EM TC	580	SEM1	D002058TC129XX07	A
SDD2_EM TC	580	SEM2	D002058TC115XX07	C
SDD2_EM TC	580	SEM8	D002058TC117XX07	C
SDD2_EM TC	580	SEM10	D002058TC130XX07	B
SDD2 INOX	875	on-board	D002088PB128XX05	A+
SDD2_EM INOX	875	SEM1	D002088PB129XX05	B
SDD2_EM INOX	875	SEM2	D002088PB115XX05	B
SDD2_EM INOX	875	SEM8	D002088PB117XX05	C
SDD2_EM INOX	875	SEM10	D002088PB130XX05	B
SDD2 TC	875	on-board	D002088TC128XX05	A+
SDD2_EM TC	875	SEM1	D002088TC129XX05	B
SDD2_EM TC	875	SEM2	D002088TC115XX05	B
SDD2_EM TC	875	SEM8	D002088TC117XX05	C
SDD2_EM TC	875	SEM10	D002088TC130XX05	B

energy label pag. 131
installation schemes pag. 118

note
- Create a niche in the countertop using the following dimensions:
for 580 mm: 100x490 mm
for 880 mm: 100x790 mm
- This downdraft is equipped with anti-crushing safety system
- The motor is not included on the external motor version. See p. 128-129
- The motor on board needs to be purchased separately.



touch control (SDD2 TC) / push button (SDD2 INOX) / on board motor / external motor / anodized aluminium filter



S DD 4 TC



DESIGN SIRIUS



product	dim.	motor	model identifier	EEL
SDD4_880TC	880	on-board	D004088TC1281415	A
SDD4_EM_880TC	880	SEM1	D004088TC1291415	B
SDD4_EM_880TC	880	SEM2	D004088TC1151415	C
SDD4_EM_880TC	880	SEM8	D004088TC1171415	C
SDD4_EM_880TC	880	SEM10	D004088TC1301415	C

energy label pag. 131
installation schemes pag. 118

note
- For the installation create a niche in the countertop for 100x790 mm
- This downdraft is equipped with anti-crushing safety system
- The motor is not included on the external motor version. See p. 128-129
- The motor on board needs to be purchased separately.


touch control / on board motor / external motor / neon / anodized aluminium filter



S DD 3 TC DOMINO



DESIGN SIRIUS




product	dim.	motor	model identifier	EEL
SDD3_EM_TC 520	on-board		D003052TC128XX07	A
SDD3_EM_TC 520	SEM1		D003052TC129XX07	A
SDD3_EM_TC 520	SEM2		D003052TC115XX07	C
SDD3_EM_TC 520	SEM8		D003052TC117XX07	C
SDD3_EM_TC 520	SEM10		D003052TC130XX07	B

energy label pag. 131
installation schemes pag. 118

note:
- For the installation create a niche in the countertop for 104x490 mm
- This downdraft is equipped with anti-crushing safety system
- The motor is not included on the external motor version. See p. 128-129
- The motor on board needs to be purchased separately.

touch control / on board motor / external motor / anodized aluminium filter



note
- For the installation create a niche in the cabinet for 778 x 267mm
- The motor is not included on the external motor version. See p. 128-129
- The "Upright", a new and innovative product thanks to the exclusive vertical suction system and automatic extraction that represents the most advanced and incomparable concept of technology.

product	dim. motor	model identifier	EEL
UPRIGHT built-in	800 on-board	U001087PB1280262	A
UPRIGHT-EM built-in 800	SEM1	U001087PB1290262	A
UPRIGHT-EM built-in 800	SEM2	U001087PB1150262	C

energy label pag. 131

UPRIGHT




chromed push-button / on board motor / external motor / led strip / stainless steel filter

DESIGN SIRIUS

*“The air up there in the clouds
is very pure and fine,
bracing and delicious.
And why shouldn’t it be?
It is the same the angels breathe.”*

Mark Twain

CEILING HOODS



note
- For the installation, create a false ceiling with a niche of 730 x 450 mm whose minimum height to be reached is 110mm (only for built-in version)
- The motor is not included on the external motor version. See p. 128-129

	Product	Motor	Model Identifier	EEL
BRH	SLT967	on-board	C967100RC1242565	C
	SLT967	on-board	C967100RC1272565	B
	SLT967 EM	SEM1	C967100RC1292565	B
	SLT967 EM	SEM2	C967100RC1152565	C
	SLT967 EM	SEM8	C967100RC1172565	C
	energy label pag. 133			


SHAPE SLT 967



remote control / on board motor / external motor / led strip / stainless steel filter / ambient light / dimmer light

DESIGN GIACOMO FAVA

stainless steel / white glass
white



note
- For the installation, create a false ceiling with a niche of 730 x 450 mm whose minimum height to be reached is 110mm (only for built-in version)
- The motor is not included on the external motor version. See p. 128-129

Product	Motor	Model Identifier	EEL
SLT966	on-board	C966100RC1243268	B
BRH SLT966	on-board	C966100RC1273268	B
SLT966 EM SEM1		C966100RC1293268	A
SLT966 EM SEM2		C966100RC1153268	B
SLT966 EM SEM8		C966100RC1173268	C

energy label pag. 133


POD SLT 966



remote control / on board motor / external motor / led strip / stainless steel filter / dimmer light

DESIGN GIACOMO FAVA

stainless steel / white glass
white



note
- For the installation, create a false ceiling with a niche of Ø700mm whose minimum height to be reached is 175mm (only for built-in version)
- The motor is not included on the external motor version. See p. 128-129

Product	Motor	Model Identifier	EEL
SLT962	on-board	C962090RC1241940	C
SLT962 EM	SEM1	C962090RC1291940	B
SLT962 EM	SEM2	C962090RC1151940	C
SLT962 EM	SEM8	C962090RC1171940	B

energy label pag. 133

RING SLT 962



remote control / on board motor / external motor / round strip led / stainless steel filter / dimmer light


DESIGN GIACOMO FAVA

stainless steel / aluminium
white / copper

SLT 960




DESIGN SIRIUS



freestanding

note
- For the installation, create a false ceiling with a niche of 750 x 550 mm whose minimum height to be reached is 215mm (only for built-in version)
- The motor is not included on the external motor version. See p. 128-129



built-in
* Ø 150mm
** Ø 200mm
this part must not be built-in


Product	Motor	Model Identifier	EEL
SLT960	on-board	C960110RC1280435	B
SLT960 EM	SEM1	C960110RC1290435	B
SLT960 EM	SEM2	C960110RC1150435	C
SLT960 EM	SEM8	C960110RC1170435	C

energy label pag. 133

SLT 965




DESIGN SIRIUS



freestanding


note
- For the installation, create a false ceiling with a niche of 720 x 520 mm whose minimum height to be reached is 150mm (only for built-in version)
- The motor is not included on the external motor version. See p. 128-129



built-in
* this part must not be built-in

Product	Motor	Model Identifier	EEL
BRH SLT965	on-board	C965110RC1270460	B
SLT965	on-board	C965110RC1240460	C
SLT965 EM	SEM1	C965110RC1290460	B
SLT965 EM	SEM2	C965110RC1150460	C
SLT965 EM	SEM8	C965110RC1170460	C

energy label pag. 133



note
- For the installation, create a false ceiling with a niche of 900 x 500 mm whose minimum height to be reached is 160mm (only for built-in version)
- The motor is not included on the external motor version. See p. 128-129

Product	Motor	Model Identifier	EEl
SLT 963	on-board	C963095RC1240324	C
SLT963 EM	SEM1	C963095RC1290324	B
SLT963 EM	SEM2	C963095RC1150324	C
SLT963 EM	SEM8	C963095RC1170324	C

energy label pag. 133

SLT 963




remote control / on board motor / external motor / led strip / anodized aluminium filter / dimmer light

DESIGN SIRIUS


painted stainless steel / glass
 white



SLT 958 WHITE
painted stainless steel
white glass



motor on board



external motor

SLT 958 WHITE/INOX

note on board motor
- For the installation create a false ceiling with a niche of 865mm x 405mm whose minimum height to be reached is 330mm

note external motor
- For the installation create a false ceiling with a niche of 865mm x 405mm whose minimum height to be reached is 270mm
- The motor is not included on the external motor version. See p. 128-129

Product	Motor	Model Identifier	EEL
SLT958	on-board	C958090RC1280137	A
SLT958 EM SEM1		C958090RC1290137	B
SLT958 EM SEM2		C958090RC1150137	B
SLT958 EM SEM8		C958090RC1170137	B

energy label pag. 133




SLT 958 INOX

DESIGN SIRIUS

stainless steel

remote control / on board motor / external motor / led strip / anodized aluminium filter / dimmer light



note
- For the installation, create a false ceiling with a niche of 1065 x 665 mm whose minimum height to be reached is 270mm
- The motor is not included on the external motor version. See p. 128-129

Product	Motor	Model Identifier	EEL
SLT951 EM	SEM1	C951110RC1291037 C	
SLT951 EM	SEM2	C951110RC1151037 C	
SLT951 EM	SEM8	C951110RC1171037 C	

energy label pag. 133

SLT 951



remote control / external motor / dichroic lamp / anodized aluminium filter

DESIGN SIRIUS

stainless steel


*“The larger the island
of knowledge,
the longer the shoreline
of wonder.”*

Ralph W. Sockman

DECORATIVE ISLAND



SILT 28 LAMP
lighting: round neon 40W



motor: 550 m3 h
absorption: 230 W
noise level: 63 dBA
lighting: round neon 40W

ROLL SILT 28




DESIGN GIACOMO FAVA

stainless steel painted
gold / copper / white / black

remote control / on board motor / round neon / round neon / anodized aluminium filter / only filtering version / perimetral suction



SILT 18 L



SILT 18
motor: 550 m3 h
absorption: 135 W
noise level: 50 dBA
lighting: 1 led x 3W

SILT 18 L
motor: 550 m3 h
absorption: 135 W
noise level: 50 dBA
lighting: neon 2 x 40W

SILT 18 | SILT 18 L



SILT 18

DESIGN SIRIUS


chrome stainless steel / fiberglass
black / light

remote control / on board motor / led spot (SILT 18) / round neon (SILT 18L) / anodized aluminium filter / only filtering version

SILT 21



DESIGN SIRIUS




motor: 550 m3 h
absorption: 135 W
noise level: 50 dBA
lighting: 4 leds x 1,2W

MO 406



DESIGN SIRIUS



product	dim.	motor	model identifier	EEl
MO406		on-board	I406040RC1280857	B

energy label pag. 134


remote control / on board motor / led spot / anodized aluminium filter

remote control / on board motor / round neon / anodized aluminium filter / perimetral suction

MO 404



DESIGN SIRIUS




product	dim.	motor	model identifier	EEL
MO404		on-board	I404036RC1282604	A
energy label pag. 134				

MO 405



DESIGN SIRIUS



product	dim.	motor	model identifier	EEL
MO405		on-board	I405040RC1282604	A
energy label pag. 134				


remote control / on board motor / led spot / anodized aluminium filter

remote control / on board motor / led spot / anodized aluminium filter

SIL 24 TC



DESIGN SIRIUS




product	dim.	motor	model identifier	EEL
SIL 24 TC	900	on-board	I024090TC1280137	A
energy label pag. 134				

SIL 24



DESIGN SIRIUS



product	dim.	motor	model identifier	EEL
SIL 24	900	on-board	I024090PB1280137	A
energy label pag. 134				

touch control / on board motor / led strip / anodized aluminium filter


chromed push-button / on board motor / led strip / anodized aluminium filter

SIL 5



DESIGN SIRIUS

chromed push button / on board motor / external motor / external motor / led spot / anodized aluminium filter



product	dim. motor	model identifier	EEl
SIL 5	900 on-board	I005090PB1280637	A
SIL 5	1200on-board	I005120PB1280637	A
SIL-EM 5 900	SEM1	I005090PB1290637	A
SIL-EM 5 900	SEM2	I005090PB1150637	B

energy label pag. 134


*“A noble soul is not the one
that can manage the highest flights,
but the one that rises very little
and falls very little but always
dwells in a free, resplendent
atmosphere and altitude.”*

Friedrich Nietzsche

WALL
HOODS



Chromed bracket



motor: 550 m3 h
absorption: 230 W
noise level: 63 dBA
lighting: round neon 40W


APPLIQUE SLT 105



remote control / on board motor / round neon / aluminium anodized filter / only filtering version / perimetral suction

DESIGN GIACOMO FAVA

stainless steel painted
gold / copper / white / black



product dim. motor model identifier EEI
SLTC95 670 on-board P095067TC1280118 A
energy label pag. 134


TAKSIM SLTC 95



touch control / on board motor / led strip / aluminium anodized filter / top or back vented

DESIGN GIACOMO FAVA

stainless steel / glass
white / black



product	dim.	motor	model identifier	EEl
SLTC93 60	600	on-board	P093060TC1280122 A	
SLTC93 90	800	on-board	P093080TC1280122 A	

energy label pag. 134

SKINNY SLTC 93




touch control / on board motor / led strip / aluminium anodized filter / top or back vented

DESIGN GIACOMO FAVA

stainless steel / glass
silver / gold / black



JEEG SLTC 97



product dim. motor model identifier EEI
SLTC97 900 on-board P097090TC1280102 A
energy label pag. 134


touch control / on board motor / led strip / stainless steel / aluminium anodized filter / top or back vented

DESIGN GIACOMO FAVA

stainless steel painted / smoked glass
white / black



SLTR 75



note
- A front panel automatic opening according to the speed selected.
- This hood is equipped with anti-crushing safety system.

product	dim.	motor	model identifier	EEL
SLTR 75 (60)	600	on-board	P075060RB1010121	B
SLTR 75 (90)	900	on-board	P075090RB1280220	A+

energy label pag. 134

DESIGN SIRIUS


polished stainless steel / black glass

round knob / on board motor / led strip / aluminium anodized filter / top or back vented

SLTC 75



DESIGN SIRIUS



note
- A front panel automatic opening according to the speed selected.
- This hood is equipped with anti-crushing safety system


product	dim. motor	model identifier	EEl
SLTC 75 (60)	600 on-board	P075060TC1010121	B
SLTC 75 (90)	900 on-board	P075090TC1280220	A+

energy label pag. 134

SLTC 91



DESIGN SIRIUS



product	dim. motor	model identifier	EEl
SLTC91 80	800 on-board	P091080TC1280122	A

energy label pag. 134


touch control / on board motor / led strip / aluminium anodized filter / top or back vented

touch control / on board motor / led strip / aluminium anodized filter / top or back vented

SLTC 90



DESIGN SIRIUS




product dim. motor model identifier EEI
SLTC90 55 550 on-board P090055TC1280113 A
energy label pag. 134

SLTC 86



DESIGN SIRIUS



product dim. motor model identifier EEI
SLTC 86 80 800 on-board P086080TC1010157 B
energy label pag. 134


touch control / on board motor / led strip / aluminium anodized filter / top or back vented

touch control / on board motor / led strip / aluminium anodized filter / top or back vented / perimetral suction

SLTC 92



DESIGN SIRIUS




product dim. motor model identifier EEl
SLTC92 900 on-board P092090TC1280137 A
energy label pag. 134

SL 92



DESIGN SIRIUS



product dim. motor model identifier EEl
SL92 900 on-board P092090PB1280137 A
energy label pag. 134


touch control / on board motor / led strip / aluminium anodized filter

chromed push-button / on board motor / led strip / aluminium anodized filter

SL 31



DESIGN SIRIUS




product	dim.	motor	model identifier	EEl
SL 31	600	on-board	P031060PB1280637 A	
SL 31	900	on-board	P031090PB1280637 A	
SL 31	1000	on-board	P031100PB1280637 A	
SL 31	1200	on-board	P031120PB1280637 A	
SL 31-EM 900		SEM1	P031090PB1290637 A	
SL 31-EM 900		SEM2	P031090PB1150637 B	

energy label pag. 134

SL 89



DESIGN SIRIUS




product	dim.	motor	model identifier	EEl
SL89 55	550	on-board	P089055PB1280542 A	
SL89 80	800	on-board	P089080PB1280542 A	

energy label pag. 134

SL 50



DESIGN SIRIUS




product	dim.	motor	model identifier	EEL
SL 50	600	on-board	P050060PB1280657	A
energy label pag. 134				

MO 207



DESIGN SIRIUS



product	dim.	motor	model identifier	EEL
MO207		on-board	P207040RC1282604	A
energy label pag. 134				


chromed push-button / on board motor / led spot / aluminium anodized filter

remote control / on board motor / led spot / aluminium anodized filter

MO 208



DESIGN SIRIUS



product	dim.	motor	model identifier	EEl
MO208		on-board	P208036RC1282604	A
energy label pag. 134				

remote control / on board motor / led spot / aluminium anodized filter

*“And above all, watch with glittering
eyes the whole world around you
because the greatest secrets are
always hidden in the most unlikely places.
Those who don’t believe
in magic will never find it.”*

Roald Dahl

BUILT-IN PRODUCTS




WING SLTC 919



note
- Cut out for 520: 265 x 498mm
- Cut out for 850: 265 x 835mm

product	dim. motor	model identifier	EEl
SLTC 919 520	on-board	G919052TC1280166	A
SLTC 919 850	on-board	G919085TC1280267	A+

energy label pag. 135



DESIGN GIACOMO FAVA


stainless steel / glass panel

touch control / on board motor / led strip / anodized aluminium filter / top or back vented

SL 913



DESIGN SIRIUS



note
- Cut out for 520: 265 x 502mm
- Cut out for 780: 265 x 764mm


product	dim.	motor	model identifier	EEL
SL 913	520	on-board	G913052PB1280127	A
SL 913	780	on-board	G913078PB1280227	A

energy label pag. 135

SL 914



DESIGN SIRIUS



note
- Cut out for 520: 265 x 502mm
- Cut out for 780: 265 x 764mm


product	dim.	motor	model identifier	EEL
SL 914	520	on-board	G914052PB1280529	A
SL 914	850	on-board	G914078PB1280524	A

energy label pag. 135

SL 906-L



DESIGN SIRIUS



note
- Cut out for 520: 265 x 498mm
- Cut out for 850: 265 x 835mm
- Cut out for 1000: 265 x 985mm


product	dim.	motor	model identifier	EEl
SL 906-L	520	on-board	G906052PB1280152 A	
SL 906-L	850	on-board	G906085PB1280253 A	
SL 906-L	1000	on-board	G906100PB1280349 A	

energy label pag. 135

SL 903-P



DESIGN SIRIUS



note
- Cut out for 700: 255 x 649 mm
- Cut out For 900: 255 x 849 mm

product	dim.	motor	model identifier	EEl
SL 903-P	700	on-board	G903070PB1280541 A	
SL 903-P-EM	700	SEM1	G903070PB1290541 B	
SL 903-P-EM	700	SEM2	G903070PB1150541 C	
SL 903-P	900	on-board	G903090PB1280541 A	
SL 903-P-EM	900	SEM1	G903090PB1290541 B	
SL 903-P-EM	900	SEM2	G903090PB1150541 C	


energy label pag. 135

SL - SLT - SM 900



DESIGN SIRIUS

push-button (SM 900 - SL 900) / remote control (SLT 900) / on board motor / led spot / anodized aluminium filter



note
- Cut out for 520: 495 x 272mm
- Cut out for 700: 675 x 272mm

product	dim.	motor	model identifier	EEl
SM 900	520	on-board	G900052PB1010657	B
SM 900	700	on-board	G900070PB1010657	B
SL 900	520	on-board	G900052PB1280657	A
SL 900	700	on-board	G900070PB1280657	A
SLT 900	520	on-board	G900052RC1280657	A
SLT 900	700	on-board	G900070RC1280657	A


energy label pag. 135

SM 905



DESIGN SIRIUS

push-button / on board motor / led spot / anodized aluminium filter



note
- Cut out for 520: 265 x 502mm
- Cut out for 850: 265 x 834mm


product	dim.	motor	model identifier	EEl
SM 905	520	on-board	G905052PB1010624	B
SM 905	850	on-board	G905085PB1010624	B

energy label pag. 135

SL 909



DESIGN SIRIUS



note
- Cut out for 856: 825 x 410mm
- Cut out for 1400: 1365 x 410mm


product	dim.	motor	model identifier	EEl
SL 909	856	on-board	G909086PB1282648	A
SL 909	1400	on-board	G909140PB1282648	A

energy label pag. 135

SL 907



DESIGN SIRIUS



note
- Cut out for 520: 270 x 498mm
- Cut out for 700: 270 x 675mm



product	dim.	motor	model identifier	EEl
SL 907	520	on-board	G907052PB1281159	B
SL 907	700	on-board	G907070PB1281246	B

energy label pag. 135




INSTALLATION SCHEMES





SDD16 - SDD17 WITH SEM13



S-DD16 WITH SEM1 OR SEM2 (ALSO BACK OUTLET VERSION)
 (USING KIT INSTALLATION SDD16 WITH SEM1 OR SEM2)




S-DD16 (BACK OUTLET) WITH SEM10 - SEM12




220x90
 230x80
 (filtering version only) 218x55



S-DD16 WITH SEM10 - SEM12




S-DD17 WITH SEM10 - SEM12







S-DD17 WITH SEM1 OR SEM2
(USING KIT INSTALLATION SEM1 OR SEM2)






KIT INSTALLATION SEM1 OR SEM2





S DD11 WITH SEM10 - SEM12












S DD11 WITH SEM1 - SEM2
 (USING KIT INSTALLATION SDD6 WITH SEM1 OR SEM2)




S DD2 - SDD2 L F.T. - S DD3 - S DD4 - S DD12 AND S DD13 WITH SEM10
SDD2 L F.T. CM 90 WITH SEM12*









KFHE2
BASE FILTER
UNIT HIGH
EFFICIENCY
FOR DOWNDRAFT




KF
Charcoal filters for
use with df when
recirculating




LBR
Stainless steel
baffle filter-
optional upgrade




DF
(AIR DEVIATOR FOR
USE WITH KF WHEN
RECIRCULATING)




**REMOTE
CONTROL**
(optional)



SCET
The remoter motor controller
enables to control the external
motors (SEM) Sirius in case of
special products, wooden made
hoods or ventilation systems
without using the finished
product.



S-DF2**
AIR DEVIATOR FOR USE
WITH CEILING HOODS
WHEN RECIRCULATING
BUILT-IN VERSION
The air deviator needs
to be installed at a
minimum distance
of 1500mm from the
extractor



**ISLAND
FIXING
SYSTEM**
PATENTED

* Optional bracket kit
**Cut out: create a niche of 502mm x 202mm
whose minimum height to be reached is 220mm.

**DOWNDRAFT
UPRIGHT**

Product name	Dim.	Motor	Model Identifier	Energy efficiency Class	Annual Energy Consumption	Fluid Dynamic Efficiency	Light Efficiency Class	Grease Filtering Efficiency Class	Weighted Sound Power Emission at maximum speed	Air Flow at intensive /boost setting	Lighting
SDD2 INOX	580	on-board	D002058PB128XX07	A	45,9	A	n/a	E	69	636	no
SDD2_EM INOX	580	SEM1	D002058PB129XX07	A	44,6	B	n/a	E	66	595	no
SDD2_EM INOX	580	SEM2	D002058PB115XX07	C	83	C	n/a	E	68	577	no
SDD2_EM INOX	580	SEM8	D002058PB117XX07	C	101,1	C	n/a	E	70	622	no
SDD2_EM INOX	580	SEM10	D002058PB130XX07	B	52,2	C	n/a	E	67	478	no
SDD2 TC	580	on-board	D002058TC128XX07	A	45,9	A	n/a	E	69	636	no
SDD2_EM TC	580	SEM1	D002058TC129XX07	A	44,6	B	n/a	E	66	595	no
SDD2_EM TC	580	SEM2	D002058TC115XX07	C	83	C	n/a	E	68	577	no
SDD2_EM TC	580	SEM8	D002058TC117XX07	C	101,1	C	n/a	E	70	622	no
SDD2_EM TC	580	SEM10	D002058TC130XX07	B	52,2	C	n/a	E	67	478	no
SDD2-L INOX	580	on-board	D002058PB1281116	B	51,7	A	E	E	69	636	1x8
SDD2-L-EM INOX	580	SEM1	D002058PB1291116	B	50,5	B	E	E	66	595	1x8
SDD2-L-EM INOX	580	SEM2	D002058PB1151116	C	88,9	C	E	E	68	577	1x8
SDD2-L-EM INOX	580	SEM8	D002058PB1171116	C	106,9	C	E	E	70	622	1x8
SDD2-L-EM INOX	580	SEM10	D002058PB1301116	C	58,1	C	E	E	67	478	1x8
SDD2-L TC	580	on-board	D002058TC1281116	B	51,7	A	E	E	69	636	1x8
SDD2-L-EM TC	580	SEM1	D002058TC1291116	B	50,5	B	E	E	66	595	1x8
SDD2-L-EM TC	580	SEM2	D002058TC1151116	C	88,9	C	E	E	68	577	1x8
SDD2-L-EM TC	580	SEM8	D002058TC1171116	C	106,9	C	E	E	70	622	1x8
SDD2-L-EM TC	580	SEM10	D002058TC1301116	C	58,1	C	E	E	67	478	1x8
SDD2 INOX	875	on-board	D002088PB128XX05	A+	40,9	A	n/a	E	68	757	no
SDD2_EM INOX	875	SEM1	D002088PB129XX05	B	50,9	A	n/a	E	59	682	no
SDD2_EM INOX	875	SEM2	D002088PB115XX05	B	79,3	C	n/a	E	62	731	no
SDD2_EM INOX	875	SEM8	D002088PB117XX05	C	99	B	n/a	F	64	753	no
SDD2_EM INOX	875	SEM10	D002088PB130XX05	B	50,6	C	n/a	E	61	530	no
SDD2 TC	875	on-board	D002088TC128XX05	A+	40,9	A	n/a	E	68	757	no
SDD2_EM TC	875	SEM1	D002088TC129XX05	B	50,9	A	n/a	E	59	682	no
SDD2_EM TC	875	SEM2	D002088TC115XX05	B	79,3	C	n/a	E	62	731	no
SDD2_EM TC	875	SEM8	D002088TC117XX05	C	99	B	n/a	F	64	753	no
SDD2_EM TC	875	SEM10	D002088TC130XX05	B	50,6	C	n/a	E	61	530	no
SDD2-L INOX	875	on-board	D002088PB1281415	A	51,1	A	E	E	68	757	1x14
SDD2-L-EM INOX	875	SEM1	D002088PB1291415	B	61,1	A	E	E	59	682	1x14
SDD2-L-EM INOX	875	SEM2	D002088PB1151415	C	89,5	C	E	E	62	731	1x14
SDD2-L-EM INOX	875	SEM7 Ø150	D002088PB1161415	A	115,8	A	E	F	72	1142	1x14
SDD2-L-EM INOX	875	SEM7 Ø200	D002088PB1161415	A	119,4	A	E	F	74	1328	1x14
SDD2-L-EM INOX	875	SEM8	D002088PB1171415	C	109,2	B	E	F	64	753	1x14
SDD2-L-EM INOX	875	SEM10	D002088PB1301405	C	60,8	C	E	E	61	530	1x14
SDD2-L-EM INOX	875	SEM12	D002088PB1311405	B	71,7	A	E	E	68	668	1x14
SDD2-L TC	875	on-board	D002088TC1281415	A	51,1	A	E	E	68	757	1x14
SDD2-L-EM TC	875	SEM1	D002088TC1291415	B	61,1	A	E	E	59	682	1x14
SDD2-L-EM TC	875	SEM2	D002088TC1151415	C	89,5	C	E	E	62	731	1x14
SDD2-L-EM TC	875	SEM7 Ø150	D002088TC1161415	A	115,8	A	E	F	72	1142	1x14
SDD2-L-EM TC	875	SEM7 Ø200	D002088TC1161415	A	119,4	A	E	F	74	1328	1x14
SDD2-L-EM TC	875	SEM8	D002088TC1171415	C	109,2	B	E	F	64	753	1x14
SDD2-L-EM TC	875	SEM10	D002088TC1301405	C	60,8	C	E	E	61	530	1x14
SDD2-L-EM TC	875	SEM12	D002088TC1311405	B	71,7	A	E	E	68	668	1x14
SDD2-L INOX LED	875	on-board	D002088PB1282415	A	44,5	A	A	E	68	757	1x5
SDD2-L-EM INOX LED	875	SEM1	D002088PB1292415	B	54,5	A	A	E	59	682	1x5
SDD2-L-EM INOX LED	875	SEM2	D002088PB1152415	C	82,9	C	A	E	62	731	1x5
SDD2-L-EM INOX LED	875	SEM7 Ø150	D002088PB1162415	A+	109,2	A	A	F	72	1142	1x5
SDD2-L-EM INOX LED	875	SEM7 Ø200	D002088PB1162415	A+	112,9	A	A	F	74	1328	1x5
SDD2-L-EM INOX LED	875	SEM8	D002088PB1172415	C	102,6	B	A	F	64	753	1x5
SDD2-L-EM INOX LED	875	SEM10	D002088PB1302415	C	54,3	C	A	E	61	530	1x5
SDD2-L-EM INOX LED	875	SEM12	D002088PB1312415	B	65,2	A	A	E	68	668	1x5
SDD2-L TC LED	875	on-board	D002088TC1282415	A	44,5	A	A	E	68	757	1x5

DOWNDRAFT
UPRIGHT

Product name	Dim.	Motor	Model Identifier	Energy efficiency Class	Annual Energy Consumption	Fluid Dynamic Efficiency	Light Efficiency Class	Grease Filtering Efficiency Class	Weighted Sound Power Emission at maximum speed	Air Flow at intensive /boost setting	Lighting
SDD2-L-EM TC LED	875	SEM1	D002088TC1292415	B	54,5	A	A	E	59	682	1x5
SDD2-L-EM TC LED	875	SEM2	D002088TC1152415	C	82,9	C	A	E	62	731	1x5
SDD2-L-EM TC LED	875	SEM7 Ø150	D002088TC1162415	A+	109,2	A	A	F	72	1142	1x5
SDD2-L-EM TC LED	875	SEM7 Ø200	D002088TC1162415	A+	112,9	A	A	F	74	1328	1x5
SDD2-L-EM TC LED	875	SEM8	D002088TC1172415	C	102,6	B	A	F	64	753	1x5
SDD2-L-EM TC LED	875	SEM10	D002088TC1302415	C	54,3	C	A	E	61	530	1x5
SDD2-L-EM TC LED	875	SEM12	D002088TC1312415	B	65,2	A	A	E	68	668	1x5
SDD2-L INOX	1175	on-board	D002118PB1281317	B	60,7	A	F	E	65	791	1x21
SDD2-L-EM INOX	1175	SEM1	D002118PB1291317	B	58,7	A	F	E	55	736	1x21
SDD2-L-EM INOX	1175	SEM2	D002118PB1151317	C	99,4	B	F	E	57	738	1x21
SDD2-L-EM INOX	1175	SEM8	D002118PB1171317	C	107,3	B	F	F	60	807	1x21
SDD2-L-EM INOX	1175	SEM10	D002118PB1301317	C	67,1	C	F	E	59	559	1x21
SDD2-L TC	1175	on-board	D002118TC1281317	B	60,7	A	F	E	65	791	1x21
SDD2-L-EM TC	1175	SEM1	D002118TC1291317	B	58,7	A	F	E	55	736	1x21
SDD2-L-EM TC	1175	SEM2	D002118TC1151317	C	99,4	B	F	E	57	738	1x21
SDD2-L-EM TC	1175	SEM8	D002118TC1171317	C	107,3	B	F	F	60	807	1x21
SDD2-L-EM TC	1175	SEM10	D002118TC1301317	C	67,1	C	F	E	59	559	1x21
SDD3_EM_TC	520	on-board	D003052TC128XX07	A	45,9	A	n/a	E	69	636	no
SDD3_EM_TC	520	SEM1	D003052TC129XX07	A	44,6	B	n/a	E	66	595	no
SDD3_EM_TC	520	SEM2	D003052TC115XX07	C	83	C	n/a	E	68	577	no
SDD3_EM_TC	520	SEM8	D003052TC117XX07	C	101,1	C	n/a	E	70	622	no
SDD3_EM_TC	520	SEM10	D003052TC130XX07	B	52,2	C	n/a	E	67	478	no
SDD4_880TC	880	on-board	D004088TC1281415	A	51,1	A	E	E	68	757	1x14
SDD4_EM_880TC	880	SEM1	D004088TC1291415	B	61,1	A	E	E	59	682	1x14
SDD4_EM_880TC	880	SEM2	D004088TC1151415	C	89,5	C	E	E	62	731	1x14
SDD4_EM_880TC	880	SEM8	D004088TC1171415	C	109,2	B	E	F	64	753	1x14
SDD4_EM_880TC	880	SEM10	D004088TC1301415	C	60,8	C	E	E	61	530	1x14
S-DD11 X	810	on-board	D011088PB1282219	B	59,6	B	F	E	68	681	2x3,9
S-DD11 EM X	810	SEM1	D011088PB1292219	B	55,4	B	F	E	59	633	2x3,9
S-DD11 EM X	810	SEM2	D011088PB1152219	C	80,2	C	F	E	62	639	2x3,9
S-DD11 EM X	810	SEM10	D011088PB1302219	C	57,9	C	F	E	70	478	2x3,9
S-DD11 EM X	810	SEM12	D011088PB1312219	C	79,7	C	F	E	71	576	2x3,9
S-DD12 TC	870	on-board	D012088TC1282339	A	49,6	A	E	E	68	750	1x12
S-DD12 EM TC	870	SEM1	D012088TC1292339	B	51,7	A	E	E	59	687	1x12
S-DD12 EM TC	870	SEM2	D012088TC1152339	B	79,4	B	E	E	62	718	1x12
S-DD12 EM TC	870	SEM8	D012088TC1172339	B	97,9	B	E	F	64	816	1x12
S-DD12 EM TC	870	SEM10	D012088TC1302339	C	57,2	C	E	E	61	530	1x12
S-DD13	880	on-board	D013088TC1283163	A	50,8	A	C	C	68	690	1x9,5
S-DD13 EM	880	SEM1	D013088TC1293163	A	48,7	A	C	C	59	660	1x9,5
S-DD13 EM	880	SEM2	D013088TC1153163	B	75,2	B	C	C	62	665	1x9,5
S-DD13 EM	880	SEM8	D013088TC1173163	C	109,4	C	C	C	64	775	1x9,5
S-DD13 EM	880	SEM10	D013088TC1303163	C	65,7	D	C	C	61	525	1x9,5
S-DD16 EM	845	SEM1	D016085TC129XX61	A	47,5	B	n/a	C	66	600	no
S-DD16 EM	845	SEM2	D016085TC115XX61	B	73,6	C	n/a	D	68	582	no
S-DD16 EM	845	SEM10	D016085TC130XX61	B	52,1	C	n/a	C	70	484	no
S-DD16 EM	845	SEM12	D016085TC131XX61	B	73,6	C	n/a	C	71	577	no
S-DD16 EM	845	SEM13	D016085TC125XX61	C	87,2	C	n/a	C	66	645	no
S-DD17 EM	520	SEM1	D017052TC129XX69	A	47,8	A	n/a	C	66	618	no
S-DD17 EM	520	SEM2	D017052TC115XX69	B	73,1	C	n/a	D	68	597	no
S-DD17 EM	520	SEM10	D017052TC130XX69	C	59,7	D	n/a	C	70	493	no
S-DD17 EM	520	SEM12	D017052TC131XX69	B	67,5	B	n/a	C	71	642	no
S-DD17 EM	520	SEM13	D017052TC125XX69	C	87,2	C	n/a	C	66	645	no
UPRIGHT BUILT-IN	800	on-board	U001087PB1280262	A	48,5	A	B	F	68	755	1x10,5
UPRIGHT-EM BUILT-IN	800	SEM1	U001087PB1290262	A	55	A	B	F	59	685	1x10,5
UPRIGHT-EM BUILT-IN	800	SEM2	U001087PB1150262	C	91	C	B	F	62	763	1x10,5

CEILING
HOODS

Product name	Dim.	Motor	Model Identifier	Energy efficiency Class	Annual Energy Consumption	Fluid Dynamic Efficiency	Light Efficiency Class	Grease Filtering Efficiency Class	Weighted Sound Power Emission at maximum speed	Air Flow at intensive /boost setting	Lighting
SLT951 EM		SEM1	C951110RC1291037	C	89	A	F	F	57	706	4x16
SLT951 EM		SEM2	C951110RC1151037	C	129,5	B	F	F	61	773	4x16
SLT951 EM		SEM8	C951110RC1171037	C	138,2	B	F	F	64	869	4x16
SLT958		on-board	C958090RC1280137	A	54,8	A	B	F	67	758	2X6,5
SLT958 EM		SEM1	C958090RC1290137	B	63,1	B	B	F	55	670	2X6,5
SLT958 EM		SEM2	C958090RC1150137	B	73,4	A	B	F	59	790	2X6,5
SLT958 EM		SEM8	C958090RC1170137	B	96,9	B	B	F	62	900	2X6,5
SLT958 W		on-board	C958090RC1280137	A	54,8	A	B	F	67	758	2X6,5
SLT958 EM W		SEM1	C958090RC1290137	B	63,1	B	B	F	55	670	2X6,5
SLT958 EM W		SEM2	C958090RC1150137	B	73,4	A	B	F	59	790	2X6,5
SLT958 EM W		SEM8	C958090RC1170137	B	96,9	B	B	F	62	900	2X6,5
SLT960		on-board	C960110RC1280435	B	69,1	A	E	F	66	753	2X18,5
SLT960 EM		SEM1	C960110RC1290435	B	83,8	B	E	F	65	681	2X18,5
SLT960 EM		SEM2	C960110RC1150435	C	97,8	B	E	F	71	736	2X18,5
SLT960 EM		SEM8	C960110RC1170435	C	120,1	B	E	F	70	855	2X18,5
SLT962		on-board	C962090RC1241940	C	63,3	C	D	F	61	604	1x20
SLT962 EM		SEM1	C962090RC1291940	B	74,6	B	D	F	65	602	1x20
SLT962 EM		SEM2	C962090RC1151940	C	101,8	C	D	F	71	610	1x20
SLT962 EM		SEM8	C962090RC1171940	B	104	B	D	F	70	832	1x20
SLT963		on-board	C963095RC1240324	C	75,9	C	B	F	69	579	2x15,5
SLT963 EM		SEM1	C963095RC1290324	B	81,7	B	B	F	65	690	2x15,5
SLT963 EM		SEM2	C963095RC1150324	C	92,1	B	B	F	71	733	2x15,5
SLT963 EM		SEM8	C963095RC1170324	C	112	B	B	F	70	832	2x15,5
SLT965		on-board	C965110RC1270460	B	87,6	B	E	F	70	707	2X18,5
SLT965		on-board	C965110RC1240460	C	79,3	C	E	F	66	588	2X18,5
SLT965 EM		SEM1	C965110RC1290460	B	72	A	E	F	65	687	2X18,5
SLT965 EM		SEM2	C965110RC1150460	C	98,1	B	E	F	71	695	2X18,5
SLT965 EM		SEM8	C965110RC1170460	C	120,1	B	E	F	70	855	2X18,5
SLT966		on-board	C966100RC1243268	B	56,4	C	C	F	63	615	2x5
SLT966		on-board	C966100RC1273268	B	68,6	B	C	F	68	757	2x5
SLT966 EM		SEM1	C966100RC1293268	A	51,3	A	C	F	71	675	2x5
SLT966 EM		SEM2	C966100RC1153268	B	79,2	B	C	F	71	691	2x5
SLT966 EM		SEM8	C966100RC1173268	C	111,1	C	C	F	69	790	2x5
SLT967		on-board	C967100RC1242565	C	71,8	C	0	F	63	615	2x15,5
SLT967		on-board	C967100RC1272565	B	84	B	0	F	68	757	2x15,5
SLT967 EM		SEM1	C967100RC1292565	B	66,6	A	0	F	71	675	2x15,5
SLT967 EM		SEM2	C967100RC1152565	C	94,5	B	0	F	71	691	2x15,5
SLT967 EM		SEM8	C967100RC1172565	C	126,4	C	0	F	69	790	2x15,5

DECORATIVE ISLAND

Product name	Dim.	Motor	Model Identifier	Energy efficiency Class	Annual Energy Consumption	Fluid Dynamic Efficiency	Light Efficiency Class	Grease Filtering Efficiency Class	Weighted Sound Power Emission at maximum speed	Air Flow at intensive /boost setting	Lighting
SIL 5	900	on-board	I005090PB1280637	A	47,7	A	A	A	70	720	4x2,10
SIL 5	1200	on-board	I005120PB1280637	A	47,7	A	A	A	70	720	4x2,10
SIL-EM 5	900	SEM1	I005090PB1290637	A	53,8	A	A	A	70	703	4x2,10
SIL-EM 5	900	SEM2	I005090PB1150637	B	74,0	B	A	A	70	723	4x2,10
SIL 24	900	on-board	I024090PB1280137	A	49,3	A	B	A	70	730	2x6,5
SIL 24 TC	900	on-board	I024090PB1280137	A	49,3	A	B	A	70	730	2x6,5
MO 404		on-board	I404036RC1282604	A	44,3	A	A	D	71	730	1x4
MO 405		on-board	I405040RC1282604	A	44,3	A	A	D	71	730	1x4
MO 406		on-board	I406040RC1280857	B	70,6	A	D	D	71	730	1x40

WALL HOODS

Product name	Dim.	Motor	Model Identifier	Energy efficiency Class	Annual Energy Consumption	Fluid Dynamic Efficiency	Light Efficiency Class	Grease Filtering Efficiency Class	Weighted Sound Power Emission at maximum speed	Air Flow at intensive /boost setting	Lighting
SL 31	600	on-board	P031060PB1280637	A	42,3	A	A	A	72	719	2x2,1
SL 31	900	on-board	P031090PB1280637	A	44,6	A	A	B	72	720	2x2,1
SL 31	1000	on-board	P031100PB1280637	A	44,6	A	A	B	72	720	2x2,1
SL 31	1200	on-board	P031120PB1280637	A	44,6	A	A	A	72	720	2x2,1
SL 31-EM	900	SEM1	P031090PB1290637	A	50,7	A	A	A	72	703	2x2,1
SL 31-EM	900	SEM2	P031090PB1150637	B	70,9	B	A	A	72	723	2x2,1
SL 50	600	on-board	P050060PB1280657	A	46,6	A	A	B	70	762	2x2,1
SLTR 75 (60)	600	on-board	P075060RB1010121	B	63,6	B	B	D	71	647	1x6,5
SLTR 75 (90)	900	on-board	P075090RB1280220	A+	45,6	A	B	D	71	757	1x10,5
SLTC 75 (60)	600	on-board	P075060TC1010121	B	63,6	B	B	D	71	647	1x6,5
SLTC 75 (90)	900	on-board	P075090TC1280220	A+	45,6	A	B	D	71	757	1x10,5
SLTC 86 80	800	on-board	P086080TC1010157	B	64,5	B	B	D	71	604	2x6,5
SL 89 55	550	on-board	P089055PB1280542	A	44,4	A	A	E	69	748	2x2,1
SL 89 80	800	on-board	P089080PB1280542	A	45,4	A	A	E	69	750	2x2,1
SLTC 90 55	550	on-board	P090055TC1280113	A	46,0	A	B	C	69	748	1x6,5
SLTC 91 80	800	on-board	P091080TC1280122	A	47,1	A	B	D	69	750	1x6,5
SLTC 92	900	on-board	P092090TC1280137	A	49,3	A	B	A	72	730	2x6,5
SL 92	900	on-board	P092090PB1280137	A	49,3	A	B	A	72	730	2x6,5
SLTC 93 60	600	on-board	P093060TC1280122	A	46,0	A	B	C	65	748	1x6,5
SLTC 93 90	800	on-board	P093080TC1280122	A	47,1	A	B	C	69	750	1x6,5
SLTC 94	800	on-board	P094080TC1280113	A	47,1	A	B	D	69	750	1x6,5
SLTC 95	670	on-board	P095067TC1280118	A	45,9	A	B	B	69	698	1x6,5
SLTC 97	900	on-board	P097090TC1280102	A	45,9	A	B	A	72	773	2x6,5
SLTC 103	700	on-board	P103070TC1280113	A	46,0	A	B	C	65	748	1x6,5
MO 207		on-board	P207040RC1282604	A	44,3	A	A	D	71	730	1x4
MO 208		on-board	P208036RC1282604	A	44,3	A	A	D	71	730	1x4

BUILT-IN PRODUCTS

Product name	Dim.	Motor	Model Identifier	Energy efficiency Class	Annual Energy Consumption	Fluid Dynamic Efficiency	Light Efficiency Class	Grease Filtering Efficiency Class	Weighted Sound Power Emission at maximum speed	Air Flow at intensive /boost setting	Lighting
SM 900	520	on-board	G900052PB1010657	B	58,1	B	A	B	70	604	2x2,1
SM 900	700	on-board	G900070PB1010657	B	54,9	B	A	B	70	654	2x2,1
SL 900	520	on-board	G900052PB1280657	A	46,6	A	A	B	70	762	2x2,1
SL 900	700	on-board	G900070PB1280657	A	46,9	A	A	B	70	773	2x2,1
SLT 900	520	on-board	G900052RC1280657	A	46,6	A	A	B	70	762	2x2,1
SLT 900	700	on-board	G900070RC1280657	A	46,9	A	A	B	70	773	2x2,1
SL 903-P	700	on-board	G903070PB1280541	A	55,2	A	A	B	69	700	4x2,1
SL 903-P-EM	700	SEM1	G903070PB1290541	B	58,1	B	A	B	65	630	4x2,1
SL 903-P-EM	700	SEM2	G903070PB1150541	C	80,2	C	A	B	66	630	4x2,1
SL 903-P	900	on-board	G903090PB1280541	A	50,9	A	A	B	69	705	4x2,1
SL 903-P-EM	900	SEM1	G903090PB1290541	B	58,5	B	A	B	65	624	4x2,1
SL 903-P-EM	900	SEM2	G903090PB1150541	C	81,1	C	A	B	66	632	4x2,1
SM 905	520	on-board	G905052PB1010624	B	58,1	B	A	B	70	604	2x2,1
SM 905	850	on-board	G905085PB1010624	B	54,9	B	A	B	70	654	2x2,1
SL 906-L	520	on-board	G906052PB1280152	A	46,5	A	A	A	71	680	1x6,5
SL 906-L	850	on-board	G906085PB1280253	A	49,0	A	B	A	71	743	1x10,5
SL 906-L	1000	on-board	G906100PB1280349	A	52,7	A	B	A	71	743	1x15,5
SL 907	520	on-board	G907052PB1281159	B	55,3	A	F	B	69	682	2x8
SL 907	700	on-board	G907070PB1281246	B	67,9	A	F	B	69	715	2x15
SL 909	856	on-board	G909086PB1282648	A	46,0	A	A	A	71	757	2x4
SL 909	1400	on-board	G909140PB1282648	A	49,2	A	A	A	71	768	4x4
SL 913	520	on-board	G913052PB1280127	A	58,8	A	D	B	69	668	1x6,5
SL 913	780	on-board	G913078PB1280227	A	52,2	A	E	B	69	721	1x10,5
SL 914	520	on-board	G914052PB1280529	A	57,1	A	A	B	69	668	2x2,1
SL 914	850	on-board	G914078PB1280524	A	55,7	A	A	B	69	721	2x2,1
SLTC 919	520	on-board	G919052TC1280166	A	46,5	A	A	A	71	680	1x6,5
SLTC 919	850	on-board	G919085TC1280267	A+	45,6	A	B	A	71	772	1x10,5

art direction
Giacomo Fava

The printing process do not always permit
a faithful reproduction of tones
and materials of originals.

Sirius S.p.A. reserves the right to change,
at any time and without prior warning,
the technical specifications of any product
illustrated in this catalogue.

This catalogue is of exclusive propriety
of Sirius spa. All rights are reserved.
Any form of total or partial reproduction
of catalogue is strictly forbidden.

Security and respect of the general requirements
of Directives are the basis for the realization
of our products. It is a question of quality
and security, well spread in our company.
Together with the protection of environment,
and the health of our employees. Working
with us with passion, being respectful and
taking care of our company is like living at home.

SIRIUS S.p.a.
Zona Ind.le Berbentina 6/A
60041 Sassoferrato (An)
Tel. +39 0732.97171
Fax. +39 0732.95493

www.siriuscappe.com



JANUARY 2017
cod. 99000000017