
HOODS & ASPIRATION HOBS


HOODS & ASPIRATION HOBS

Ci impegniamo ogni giorno per soddisfare e sorprendere i nostri clienti, con soluzioni che fondono design, esperienza, affidabilità, know how e stile.

Every day, we work to satisfy and surprise our customers with solutions that bring together design, experience, reliability, know-how and style.

8	Caratteristiche di prodotto Product Features
14	NIKOLATESLA
34	WALL
70	ISLAND
82	CEILING
98	SUSPENDED
114	DOWNDRAFT
118	BUILT-IN
132	GOOD TO KNOW
133	Peso Weight
134	Performance Performance
138	Approfondimenti Learn more
140	Filtri Grassi Grease Filters
141	Filtri Odori Odour Filters
146	Tu e la Cappa The Hood and You
150	Etichetta Energetica Energy Label
151	Garanzia e Servizi Warrenty and Services

NIKOLATESLA 14



NIKOLATESLA
FIT

28



NIKOLATESLA
ONE

18



NIKOLATESLA
FLAME

24



NIKOLATESLA
PRIME

22



NIKOLATESLA
LIBRA

20



NIKOLATESLA
SWITCH

16

WALL 34



ACUTA

68



BELT

61



ADÉLE

41



BIO

37



APLOMB

51



BLOOM

59

WALL 34




BLOOM-S

52



HYDRA

68



MINI OM

56



CIRCUS

47



JOY

42



MISSY

67



CRUISE

44



KUADRA

65



MOON

39



ELEKTRA

61



L'ESSENZA

62



NUAGE

57



ELLE

58



LOL

43



OM AIR

55



FLAT GLASS

46



MAJESTIC

54



PLAT

49



GALAXY

42



MAJESTIC
NO DRIP

53



REEF

47




HAIKU

36



METEORITE

38



RUBINO
CORNER

69


INDEX

WALL



RULES

50



SHEEN-S

62



SHIRE

63



SHY-S

63



SINFONIA

56



SPOT NG

45



SPOT NG
URBAN

45



SPOT PLUS

44



STONE

64



STRIPE

60




STRIPE
URBAN

60



SUPER PLAT

48



SWEET

40



SYNTHESIS

69



TAMAYA

66



THIN

43



TONDA

66



TRIBE

46



TUBE PRO

65



VEGA

67



VERTIGO

58

ISLAND 70



ADÉLE ISLAND

76



BIO ISLAND

73



GALAXY
ISLAND

77



HAIKU ISLAND

72



JOY ISLAND

77



KUADRA
ISLAND

81



METEORITE
ISLAND

74



MOON ISLAND

75



REEF ISLAND

79



SPOT PLUS
ISLAND

78



THIN
ISLAND

78



TRIBE
ISLAND

79



TUBE PRO
ISLAND

81



YE

80

CEILING 82



CLOUD SEVEN

94



HILIGHT-W

90



HILIGHT-X

92



ILLUSION

88



LULLABY

84



SKYDOME

86

INDEX

SUSPENDED 98



AUDREY

105



JUNO

112



SHINING

103



EASY

109



JUNO URBAN

112



STAR

106



ÉDITH

104



NAKED

113



SUMMILUX

102



GRACE

108



NAKED URBAN

113



TWIN

106



IKONA LIGHT

111



PIX

110



WAVE

107



INTERSTELLAR

100



SEASHELL

101

BUILT-IN 118



BOXIN

127



ELITE 35

130



HIDDEN 2.0

121



BOXIN
NO DRIP

125



ERA

124



HIDDEN
2.0 @

120



BOXIN PLUS

126



ERA C

124



KREA

131



CIAK

129



ERA S

123



LANE

122



ELIBLOC

123



ESTRAIBILE

131




LEVER

129



ELITE 14

130



GLASS OUT

128

DOWNDRAFT 114



GETUP

116



PANDORA

117

L'azienda si riserva la facoltà di modificare/adeguare le informazioni tecniche e dimensionali dei prodotti inseriti anche senza preavviso alcuno.
The company reserves the right to change the technical information and dimensions of the products included/featured without notice.

ASPIRAZIONE / SUCTION

**CONNECTIVITY**

Con la crescente diffusione del mondo IoT, è diventata ormai prassi comune governare i propri dispositivi grazie alla connessione wi-fi. Oggi possiamo comandare la nostra cappa tramite l'app Elica dedicata o attraverso il controllo vocale per avviarla o spegnerla, regolarne la potenza aspirante o l'intensità e il colore della luce, semplicemente con un clic o con il supporto dei più diffusi vocal assistant. L'app diventa inoltre un utile strumento per la manutenzione del prodotto, grazie a periodiche notifiche che ne segnalano lo stato, eventuali operazioni di pulizia necessarie o l'esigenza di sostituire i filtri.

With the increasing widespread diffusion of the IoT world, it has become common practice to manage all your devices with a wi-fi connection. We can now control our extraction hood with the dedicated Elica app or through voice control to turn it on or off, adjust the extraction speed or intensity and the colour of the light, simply with a click or the help of the most popular vocal assistants. The app also becomes a useful tool for maintaining the product, thanks to periodic notifications which report on its status, any cleaning operations required or filters that need replacing.

**SPECIAL MATERIAL**

Nella ricerca di prodotti belli da esibire ma funzionali nell'utilizzo quotidiano, i materiali giocano un ruolo chiave. Possono fare la differenza sia in termini di estetica, diventando protagonisti o scomparendo tra i mobili, che di facilità di manutenzione nel tempo. Fondamentali nel processo di innovazione, sono alla base di un look accattivante e di un'esperienza d'uso appagante. Elica seleziona materiali in cui durevolezza, facilità di pulizia e impatto estetico sono combinati in perfetto equilibrio. L'ampia selezione di finiture disponibili offre la massima libertà di scelta per ogni tipo di ambiente.

In the quest for attractive products to show off but which have a functional, everyday use, materials play a key role. They can make the difference by becoming an attractive signature feature or by disappearing into the background and by being easy to maintain in the long term. They are fundamental in the process of innovation, forming the basis of an attractive look and a fulfilling user experience. Elica selects materials in which sturdiness, easy cleaning and aesthetic impact are combined in a perfect balance. The wide selection of finishes available offers maximum freedom of choice whatever the setting.

**BACK ASPIRATION**

Si ampliano le possibilità di installazione della tua cappa. Sui modelli dotati di questa funzione, è possibile ruotare il convogliatore e collegare direttamente la cappa con l'uscita nel muro posteriore oppure in altri modelli la particolare architettura del prodotto consente di realizzare l'uscita a muro tramite una curva a 90 gradi del tubo. In questo modo si può contare sulla massima aspirazione, preservando l'estetica originale del prodotto, che non verrà modificata da tubi o camini aggiuntivi a vista.

There are now more ways of installing your extraction hood. On models with this function, it is possible to rotate the conveyor and directly connected the hood with the outlet in the wall behind it or in other models, the special architecture of the product allows the wall outlet to be created with a 90-degree elbow pipe. Thus, you can rely on maximum extraction while preserving the original outward appearance of the product which will not be modified by pipes or additional visible flues.

**TOTAL INTEGRATION**

Sempre più diffusa nelle cucine di oggi, la tendenza del total look garantisce un design omogeneo, uniforme e lineare rispetto allo spazio. I prodotti contrassegnati con Total Integration sono stati disegnati per essere integrati perfettamente nella cucina, mantenendo l'armonia dell'ambiente circostante.

The total look trend is becoming increasingly popular in kitchens now, guaranteeing a uniform, linear design with respect to the space. The Total Integration products have been designed to be seamlessly integrated into the kitchen whilst maintaining harmony with the surroundings.

ASPIRAZIONE / SUCTION

**COMFORT SILENCE**

Con la diffusa tendenza di progettare la cucina a vista sul living, diventa importante poter contare su cappe che abbiano una grande capacità aspirante e che non siano rumorose, per non risultare invasive nell'ambiente circostante. Grazie alla tecnologia Comfort Silence il livello acustico delle cappe Elica alla massima velocità di aspirazione non disturba né interferisce con la conversazione tra i presenti.

With the widespread tendency to design open-plan kitchens joined to the living room, it has become important to be able to rely on hoods with a greater extraction capability which are quieter, so they do not intrude on the surroundings. Thanks to Comfort Silence, the sound level of Elica extraction hoods at maximum extraction speed does not disturb or interfere with the conversation of those present.

**SUPER EASY INSTALLATION**

Con l'esclusivo sistema Elica, il montaggio avviene in totale sicurezza e in pochissimi passaggi, salvaguardando l'estetica del prodotto e dello spazio in cui viene posizionato. Dopo il bloccaggio automatico del prodotto in sede, è possibile regolare al millimetro i punti di fissaggio, preservando il design lineare della cucina e assicurando la perfetta integrazione della cappa nell'ambiente. Una soluzione facile, robusta e sicura.

With the exclusive Elica system, installation can be done in total safety in just a few steps, safeguarding the look of the product and the space in which it is positioned. After the hood is automatically locked in position, the fastening points can be finely adjusted to preserve the linear design of the kitchen and ensure perfect integration of the hood in the room. A simple, hard-wearing and safe solution.

**LONG LIFE FILTER**

Per assicurare una resa ottimale della cappa e la sua durabilità nel tempo bisogna sostituire i filtri tradizionali ogni 3/6 mesi. Per semplificare le attività di manutenzione Elica ha progettato l'innovativo filtro odore rigenerabile Long Life che consente una durata fino a 3 anni. È sufficiente lavarlo in acqua calda e sapone neutro o in lavastoviglie a 65° e asciugarlo in forno a 100° per 10 minuti ogni 2 mesi, per averlo sempre come nuovo. Il livello di efficienza si aggira intorno a 60%.

To ensure the best performance and long-term duration of your hood, the traditional filters must be replaced every 3-6 months. To simplify the maintenance operations, Elica has designed the innovative, regenerable Long Life odour filter which lasts up to three years. Just wash it with hot water and neutral soap or in the dishwasher at 65° and dry it in the oven at 100° for ten minutes every two months to keeping it looking good as new. The level of efficiency is about 60%.

**LONG LIFE FILTER ++**

Long Life Filter ++ è l'innovativo filtro studiato da Elica per la massima prestazione. Questo filtro garantisce un'efficienza di filtraggio che supera l'80%, rispetto a una media del mercato che si ferma al 60%. Quest tipo di filtro odori ha la capacità di rigenerarsi e di durare fino ad un massimo di 3 anni, evitando così frequenti sostituzioni e sprechi. Per mantenere tali caratteristiche, il filtro deve essere rigenerato ogni 2 o 3 mesi, seguendo una semplice procedura per averlo sempre come nuovo. La soluzione perfetta per chi si cimenta in cottura impegnative e prolungate.

Long Life Filter ++ is the innovative filter studied by Elica for maximum performance. This filter guarantees a filtering efficiency of more than 80%, as compared to the market average, which only reaches 60%. This type of odour filter can be regenerated and lasts for up to a maximum of three years, thus avoiding frequent and wasteful replacements. In order to preserve these characteristics, the filter must be regenerated every 2 or 3 months according to a simple procedure, which maintains it good as new. The perfect solution if you like trying out challenging dishes which take a long time to cook.

ASPIRAZIONE / SUCTION

**MULTI-D CAPTURE**

Per chi in cucina si cimenta in preparazioni importanti e ha bisogno di un'aspirazione altamente efficiente, Elica ha studiato la soluzione Multi-d capture. L'aspirazione è distribuita in più aree per garantire una migliore captazione dei fumi. Il sistema fluidodinamico permette di incrementare la velocità di aspirazione grazie ad un opportuno dimensionamento delle superfici di passaggio dell'aria. Ciò garantisce un'alta efficienza di captazione dei fumi di cottura attraverso un aumento della depressione lungo tutto il perimetro del prodotto.

If you like a challenge when cooking and need highly efficient extraction capabilities, Elica has developed the Multi-d capture solution. The extraction is divided over multiple areas to guarantee the best fume capture capability. The fluid dynamic system allows you to increase the extraction speed by suitably sizing the surfaces through which the air passes. This guarantees a high cooking fume-capture efficiency through an increase in the negative pressure along the outside of the product.

**DIM LIGHT**

La luce in cucina, così come in ogni ambiente domestico, rappresenta una leva progettuale importante per vivere al meglio i propri spazi. Modulare la giusta intensità diventa fondamentale per ricreare l'atmosfera desiderata. Ecco perché Elica ha progettato la funzione Dim Light, che permette di regolare la potenza luminosa della propria cappa attraverso un semplice comando. Luce al massimo per avere la migliore visibilità sul piano da lavoro, o soffusa per goderci momenti di relax.

The light in the kitchen, as in any room, is a key design feature for improving the home living experience. Achieving the right intensity becomes fundamental in creating the desired atmosphere. Which is why Elica has designed the Dim light function which allows you to adjust the intensity of your extraction hood light with a simple control. Maximum light for the best visibility on the worktop or dimmed when relaxing.

**TUNE WHITE**

L'illuminazione in casa non può essere statica, perché a seconda dei momenti della giornata, abbiamo bisogno di toni di luce differenti: una luce fredda è ottimale per cucinare, così come una calda ricrea un mood più rilassato. La funzione Tune White permette di regolare il colore dei led dal bianco caldo (2400 k) fino al bianco freddo (5000 k). Con Tune White è possibile allineare il colore della luce proveniente dalla cappa con il resto delle luci presenti nell'ambiente, per una atmosfera uniforme in tutta la stanza.

Lighting in the home should not be static because different tones of light are called for depending on the time of day: cool light is excellent for cooking while warm light creates a more relaxing mood. The Tune White function allows you adjust the LED colour from warm white (2400 k) up to cool white (5000 k). With Tune White, you can also align the colour of the light from the hood with the rest of the lights in the room for a uniform atmosphere throughout.

ASPIRAZIONE / SUCTION

**EASY MAINTENANCE**

Mantenere la propria cappa pulita non solo garantisce la massima igiene in cucina, ma assicura una vita più lunga al prodotto. I modelli Elica sono progettati con materiali e finiture che rendono le operazioni di manutenzione immediate. Tutte le componenti, come i filtri grassi e odori, sono facilmente raggiungibili e rimovibili, per poterli lavare o sostituire velocemente.

Keeping your hood clean not only ensures maximum hygiene in the kitchen but also long life for the product. The Elica models are designed with materials and finishes for instant maintenance operations. All the components, such as the grease and odour filters, can be easily accessed and removed so they can be washed or rapidly replaced.

**AIRMATIC**

Oggi grazie a Airmatic il tuo piano aspirante è completamente automatico. Il suo sensore intelligente è in grado di distinguere la qualità dei fumi e i tipi di cottura e di abbinare queste informazioni al numero e alla potenza delle zone a induzione utilizzate. Anche quando la cottura è terminata il sistema si adatta autonomamente diminuendo gradualmente l'aspirazione e eliminando i vapori e gli odori residui. Questa tecnologia avanzata rappresenta un'eccellenza nel mondo dei piani cottura aspiranti e consente di ottenere il miglior equilibrio tra silenzio, potenza ed efficienza energetica.

Now, thanks to Airmatic, your extraction hob area is completely automatic. The smart sensor can distinguish between the quality of the fumes and type of cooking and combine this information with the number and power of the induction hob areas being used. Even when the hob is switched off, the system automatically adapts by gradually decreasing extraction and eliminating any residual fumes and odours. This advanced technology is top of the range in the world of extractor hobs and allows you to obtain the best balance between silence, power and energy efficiency.

**AUTOCAPTURE**

Con Autocapture non dovrai preoccuparti di regolare l'aspirazione in base alle cotture avviate, ma sarà la cappa stessa a indentificare le zone cottura attive e impostare di conseguenza la potenza, tenendo in considerazione il miglior equilibrio tra silenzio, potenza ed efficienza energetica. E a cottura ultimata, il sistema diminuirà gradualmente la velocità, in modo da eliminare i vapori e gli odori residui. Il piano cottura aspirante diventa ancora più funzionale e pratico, per cotture perfette e aspirazione ottimale.

With Autocapture, you will not have to worry about adjusting extraction based on what you are cooking. The hood will identify the cooking areas that are active and set the power accordingly, finding the best balance between silence, power and energy efficiency. And when you have finished cooking, the system gradually decreases the speed, eliminating any residual fumes and odours. The extraction hob becomes even more functional and practical for perfect cooking and excellent extraction.

COTTURA / COOKING

**MULTI FLEXI SPACE**

Tante pentole grandi sul fuoco insieme? Con il sistema Multi Flexi Space puoi contare su un maggiore spazio in lunghezza e in larghezza per i tuoi tegami. Puoi far scivolare le padelle da un fuoco all'altro senza sollevarle, grazie alle griglie a croce chiusa che ricreano una superficie piatta e continua. Un pratico piano di appoggio in ghisa consente di avere sempre a portata di mano tutto quello di cui hai bisogno.

Lots of large pans on the stove together? With the Multi Flex Space system, you have more space available both in length and width when using large pots. You can slide the pans from one ring to another without lifting them thanks to the closed cross grids which create a flat, continuous surface. A practical cast iron worktop ensures that everything you need is always at hand.

**DUAL BURNER**

Con Dual Burner, che la tua pentola sia mini o maxi, non sarà più un problema. L'innovativo bruciatore è dotato di due corone concentriche indipendenti tra loro, risultando così perfetto sia per una piccola moka che per un ampio tegame.

With Dual Burner, having small or large pans is not a problem. The innovative burner features a double crown with independent ignition of both burners, so perfect for both a small mocha coffee and a big pan.

**BRIDGE ZONE**

Quando si cucina utilizzando pentole allungate o di grande dimensioni, il rischio è che si disperda progressivamente il calore sulla loro superficie, dal centro verso l'esterno. La funzione Bridge Zone risolve il problema, collegando due aree di cottura in un'unica zona dalle dimensioni più grandi. Stesso livello di potenza, temperatura uniforme e costante per la migliore resa dei tuoi piatti.

When you cook using longer or large pans, there is a risk that the heat is progressively dispersed on the surface of the pan from the centre outwards. The Bridge Zone function solves the problem by joining two cooking areas into one single larger area. With the same power, uniform and constant temperature for the best result of your dishes.

**CHILD LOCK**

Per chi ha bambini in casa la funzione Child Lock è preziosa per evitare accensioni accidentali delle zone cottura o dell'aspirazione. La funzione può essere attivata a prodotto acceso, ma con le aree cottura e l'aspirazione spente.

If you have children in your home, the Child Lock function is invaluable for ensuring the cooking or extraction areas are not accidentally switched on. The function can be enabled when the product is switched on but the cooking areas and extraction are switched off.

**TEMPERATURE MANAGER**

Nella nostra quotidianità realizziamo spesso ricette che caratterizzano la nostra cucina e che prevedono tipologie di cottura standard. La funzione Temperature Manager è un'alleata preziosa per ottimizzare i tempi: sarà sufficiente avviare uno dei 3 programmi preimpostati (42,72, 92 gradi) con un semplice e intuitivo tasto e avviare la cottura dei tuoi piatti più delicati, come salse o mousse, riscaldare piatti già pronti, o bollire l'acqua. Nessuno spreco di tempo e massima resa.

On a daily basis, we often prepare our own signature recipes as well as standard dishes. The Temperature Manager function is an excellent tool for optimising times. Just start one of the three pre-set programs (42, 72 or 92 degrees) with a simple, intuitive button and start cooking your more delicate dishes, such as mousses or sauces, reheating dishes or boiling water. No wasting of time and maximum efficiency.

COTTURA / COOKING

**KEEP WARM**

Per chi prepara pranzo e cena in un'unica volta, per chi trova invece il piatto già pronto solo da riscaldare o per chi ha un imprevisto e ritarda il rientro a casa, Elica propone la pratica funzione Keep Warm, che mantiene in caldo le pietanze appena cucinate. È possibile attivare Keep Warm su ogni zona di cottura.

If you make lunch and dinner in one go, if you just need to reheat a dish or if an unexpected event means you are late getting home, Elica offers the practical Keep Warm function which keeps dishes that have just been cooked warm. The Keep Warm function can be enabled for any cooking area.

**TIMER**

Dimenticati del tempo di cottura dei piatti attivando il timer. Basterà impostare i minuti e far partire il countdown, al termine del quale la zona cottura si spegnerà automaticamente avvisandoti con un segnale acustico. È possibile impostare timer indipendenti su più zone contemporaneamente tramite il telecomando touch.

Forget about cooking times by turning on the timer. Just set the minutes and start the countdown. At the end, the cooking area will be automatically switched off and a beeper will sound. You can set independent timers on more than one area at the same time with the touch remote control.

**POWER LIMITATION**

Con Power Limitation imposti, in fase di installazione, il limite di potenza massima assorbita dal prodotto, assicurandoti così di non superare mai la soglia scelta. Cucinare al meglio senza interruzioni e in totale sicurezza.

If Power Limitation is set during installation, the maximum power absorbed by the product is limited, thus ensuring that you never exceed the pre-set limit. So you can cook efficiently with no interruptions in total safety.

**STOP&GO**

Capita a volte che ci si debba allontanare improvvisamente dalla cucina proprio nel bel mezzo della preparazione di una ricetta, interrompendo la cottura dei cibi. In questo caso attivando la funzione Stop&Go si spegneranno tutte le zone in un unico gesto, salvaguardando le ricette in corso.

Sometimes you need to unexpectedly leave the kitchen in the middle of preparing a recipe, interrupting the cooking. In this case, if you enable the Stop&Go function, all the active areas can be switched off with a single gesture, saving whatever is being cooked.

**PAUSE**

Con Pause&Recall potrai spegnere in un solo gesto tutte le zone cottura in funzione, per poi riattivarle con un semplice tasto alla stessa potenza precedentemente impostata, coniugando sicurezza, risultato di cottura e gestione multi-tasking.

With Pause&Recall, you can switch off all the cooking areas with one single gesture and then, restart them with a simple press of a button at the same previously set power, combining safety, cooking result and multi-tasking management.

**POT DETECTOR**

Sulla superficie del piano a induzione non sempre è facile individuare dove posizionare la pentola. Con la funzione Pot Detector il piano rileva automaticamente la presenza del tegame sulla zona di cottura e eroga la potenza solo in presenza di pentole posizionate correttamente.

It is easy to see where to position the pot on the induction hob. With Pot Detector, the hob automatically detects the presence of the pot on the cooking area and provides heat only when it is correctly positioned.

NIKOLATESLA





NIKOLATESLA SWITCH


DESIGN FABRIZIO CRISÀ

83x51x21 cm
80,7x49,2 cm (cut)
Aspirante/Filtrante Duct-out/Filtering
Vetro nero, vetro bianco "ICE GREY"
Black glass, white glass "ICE GREY"



L'elemento estetico centrale, in vetro nero ed alluminio effetto ghisa o vetro bianco e acciaio, nasconde il cuore aspirante che può essere attivato con un semplice gesto anche in modalità completamente automatica, possibile grazie ai sensori intelligenti di cui il prodotto è dotato.

L'interfaccia del prodotto Direct Slider permette di azionare le varie zone di cottura e aspirazione in modo semplice ed intuitivo.
The central aesthetic element in black glass and cast iron-look aluminium or white glass and steel, conceals the heart of the extraction unit which can be activated with a simple touch even in fully automatic mode, thanks to the integrated smart sensors.
The Direct Slider interface allows the various cooking and extraction areas to be controlled simply and intuitively.



	ASPIRAZIONE ASPIRATION	
Comandi Controls	ASPIRANTE DUCT-OUT	FILTRANTE FILTERING
	Touch control slider 8V+2I 8S+2B slider touch control	Touch control slider 8V+2I 8S+2B slider touch control
Portata intensiva Booster airflow	630 m³/h	550 m³/h
Velocità di aspirazione Suction speed	5,1 m/s	5,1 m/s
Livello sonoro min-max Noise level min-max	33 - 59 db(A)	39 - 64 db(A)
Assorbimento totale Total absorption	175 W	175 W

Filtro grassi alluminio incluso Grease aluminium Filter included
Filtro carbone ceramico incluso (*) Ceramic filter included (*)



	ACCESSORI ACCESSORIES	
Kit filtro carbone ceramico Ceramic filter kit	KIT0120952A	325,00 €

	COTTURA COOKING	
Comandi Controls	Touch control direct slider 9P+I 9P+B slider touch control direct	
Assorbimento Absorption	7,2 kW	
Power limitation	3,1 - 4,5 kW	
Voltaggio Voltage	220 - 240 V	
Zone cottura Cooking zones (Misura-Potenza Size-Power)	1	210x190 mm - 2,1/3 kW
	2	210x190 mm - 2,1/3 kW
	3	210x190 mm - 2,1/3 kW
	4	210x190 mm - 2,1/3 kW
Zone Bridge Bridge zone	2	



	MODELLI MODELS		
NIKOLATESLA SWITCH BL/A/83	PRF0146212A	2.989,00 €	
NIKOLATESLA SWITCH BL/F/83 (*)	PRF0146210A	3.195,00 €	
NIKOLATESLA SWITCH WH/A/83	PRF0146216A	2.989,00 €	
NIKOLATESLA SWITCH WH/F/83 (*)	PRF0146213A	3.195,00 €	

(*) Modello non soggetto a certificazione energetica obbligatoria.
(*) Model not subject to compulsory energy certification.




NIKOLATESLA ONE

DESIGN FABRIZIO CRISÀ

83x51x 21 cm
80,7x49,2 cm (cut)
Aspirante/Filtrante Duct-out/Filtering
Vetro nero
Black glass



Il prodotto, vincitore del XXV Compasso D'oro ADI, combina la tecnologia più avanzata per la cattura di vapori ed odori dal basso all'eccellenza del design distintivo Elica.
L'interfaccia del prodotto Direct Slider permette di azionare le varie zone di cottura e aspirazione in modo semplice ed intuitivo.
The product, winner of the 25th ADI Compasso d'Oro award, combines cutting-edge downdraft technology, to capture vapours and odours, with Elica's signature state-of-the-art design.
The Direct Slider interface allows the various cooking and extraction areas to be controlled simply and intuitively.



	ASPIRAZIONE	ASPIRATION
	ASPIRANTE DUCT-OUT	FILTRANTE FILTERING
Comandi ONE HP	Touch control slider 9V+I	Touch control slider 9V+I
Controls ONE HP	9S+B slider touch control	9S+B slider touch control
Comandi ONE	Touch control 9V+I	Touch control 9V+I
Controls ONE	9S+B touch control	9S+B touch control
Portata intensiva	640 m³/h	545 m³/h
Booster airflow		
Velocità di aspirazione	5,1 m/s	5,1 m/s
Suction speed		
Livello sonoro min-max	34 - 61 db(A)	40 - 67 db(A)
Noise level min-max		
Assorbimento totale	175 W	175 W
Total absorption		

Filtro grassi alluminio incluso Grease aluminium Filter included
Filtro carbone ceramico incluso (*) Ceramic filter included (*)



	ACCESSORI	ACCESSORIES
Kit filtro carbone ceramico	KIT0120952A	325,00 €
Ceramic filter kit		

(*) Modello non soggetto a certificazione energetica obbligatoria.
(*) Model not subject to compulsory energy certification.

	COTTURA	COOKING
	ONE HP	ONE
Comandi Controls	Touch control direct slider 9P+I 9P+B slider touch control direct	Touch control 9P+I 9P+B touch control
Assorbimento	7,2 KW	7,2 KW
Absorption		
Power limitation	4,5 kW	3,1 - 4,3 kW
Voltaggio Voltage	220 - 240 V	220 - 240 V
Zone cottura	1 200x180 mm - 2,1/3,7 kW	4 200x180 mm - 1,6/1,85 kW
Cooking zones		
(Misura-Potenza	2 200x180 mm - 2,1/3,7 kW	1 200x180 mm - 2,1/3,7 kW
Size-Power)	3 200x180 mm - 2,1/3,7 kW	2 Ø200 mm - 2,3/3,0 kW
	4 200x180 mm - 2,1/3,7 kW	3 Ø160 mm - 1,2/1,4 kW
Zone Bridge	2	1 sinistra left
Bridge zone		

	FUNZIONI	FUNCTIONS
ONE HP	CHILD LOCK TIMER BRIDGE ZONES POT DETECTOR POWER LIMITATION STOP & GO PAUSE TEMPERATURE MANAGER	ONE CHILD LOCK TIMER BRIDGE ZONES POT DETECTOR POWER LIMITATION KEEP WARM

	MODELLI	MODELS
NIKOLATESLA HP BL/A/83	PRF0120975A	3.499,00 €
NIKOLATESLA HP BL/F/83 (*)	PRF0120976A	3.947,00 €
NIKOLATESLA BL/A/83 (711593)	PRF0120977A	2.540,00 €
NIKOLATESLA BL/F/83 (711594) (*)	PRF0120978A	2.973,00 €




NIKOLATESLA LIBRA

DESIGN FABRIZIO CRISÀ



Il piano aspirante con bilancia integrata. Il design delle solide griglie veste le funzionalità dell'aspirazione dal basso e della pesatura, che si integrano armoniosamente a quelle della cottura ad induzione.

The extractor top with built-in scale. The design of the solid grids includes the down-draft extraction and weighing function which integrate seamlessly with the induction hob functions.



	ASPIRAZIONE ASPIRATION	
Comandi Controls	ASPIRANTE DUCT-OUT	FILTRANTE FILTERING
	Touch control slider 3V+2I	Touch control slider 3V+2I
	3S+2B slider touch control	3S+2B slider touch control
Portata intensiva Booster airflow	630 m³/h	550 m³/h
Velocità di aspirazione Suction speed	5,1 m/s	5,1 m/s
Livello sonoro min-max Noise level min-max	48 - 62 db(A)	53 - 68 db(A)
Assorbimento totale Total absorption	310 W	310 W

	COTTURA COOKING
Comandi Controls	Touch control slider 9P+I 9P+B slider touch control
Assorbimento Absorption	7,2 KW
Power limitation	3,1 - 4,5 kW
Voltaggio Voltage	220 - 240 V
Zone cottura Cooking zones (Misura-Potenza Size-Power)	1 200x180 mm - 1,6/1,85 kW 2 200x180 mm - 2,1/3 kW 3 200x180 mm - 2,1/3 kW 4 200x180 mm - 1,6/1,85 kW
Zone Bridge Bridge zone	2

Filtro grassi alluminio incluso Grease aluminium Filter included
Filtro carbone ceramico incluso (*) Ceramic filter included (*)



	ACCESSORI ACCESSORIES	
Kit filtro carbone ceramico Ceramic filter kit	KIT0120952A	325,00 €



	MODELLI MODELS	
NIKOLATESLA LIBRA BL/A/83	PRF0147744	2.473,00 €
NIKOLATESLA LIBRA BL/F/83 (*)	PRF0147745	2.679,00 €
NIKOLATESLA LIBRA WH/A/83	PRF0147774	2.473,00 €
NIKOLATESLA LIBRA WH/F/83 (*)	PRF0147775	2.679,00 €

(*) Modello non soggetto a certificazione energetica obbligatoria.
(*) Model not subject to compulsory energy certification.






NIKOLATESLA PRIME

DESIGN FABRIZIO CRISÀ

83x51x21 cm
80,7x49,2 cm (cut)
Aspirante/Filtrante Duct-out/Filtering
Vetro nero + ghisa
Black glass + cast iron

La solida e robusta griglia in ghisa coniuga la scelta di design alla funzionalità della cattura di fumi e odori al pratico piano di appoggio.
The sturdy, solid cast iron grid combines the design choice with the practical features of capturing steam and odours and the practical work surface.



	ASPIRAZIONE ASPIRATION	
	ASPIRANTE DUCT-OUT	FILTRANTE FILTERING
Comandi Controls	Touch control slider 3V+2I 3S+2B slider touch control	Touch control slider 3V+2I 3S+2B slider touch control
Portata intensiva Booster airflow	620 m³/h	550 m³/h
Velocità di aspirazione Suction speed	5,1 m/s	5,1 m/s
Livello sonoro min-max Noise level min-max	43 - 61 db(A)	53 - 68 db(A)
Assorbimento totale Total absorption	310 W	310 W

Filtro grassi alluminio incluso Grease aluminium Filter included
Filtro carbone ceramico incluso (*) Ceramic filter included (*)



	ACCESSORI ACCESSORIES	
Kit filtro carbone ceramico Ceramic filter kit	KIT0120952A	325,00 €

	COTTURA COOKING
Comandi Controls	Touch control slider 9P+I 9P+B slider touch control
Assorbimento Absorption	7,2 KW
Power limitation	3,1 - 4,5 kW
Voltaggio Voltage	220 - 240 V
	PRIME
Zone cottura Cooking zones	1 Ø160 mm - 1,2/1,4 kW
(Misura-Potenza Size-Power)	2 Ø200 mm - 2,3/3,0 kW
	3 Ø200 mm - 2,3/3,0 kW
	4 Ø160 mm - 1,2/1,4 kW
Zone Bridge Bridge zone	-



	MODELLI MODELS	
NIKOLATESLA PRIME BL/A/83	PRF0138475	2.009,00 €
NIKOLATESLA PRIME BL/F/83 (*)	PRF0143159	2.112,00 €

(*) Modello non soggetto a certificazione energetica obbligatoria.
(*) Model not subject to compulsory energy certification.



NIKOLATESLA FLAME

DESIGN FABRIZIO CRISÀ

88x51x21 cm
84x48,7 cm (cut)
Aspirante/Filtrante Duct-out/Filtering
Vetro nero + ghisa, vetro grigio + ghisa
Black glass + cast iron, grey glass + cast iron



Il primo piano aspirante gas. Gli elementi in ghisa del piano sono disegnati per coniugare estetica e funzionalità, nella massima sicurezza. Le griglie a croce chiuse e piatte garantiscono stabilità con pentole di tutte le dimensioni e facilità nello spostamento sul piano cottura. La copertura della zona filtri in ghisa diventa un pratico piano di appoggio. Il supporto wok, disponibile come accessorio, aumenta le varianti di cottura su NikolaTesla Flame.

The first gas down-draft extraction top. The cast iron elements of the top are designed to combine aesthetic appeal and functionality with the utmost safety. The closed cross and flat grid supports guarantee stability with pans of any size and ease when moving on the cooking area. The cast iron filter cover doubles as a practical work surface. The wok support, available as an accessory, increases the cooking variations on NikolaTesla Flame.

	ASPIRAZIONE ASPIRATION	
	ASPIRANTE DUCT-OUT	FILTRANTE FILTERING
Comandi Controls	Rotativo 3V+2I 3S+2B Rotative	Rotativo 3V+2I 3S+2B Rotative
Portata intensiva Booster airflow	600 m³/h	550 m³/h
Velocità di aspirazione Suction speed	5,1 m/s	5,1 m/s
Livello sonoro min-max Noise level min-max	47 - 62 db(A)	53 - 68 db(A)
Assorbimento totale Total absorption	310 W	310 W


Filtro grassi alluminio incluso Grease aluminium Filter included
Filtro carbone ceramico incluso (*) Ceramic filter included (*)



LONG LIFE
FILTER ++



EASY TO
MAINTAIN



222x89 mm

	ACCESSORI ACCESSORIES	
Filtro carbone ceramico Ceramic filter	KIT0120952A	325,00 €
Kit wok Flame	KIT0160040	81,50 €



ICD 2
NICK
AWARD
2019
INNOVATIVE
INTERIOR
best of best



GOOD
DESIGN



GERMAN
DESIGN
AWARD
WINNER
2020



GERMAN
INNO
VATION
AWARD 19
WINNER



EUROPEAN
PRODUCT
DESIGN
AWARD




IDA
DESIGN
AWARDS
WINNER
2019



FINALIST
2019

archiproducts
DESIGN AWARDS
WINNER 2019




	COTTURA COOKING	
Comandi Controls	Rotativo Rotative	
Voltaggio Voltage	220 - 240 V	
Zone cottura Cooking zones (Tipo-Potenza Type-Power)	1° elemento 1st element 2° elemento 2nd element 3° elemento 3rd element 4° elemento 4th element	Semirapid 1,75 kW Dual 3,5 kW Rapid 3,0 kW Semirapid 1,75 kW

	FUNZIONI FUNCTIONS
	DUAL BURNER
	MULTI FLEXI SPACE


	MODELLI MODELS	
NIKOLATESLA FLAME BL/A/88	PRF0147740A	1.959,00 €
NIKOLATESLA FLAME BL/F/88 (*)	PRF0147741A	2.062,00 €
NIKOLATESLA FLAME GR/A/88	PRF0147742A	1.959,00 €
NIKOLATESLA FLAME GR/F/88 (*)	PRF0147743A	2.062,00 €

(*) Modello non soggetto a certificazione energetica obbligatoria.
(*) Model not subject to compulsory energy certification.

NIKOLATESLA LIBRA / ONE / PRIME / SWITCH



NIKOLATESLA FLAME



* Dimensioni consigliate filotop: per tolleranze differenti, attenersi alla reale dimensione del vetro.
 * Recommended filotop dimensions: for different tolerances, respect the actual dimensions of the glass.
 PER ULTERIORI APPROFONDIMENTI CONSULTARE IL MANUALE DI INSTALLAZIONE DEL PRODOTTO.
 FOR FURTHER INFORMATION, CONSULT THE PRODUCT INSTALLATION MANUAL.

Aprendo il coperchio si ha la possibilità di rimuovere le tre batterie di filtro ceramico (rigenerabile) ad altissime prestazioni e di svuotare il vano di sicurezza raccolta liquidi, che protegge il motore in caso di fuoriuscita di liquidi derivanti dalla cottura.

By opening the cove, you can remove the three batteries of the high performance ceramic filter (regenerable) and empty the liquid collection safety compartment, which is the only component that can protect the motor in case of leakage of cooking liquids.



VALVOLA DI SCARICO
DRAIN VALVE

Con le tubazioni accessorie a disposizione potrai costruire la configurazione di Nikolatesla più adatta alle tue esigenze.

Thanks to the selection of accessory pipe fittings, your Nikolatesla can be configured in the way that best suits your needs.

VERSIONE FILTRANTE RECYCLING MODE *



VERSIONE ASPIRANTE DUCT-OUT MODE *



* Tutte le immagini sono esempi di installazione
 All images are samples installation




NIKOLATESLA FIT

DESIGN FABRIZIO CRISÀ


60x51,5x25,2 cm 72x51,5x25,2 cm
56x49 cm (cut)
Aspirante Duct-out
Vetro nero Black glass



Possibilità di installazione nell'incasso 60 cm senza sacrificare le prestazioni della cappa, la potenza delle zone di induzione, le dimensioni e la posizione della base. Il cuore di aspirazione è completamente invisibile e può essere attivato con un semplice tocco. Le parti interne sono facilmente accessibili, per la manutenzione di filtri grassi e odori. Can be built into 60-cm wide units without foregoing the hood performance, induction hob power, size and position of the base unit. The heart of the extraction unit is totally invisible and can be activated with a simple touch. The internal parts can be easily accessed to service the grease and odour filters.



NIKOLATESLA FIT 70



NIKOLATESLA FIT 60



ASPIRAZIONE ASPIRATION	
Comandi Controls	Touch control slider 3V+2I 3S+2B slider touch control
Portata intensiva Booster airflow	620 m³/h
Velocità di aspirazione Suction speed	5,1 m/s
Livello sonoro min-max Noise level min-max	45 - 57 db(A)
Assorbimento totale Total absorption	145 W

Filtro grassi alluminio incluso Grease aluminium Filter included



ACCESSORI ACCESSORIES		
Kit filtro carbone ceramico Ceramic filter kit	KIT0167755	200,00 €
Kit installazione filtrante sotto zoccolo Recycling Kit plinth-in	KIT0167756	200,00 €
Kit installazione filtrante fuori zoccolo Recycling Kit plinth-out	KIT0167757	300,00 €

COTTURA COOKING	
Comandi Controls	Touch control slider 9P+I 9P+B slider touch control
Assorbimento Absorption	7,2 KW
Power limitation	3,1 - 4,5 kW
Voltaggio Voltage	220 - 240 V
Zone cottura Cooking zones (Misura-Potenza Size-Power)	1 200x180 mm - 2,1/3,0 kW 2 200x180 mm - 1,6/1,85 kW 3 Ø200 mm - 2,3/3,0 kW 4 Ø160 mm - 1,2/1,4 kW 1
Zone Bridge Bridge zone	1



MODELLI MODELS		
NIKOLATESLA FIT BL/A/60	PRF0167053	1.950,00 €
NIKOLATESLA FIT BL/A/70	PRF0167054	1.990,00 €

L'ECCELLENZA IN PICCOLI SPAZI EXCELLENCE IN SMALL SPACES

Oggi i piccoli ambienti in casa sono sempre più diffusi, per questo prodotti multifunzionali e in grado di ottimizzare gli spazi sono elementi risolutivi.

Studiato per soddisfare le esigenze di chi, anche in ambienti ridotti, non vuole rinunciare all'eccellenza, NikolaTesla Fit è il primo piano a induzione con aspirazione integrata che può essere installato anche nelle basi da 60 cm, con un ingombro in superficie di 60 o 72 cm.

DESIGN ELEGANTE E FUNZIONALE

ELEGANT AND FUNCTIONAL DESIGN

Un ritorno alle origini del piano cottura a induzione essenziale in cui la superficie è continua in modalità standby. Con una piccola pressione sulla parte centrale si attiva l'aspirazione in una perfetta combinazione tra stile, ergonomia e funzionalità. Le dimensioni e la forma compatte sono studiate per lasciare spazio nel cabinet e massima libertà di movimento sul piano cottura, con qualsiasi tipo di pentola. Il cuore aspirante, efficace e silenzioso, è completamente nascosto dalla copertura in vetro che veste il prodotto in modo discreto ed elegante.



Small spaces are becoming more and more widespread in homes now which is why multifunctional products, capable of optimising space, are excellent solutions.

Designed to meet the exacting needs of those unwilling to renounce excellence even in small spaces, NikolaTesla Fit is the first induction hob with integrated extraction that can also be installed in 60-cm wide base units with an overall surface area of 60 or 72 cm.



A return to the origins of the essential induction hob where the surface is continuous and in standby mode. A slight pressure on the central part activates the extraction in a perfect combination of style, comfort and functionality. The compact dimensions and shape have been designed to leave space in the cabinet and total freedom of movement on the hob with pans of any kind. The heart of this efficient and silent extraction unit is totally concealed by the glass top which covers the product discretely and elegantly.







SEMPLICITÀ DI PULIZIA E MANUTENZIONE

SIMPLE CLEANING AND MAINTENANCE

NikolaTesla Fit è progettato per essere davvero facile da pulire e da mantenere. La superficie completamente lineare in vetro ceramico rende le operazioni di pulizia estremamente semplici e veloci. L'elemento estetico centrale è rimovibile e lavabile e diventa il punto di accesso per l'estrazione dei filtri e la manutenzione del prodotto. È possibile accedere al vano interno in totale sicurezza e rimuovere l'eventuale liquido in eccesso grazie ad una speciale valvola di scarico posta sul fondo.

NikolaTesla Fit is designed to be really easy to clean and maintain. The fully linear ceramic glass surface makes cleaning very quick and easy. The central aesthetic element can be removed and washed. It is also the access point for extracting the filters and carrying out maintenance. The inner compartment can be accessed in complete safety and any excess liquid can be removed thanks to a special drain valve underneath.

MASSIMA FLESSIBILITÀ DI INSTALLAZIONE FULL INSTALLATION FLEXIBILITY



* Dimensioni consigliate filotop: per tolleranze differenti, attenersi alla reale dimensione del vetro.
* Recommended filotop dimensions: for different tolerances, respect the actual dimensions of the glass.
PER ULTERIORI APPROFONDIMENTI CONSULTARE IL MANUALE DI INSTALLAZIONE DEL PRODOTTO.
FOR FURTHER INFORMATION, CONSULT THE PRODUCT INSTALLATION MANUAL.

TUBAZIONI ACCESSORIE PER VERSIONE ASPIRANTE
ACCESSORY PIPE FITTINGS FOR DUCT-OUT VERSION



222x89x1000 mm
KIT0120991 40,00 €



Ø150x500 mm
KIT0120996 25,00 €



Ø150x1000mm
KIT0121000 45,00 €



227x94x80mm
KIT0121001 13,00 €



15° 227x138x94
KIT0121002 27,50 €



Ø158x59mm
KIT0121003 9,00 €



90° 227x288x94mm
KIT0121004 35,00 €



90° 227x94mm
KIT0121005 30,50 €




90° - Ø157
KIT0121006 37,00 €




227x94 - Ø146mm
KIT0121007 30,50 €



227x94 - Ø153mm
KIT0121008 29,50 €




int 216x82 / est 290x160 mm
KIT0121009 210,00 €



190x190 - Ø147mm
KIT0121010 206,00 €



227x94 mm
KIT0126810 108,50 €



50 mm x 25 m
KIT0161453 35,00 €

TUBAZIONI ACCESSORIE PER VERSIONE FILTRANTE
ACCESSORY PIPE FITTINGS FOR FILTERING VERSION



218x55x500 mm
KIT0121012 20,00 €



218x55x1000 mm
KIT0121013 35,00 €




218x55x70 mm
KIT0121015 9,00 €



90° 218x55 mm
KIT0121016 20,00 €




218x55 mm
KIT0121017 32,50 €



50 mm x 25 m
KIT0161453 35,00 €



deflettore sotto zoccolo
deflector under plinth
KIT0168750 35,00 €



KIT0140820 134,50 €
Kit NikolaTesla filtrante per base profondità > 70 cm
NikolaTesla filter kit for base depth > 70 cm

DISPONIBILE PER
Available for
NIKOLATESLA SWITCH
NIKOLATESLA ONE
NIKOLATESLA PRIME
NIKOLATESLA FLAME
NIKOLATESLA LIBRA



KIT0167756 200,00 €
Kit installazione filtrante sotto zoccolo
Recycling Kit plinth-in

DISPONIBILE PER
Available for
NIKOLATESLA FIT



DISPONIBILE PER
Available for
NIKOLATESLA FIT

KIT0167757 300,00 €
Kit installazione filtrante fuori zoccolo
Recycling Kit plinth-out

WALL






HAIKU

DESIGN FABRIZIO CRISÀ



32 - 60 - 90 - 120 cm
Aspirante Duct-out
Vetro nero, Krion bianco, acciaio inox
Black glass, white Krion, stainless steel



Il KRION® è una superficie solida di nuova generazione, un materiale caldo al tatto e simile alla pietra naturale. È composto da due terzi di minerali naturali e da una piccola percentuale di resine ad alta resistenza. Tale composizione conferisce al KRION® alcune particolarità esclusive: proprietà antibatteriche, durezza, resistenza, durezza e manutenzione ridotta.

KRION® is a solid, latest generation surface, a material that's warm to the touch and similar to natural stone. It is comprised of two thirds natural minerals and a small percentage of high-resistance resins. This composition offers KRION® a number of exclusive characteristics: antibacterial properties, hardness, resistance, durability and minimal maintenance.



ILLUMINAZIONE LIGHTING

Tipo Type	Strip Led 1x7 W
Intensità Intensity	253 LUX
Temperatura Temperature	3500 K

PERFORMANCE PERFORMANCE

Comandi Controls	Pulsantiera elettronica 3V+2I 3S+2B Electronic push button
Portata intensiva Booster airflow	690 m³/h
Livello sonoro min-max Noise level min-max	34 - 51 db(A)
Assorbimento totale Total absorption	277 W

Filtro grassi alluminio incluso Grease aluminium filter included
Camino incluso Chimney included

ACCESSORI ACCESSORIES

Filtro carbone Charcoal Filter	CFC0141529A	33,00 €
Filtro carbone rigenerabile Regenerable charcoal filter	CFC0141725A	73,50 €

MODELLI MODELS

HAIKU BL/A/32	PRF0146263	1.093,00 €
HAIKU WH/A/32	PRF0146267	1.093,00 €
HAIKU IX/A/32	PRF0146254	832,00 €
HAIKU BL/A/60	PRF0146264	1.196,00 €
HAIKU WH/A/60	PRF0146268	1.196,00 €
HAIKU IX/A/60	PRF0146255	939,00 €
HAIKU BL/A/90	PRF0146265	1.303,00 €
HAIKU WH/A/90	PRF0146269	1.303,00 €
HAIKU IX/A/90	PRF0146256	1.042,00 €
HAIKU BL/A/120	PRF0146266	1.406,00 €
HAIKU WH/A/120	PRF0146270	1.406,00 €
HAIKU IX/A/120	PRF0146257	1.145,00 €



BIO


DESIGN FABRIZIO CRISÀ



red dot award 2017
winner



90 cm
Aspirante Duct-out
Rovere naturale + bianco effetto soft touch
Natural oak + white soft touch effect



La cornice è un multistrato con rivestimento di 10 mm di rovere massello per evitare il fenomeno della dilatazione dovuta allo shock termico. Nella sua parte superiore è presente un supporto per tablet e smartphone e una presa USB a doppia porta. Bio è altamente versatile grazie alla mensola da 60 cm che permette di completare esteticamente il prodotto a proprio piacimento come estensione del corpo cappa o come elemento di arredo indipendente. The frame is made from plywood with a 10 mm solid oak finish to prevent expansion phenomena caused by thermal shock. The top part features a support for tablets and smartphones, along with a double USB port. Bio is highly versatile thanks to its 60 cm shelf, allowing the product to be aesthetically completed however one prefers, whether as an extension of the hood body or independent furnishing element.

ILLUMINAZIONE LIGHTING

Tipo Type	Strip Led 1x7 W
Intensità Intensity	141 LUX
Temperatura Temperature	2700 - 6500 K

PERFORMANCE PERFORMANCE

Comandi Controls	Pulsantiera elettronica 3V+2I 3S+2B Electronic push button
Portata intensiva Booster airflow	757 m³/h
Livello sonoro min-max Noise level min-max	32 - 60 db(A)
Assorbimento totale Total absorption	317 W

Filtro grassi alluminio incluso Grease aluminium filter included
Camino incluso Chimney included

ACCESSORI ACCESSORIES

Filtro carbone rigenerabile Regenerable charcoal filter	CFC0141725A	73,50 €
Kit filtrante Revolution Revolution recycling kit	KIT0160440	300,00 €
Kit mensola muro rovere 60cm Oak wall shelf kit 60cm	KIT0120946	278,50 €
Radiocomando bianco White remote control	KIT0121468	76,00 €
Radiocomando nero Black remote control	KIT0121469	76,00 €

MODELLI MODELS


BIO WH/A 90 ROVERE	PRF0147266	1.462,00 €
--------------------	------------	------------



METEORITE

DESIGN FABRIZIO CRISA

90 - 120 cm
Aspirante Duct-out
Acciaio inox + vetro nero Stainless steel + black glass




ILLUMINAZIONE LIGHTING	
Tipo Type	Strip Led 1x7 W
Intensità Intensity	141 LUX
Temperatura Temperature	2700 - 6500 K

PERFORMANCE PERFORMANCE	
Comandi Controls	Touch control capacitivo 3V+2I 3S+2B Capacitive touch control
Portata intensiva Booster airflow	800 m³/h
Livello sonoro min-max Noise level min-max	31 - 60 db(A)
Assorbimento totale Total absorption	317 W

Filtro grassi alluminio incluso Grease aluminium filter included
Camino incluso Chimney included

ACCESSORI ACCESSORIES		
Filtro carbone rigenerabile Regenerable charcoal filter	CFC0141725A	73,50 €
Kit filtrante Revolution Revolution recycling kit	KIT0160440	300,00 €


MODELLI MODELS		
METEORITE IX/A/90	PRF0147272	1.354,00 €
METEORITE IX/A/120	PRF0147273	1.516,00 €



MOON

ELICA DESIGN CENTER

60 - 90 - 120 cm
Filtrante Filtering
Acciaio inox Stainless steel



ILLUMINAZIONE LIGHTING	
Tipo Type	Neon 1x14 W (60cm) - Neon 1x21 W (90cm) - Neon 1x28 W (120cm)
Intensità Intensity	113 (60cm) - 170 (90cm) - 115 (120cm) LUX
Temperatura Temperature	6500 K

PERFORMANCE PERFORMANCE	
Comandi Controls	Pulsantiera elettronica 3V+I 3S+B Electronic push button
Portata intensiva Booster airflow	690 m³/h
Livello sonoro min-max Noise level min-max	52 - 68 db(A)
Assorbimento totale Total absorption	274 W (60cm) - 281 W (90cm) - 288 W (120cm)

Filtro grassi alluminio incluso Grease aluminium Filter included
Filtro carbone incluso Charcoal filter included
Camino incluso Chimney included

ACCESSORI ACCESSORIES		
Filtro carbone Charcoal filter	CFC0141529A	33,00 €
Filtro carbone rigenerabile Regenerable charcoal filter	CFC0141725A	73,50 €

MODELLI MODELS		
MOON IX/F/60	PRF0091764A	860,00 €
MOON IX/F/90	PRF0079550A	908,00 €
MOON IX/F/120	PRF0079551A	1.024,00 €




SWEET

DESIGN FABRIZIO CRISÀ



85 cm
Aspirante/filtrante Duct-out/filtering
Verniciature: bianco opaco, tortora opaco, avorio, rame opaco, peltrox, ghisa
Painted: matt white, matt umber. ivory, matt copper, peltrox, cast iron



L'utilizzo del tecnopolimero permette di ottenere le linee morbide e caratterizzanti del design di Sweet. Disponibile sia in versione filtrante senza estensione camino che in versione aspirante con kit camino prolunga compreso nell'imballo.

The use of engineering plastics makes it possible to create the soft contours typical of the Sweet design. Available in both a filtration version without flue extension and extraction version with flue extension kit included in the packaging.

ILLUMINAZIONE LIGHTING		
Tipo Type	Strip Led 1x7 W	
Intensità Intensity	197 LUX	
Temperatura Temperature	4000 K	

PERFORMANCE PERFORMANCE		
Comandi Controls	Touch control infrarossi 3V+I	
Portata intensiva Booster airflow	580 m³/h	
Livello sonoro min-max Noise level min-max	46 - 61 db(A)	
Assorbimento totale Total absorption	207 W	

Filtro grassi alluminio incluso Grease aluminium Filter included
Filtro carbone rigenerabile incluso (*) Regenerable charcoal filter included (*)
Camino incluso (versione aspirante) Chimney included (duct-out version)

ACCESSORI ACCESSORIES		
Filtro carbone rigenerabile Regenerable charcoal filter	CFC0140426	80,50 €



MODELLI MODELS			
SWEET WHITE F/85 (*)	PRF0043030A	839,00 €	
SWEET PELTROX/F/85 (*)	PRF0120689A	910,00 €	
SWEET IVORY F/85 (*)	PRF0043033A	839,00 €	
SWEET COPPER/F/85 (*)	PRF0120672A	910,00 €	
SWEET UMBER F/85 (*)	PRF0043031A	839,00 €	
SWEET CAST IRON/F/85 (*)	PRF0120702A	839,00 €	
SWEET WHITE/A/85+CAM	PRF0167320	979,00 €	
SWEET PELTROX/A/85+CAM	PRF0167323	1.061,00 €	
SWEET IVORY/A/85+CAM	PRF0167322	979,00 €	
SWEET COPPER/A/85+CAM	PRF0167324	1.061,00 €	
SWEET UMBER/A/85+CAM	PRF0167321	979,00 €	
SWEET CAST IRON/A/85+CAM	PRF0167319	979,00 €	



ADÉLE

DESIGN FABRIZIO CRISÀ

60 - 90 cm
Aspirante Duct-out
Acciaio inox + vetro nero, nero effetto soft touch + vetro nero
Stainless steel + black glass, black soft touch effect + black glass




ILLUMINAZIONE LIGHTING		
Tipo Type	Strip Led 1x7 W	
Intensità Intensity	421 LUX	
Temperatura Temperature	3000 K	

PERFORMANCE PERFORMANCE		
Comandi Controls	Touch control capacitivo 3V+I	
Portata intensiva Booster airflow	770 m³/h	
Livello sonoro min-max Noise level min-max	55 - 69 db(A)	
Assorbimento totale Total absorption	277 W	

Filtro grassi alluminio incluso Grease aluminium filter included

ACCESSORI ACCESSORIES		
Filtro carbone Charcoal filter	CFC0141529A	33,00 €
Filtro carbone rigenerabile Regenerable charcoal filter	CFC0141725A	73,50 €

MODELLI MODELS		
ADÉLE BLIX/A/60	PRF0167314	510,00 €
ADÉLE BLIX/A/90	PRF0167315	550,00 €
ADÉLE BL MAT/A/60	PRF0167318	510,00 €
ADÉLE BL MAT/A/90	PRF0167317	550,00 €



JOY

ELICA DESIGN CENTER

60 - 90 cm
Aspirante Duct-out
Acciaio inox + vetro bianco, acciaio inox + vetro nero
Stainless steel + white glass, stainless steel + black glass


ILLUMINAZIONE LIGHTING		
Tipo Type	Led 2x2,5 W	
Intensità Intensity	381 LUX	
Temperatura Temperature	3500 K	

PERFORMANCE PERFORMANCE		
Comandi Controls	Touch control capacitivo 3V+I 3S+B Capacitive touch control	
Portata intensiva Booster airflow	713 m³/h	
Livello sonoro min-max Noise level min-max	51 - 69 db(A)	
Assorbimento totale Total absorption	265 W	

Filtro grassi alluminio incluso Grease aluminium filter included
Camino incluso Chimney included

ACCESSORI ACCESSORIES		
Filtro carbone Charcoal filter	CFC0141529A	33,00 €
Filtro carbone rigenerabile Regenerable charcoal filter	CFC0141725A	73,50 €

MODELLI MODELS		
JOY BLIX/A/60	PRF0104625A	485,00 €
JOY WHIX/A/60	PRF0104630A	485,00 €
JOY BLIX/A/90	PRF0104626A	516,00 €
JOY WHIX/A/90	PRF0104631A	516,00 €



THIN

DESIGN FABRIZIO CRISÀ

60 - 90 - 120 cm
Aspirante Duct-out
Acciaio inox Stainless steel

ILLUMINAZIONE LIGHTING		
Tipo Type	Strip Led 1x7 W	
Intensità Intensity	477 LUX	
Temperatura Temperature	3500 K	

PERFORMANCE PERFORMANCE		
Comandi Controls	Touch control infrarossi 3V+2I 3S+2B Infrared touch control	
Portata intensiva Booster airflow	680 m³/h	
Livello sonoro min-max Noise level min-max	34 - 52 db(A)	
Assorbimento totale Total absorption	277 W	

Filtro grassi alluminio incluso Grease aluminium filter included
Camino incluso Chimney included

ACCESSORI ACCESSORIES		
Filtro carbone Charcoal filter	CFC0141529A	33,00 €
Filtro carbone rigenerabile Regenerable charcoal filter	CFC0141725A	73,50 €

MODELLI MODELS		
THIN IX/A/60	PRF0144970	626,00 €
THIN IX/A/90	PRF0144969	694,00 €
THIN IX/A/120	PRF0144972	763,00 €

GALAXY

ELICA DESIGN CENTER

80 cm
Aspirante Duct-out
Acciaio inox + vetro nero, acciaio inox + vetro bianco
Stainless steel + black glass, stainless steel + white glass


ILLUMINAZIONE LIGHTING		
Tipo Type	Led 2x2,5 W	
Intensità Intensity	145 LUX	
Temperatura Temperature	3500 K	

PERFORMANCE PERFORMANCE		
Comandi Controls	Touch control capacitivo 3V+I 3S+B Capacitive touch control	
Portata intensiva Booster airflow	647 m³/h	
Livello sonoro min-max Noise level min-max	52 - 71 db(A)	
Assorbimento totale Total absorption	265 W	

Filtro grassi alluminio incluso Grease aluminium filter included
Camino incluso Chimney included

ACCESSORI ACCESSORIES		
Filtro carbone Charcoal filter	CFC0141529A	33,00 €
Filtro carbone rigenerabile Regenerable charcoal filter	CFC0141725A	73,50 €

MODELLI MODELS		
GALAXY BLIX/A/80	PRF0008948B	552,00 €
GALAXY WHIX/A/80	PRF0009822B	552,00 €



LOL

ELICA DESIGN CENTER

60 - 90 cm
Aspirante Duct-out
Nero goffrato, acciaio inox Embossed black, stainless steel


ILLUMINAZIONE LIGHTING		
Tipo Type	Led 2x2,5 W	
Intensità Intensity	381 LUX	
Temperatura Temperature	3500 K	

PERFORMANCE PERFORMANCE		
Comandi Controls	Rotativo elettronico 3V+I 3S+B Electronic rotative	
Portata intensiva Booster airflow	620 m³/h	
Livello sonoro min-max Noise level min-max	52 - 67 db(A)	
Assorbimento totale Total absorption	205 W	

Filtro grassi alluminio incluso Grease aluminium filter included
Camino incluso Chimney included

ACCESSORI ACCESSORIES		
Filtro carbone Charcoal filter	CFC0141529A	33,00 €
Filtro carbone rigenerabile Regenerable charcoal filter	CFC0141725A	73,50 €

MODELLI MODELS		
LOL IX/A/60	PRF0097149A	526,00 €
LOL IX/A/90	PRF0097323A	559,00 €
LOL BL/A/60	PRF0097782A	515,00 €
LOL BL/A/90	PRF0097906A	549,00 €





TRIBE
ELICA DESIGN CENTER

60 - 90 cm
Aspirante Duct-out
Acciaio inox + vetro Stainless steel + glass


ILLUMINAZIONE LIGHTING	
Tipo Type	Led 2x2,5 W
Intensità Intensity	381 LUX
Temperatura Temperature	3000 K

PERFORMANCE PERFORMANCE	
Comandi Controls	Pulsantiera elettronica con display 3V+I 3S+B Electronic push button with display
Portata intensiva Booster airflow	600 m³/h
Livello sonoro min-max Noise level min-max	48 - 64 db(A)
Assorbimento totale Total absorption	205 W

Filtro grassi alluminio incluso Grease aluminium filter included
Camino incluso Chimney included

ACCESSORI ACCESSORIES		
Filtro carbone Charcoal filter	CFC0141529A	33,00 €
Filtro carbone rigenerabile Regenerable charcoal filter	CFC0141725A	73,50 €

MODELLI MODELS		
TRIBE A IX/A/60	PRF0150292	500,00 €
TRIBE A IX/A/90	PRF0150291	511,00 €



FLAT GLASS
ELICA DESIGN CENTER

60 - 90 cm
Aspirante Duct-out
Acciaio Inox + vetro Stainless steel + glass


ILLUMINAZIONE LIGHTING	
Tipo Type	Led 2x2,5 W
Intensità Intensity	381 LUX
Temperatura Temperature	3500 K

PERFORMANCE PERFORMANCE	
Comandi Controls	Pulsantiera meccanica 3V 3S Mechanical push button
Portata massima Max airflow	368 m³/h
Livello sonoro min-max Noise level min-max	55 - 62 db(A)
Assorbimento totale Total absorption	140 W

Filtro grassi alluminio incluso Grease aluminium filter included
Camino incluso Chimney included

ACCESSORI ACCESSORIES		
Filtro carbone Charcoal filter	CFC0141529A	33,00 €
Filtro carbone rigenerabile Regenerable charcoal filter	CFC0141725A	73,50 €

MODELLI MODELS		
FLAT GLASS IX/A/60	68516391A	459,00 €
FLAT GLASS IX/A/90	68516390A	459,00 €



REEF
ELICA DESIGN CENTER

60 - 90 cm
Aspirante Duct-out
Effetto ghisa, effetto zincato Cast iron effect, zinc coating effect


ILLUMINAZIONE LIGHTING	
Tipo Type	Led 2x2,5 W
Intensità Intensity	381 LUX
Temperatura Temperature	3000 K

PERFORMANCE PERFORMANCE	
Comandi Controls	Pulsantiera elettronica con display 3V+I 3S+B Electronic push button with display
Portata intensiva Booster airflow	600 m³/h
Livello sonoro min-max Noise level min-max	48 - 64 db(A)
Assorbimento totale Total absorption	205 W

Filtro grassi alluminio incluso Grease aluminium filter included
Camino incluso Chimney included

ACCESSORI ACCESSORIES		
Filtro carbone Charcoal filter	CFC0141529A	33,00 €
Filtro carbone rigenerabile Regenerable charcoal filter	CFC0141725A	73,50 €

MODELLI MODELS		
REEF A IX/A/60	PRF0150289	500,00 €
REEF A IX/A/90	PRF0150288	516,00 €



CIRCUS
ELICA DESIGN CENTER

60 - 90 cm
Aspirante Duct-out
Effetto ghisa, effetto zincato Cast iron effect, zinc coating effect



ILLUMINAZIONE LIGHTING	
Tipo Type	Led 2x2,5 W
Intensità Intensity	381 LUX
Temperatura Temperature	3500 K

PERFORMANCE PERFORMANCE	
Comandi Controls	Pulsantiera meccanica 3V 3S Mechanical push button
Portata massima Max airflow	368 m³/h
Livello sonoro min-max Noise level min-max	55 - 62 db(A)
Assorbimento totale Total absorption	140 W

Filtro grassi alluminio incluso Grease aluminium filter included
Camino incluso Chimney included

ACCESSORI ACCESSORIES		
Filtro carbone Charcoal filter	CFC0141529A	33,00 €
Filtro carbone rigenerabile Regenerable charcoal filter	CFC0141725A	73,50 €

MODELLI MODELS		
CIRCUS IX/A/60	68116393A	470,00 €
CIRCUS IX/A/90	68116392A	470,00 €





SUPER PLAT

DESIGN FABRIZIO CRISA

80 cm

Filtrante Filtering

Vetro nero, vetro grigio + effetto ghisa

Black glass, grey glass + cast iron effect

EASY TO MAINTAIN

MULTI-D CAPTURE

CONNECTIVITY

LONG LIFE FILTER

COMFORT SILENCE

DIM LIGHT

CM 50

CM 65

Ø150

ENERGY CLASS (A+++/D)

duct-out min 955 - max 1445

175

320

890,8

357

250

800

450

ILLUMINAZIONE LIGHTING		
Tipo Type	Strip Led 1x7 W	
Intensità Intensity	197 LUX	
Temperatura Temperature	3500 K	

PERFORMANCE PERFORMANCE		
Comandi Controls	Touch control capacitivo 3V+2I	
Portata intensiva Booster airflow	740 m³/h	
Livello sonoro min-max Noise level min-max	38 - 57 db(A)	
Assorbimento totale Total absorption	277 W	

Filtro grassi alluminio incluso Grease aluminium Filter included

Filtro carbone rigenerabile incluso Regenerable charcoal filter included

ACCESSORI ACCESSORIES		
Filtro carbone rigenerabile (*) Regenerable charcoal filter (*)	CFC0140423	52,00 €
Kit camino nero Black chimney kit	KIT0166364	109,00 €
(*) ordinare 3 pezzi (*) order 3 pieces		

MODELLI MODELS		
SUPER PLAT BL/F/80	PRF0164980	1.150,00 €
SUPER PLAT GR/F/80	PRF0165017	1.150,00 €

In linea con i nuovi trend delle cucine, che vede sempre più presente un design industrial e Urban, Elica ha ideato nuove combinazioni di finiture che permettono alla cappa di integrarsi perfettamente con questo stile. Massima libertà e comfort con l'aiuto dell'assistente vocale o del telecomando tramite APP nella gestione del flusso d'aria, dell'intensità della luce e della manutenzione del prodotto. In line with latest kitchen trends, where industrial and urban design is continuously gaining ground, Elica has developed new combinations of finishes allowing the hood to be perfectly integrated with this style. Full freedom and comfort with the help of the voice assistant or remote control via the app to manage the air flow, light intensity and product maintenance

WALL MOUNTED

48

elica

PLAT

DESIGN FABRIZIO CRISA

55 - 80 cm

Filtrante Filtering

Vetro nero, vetro bianco

Black glass, white glass

EASY TO MAINTAIN

MULTI-D CAPTURE

LONG LIFE FILTER

COMFORT SILENCE

CM 50

CM 65

Ø150

ENERGY CLASS (A+++/D)

duct-out min 955 - max 1445

175

320

890,8

357

250

800

450

ILLUMINAZIONE LIGHTING		
Tipo Type	Strip Led 1x7 W	
Intensità Intensity	365 LUX	
Temperatura Temperature	3500 K	

PERFORMANCE PERFORMANCE		
Comandi Controls	Touch control capacitivo 3V+I	
Portata intensiva Booster airflow	730 m³/h	
Livello sonoro min-max Noise level min-max	38 - 57 db(A)	
Assorbimento totale Total absorption	277 W	

Filtro grassi alluminio incluso Grease aluminium Filter included

Filtro carbone rigenerabile incluso Regenerable charcoal filter included


ACCESSORI ACCESSORIES		
Filtro carbone rigenerabile (*) Regenerable charcoal filter (*)	CFC0140423	52,00 €
Kit camino nero Black chimney kit	KIT0166364	109,00 €
(*) per versione 55 ordinare 2 pezzi (*) for version 55, order 2 pieces		
(*) per versione 80 ordinare 3 pezzi (*) for version 80, order 3 pieces		

MODELLI MODELS		
PLAT BL/F/55	PRF0164946	770,00 €
PLAT BL/F/80	PRF0164874	850,00 €
PLAT WH/F/55	PRF0165707	770,00 €
PLAT WH/F/80	PRF0165712	850,00 €

elica

49



WALL MOUNTED



RULES

DESIGN FABRIZIO CRISÀ

60 - 90 - 120 cm
Filtrante Filtering
Vetro nero, gres Dekton, rivestibile
Black glass, stonewear Dekton, coverable



La versione NAKED di Rules è un modello unico, personalizzabile secondo le esigenze del cliente. Può essere rivestito con lo stesso materiale utilizzato per la tua cucina. Le immagini presentate sono esempi di estetiche esclusivamente dimostrative.

The NAKED version of Rules is a unique model that can be personalised to suit customer needs. It can be finished with the same material used for your kitchen. The images shown are only an example of the possible solutions.

WALL MOUNTED 50



ILLUMINAZIONE LIGHTING		
Tipo Type	Strip Led 2x7 W (DEKT - NAKED) STRIP LED 1x7 W (BL)	
Intensità Intensity	365 (BL) - 310 (DEKT-NAKED) LUX	
Temperatura Temperature	3500 K	
PERFORMANCE PERFORMANCE		
	BL	DEKT / NAKED
Comandi Controls	Touch control capacitivo 3V+I 3S+B Capacitive touch control	Pulsantiera elettronica 3V+I 3S+B Electronic push button
Portata intensiva Booster airflow	700 m³/h	700 m³/h
Livello sonoro min-max Noise level min-max	40 - 58 db(A)	40 - 58 db(A)
Assorbimento totale Total absorption	280 W	280 W
Filtro grassi alluminio incluso Grease aluminium Filter included		
Filtro carbone rigenerabile incluso Regenerable charcoal filter included		



ACCESSORI ACCESSORIES		
Filtro carbone rigenerabile (*) Regenerable charcoal filter (*)	CFC0166361	29,00 €
Kit camino nero Black chimney kit	KIT0166364	109,00 €
(*) per versione 60 ordinare 2 pezzi (*) for version 60, order 2 pieces (*) per versione 90 ordinare 3 pezzi (*) for version 90, order 3 pieces (*) per versione 120 ordinare 4 pezzi (*) for version 120, order 4 pieces		
MODELLI MODELS		
RULES BL/F/60	PRF0163752	715,00 €
RULES BL/F/90	PRF0163751	790,00 €
RULES BL/F/120	PRF0163753	890,00 €
RULES DEKT/F/60	PRF0163755	1.000,00 €
RULES DEKT/F/90	PRF0163754	1.090,00 €
RULES DEKT/F/120	PRF0163756	1.190,00 €
RULES NAKED/F/60	PRF0163758	715,00 €
RULES NAKED/F/90	PRF0163757	790,00 €
RULES NAKED/F/120	PRF0163759	890,00 €



APLOMB

DESIGN FABRIZIO CRISÀ

60 - 90 cm
Aspirante Duct-out
Vetro nero, vetro bianco
Black glass, white glass



Il Delay switch off di Aplomb è una funzione timer intelligente che consente all'utente di impostare lo spegnimento automatico delle velocità selezionata dopo un tempo prestabilito. Inoltre, la cappa è dotata di un sistema di sostegno del pannello frontale che permette di mantenerlo aperto per facilitare la manutenzione ordinaria e straordinaria del prodotto.

The Aplomb Switch Off Delay is a smart timer function allowing the user to programme the automatic shut-down of the selected speed after a pre-set time. Moreover, the hood features a front panel support system, which means it can be kept open when performing routine or corrective maintenance on the product.



51

WALL MOUNTED

ILLUMINAZIONE LIGHTING	
Tipo Type	Strip Led 1x3 W
Intensità Intensity	84 LUX
Temperatura Temperature	3500 K
PERFORMANCE PERFORMANCE	
Comandi Controls	Touch control capacitivo 3V+I 3S+B Capacitive touch control
Portata intensiva Booster airflow	680 m³/h
Livello sonoro min-max Noise level min-max	51 - 64 db(A)
Assorbimento totale Total absorption	233 W
Filtro grassi alluminio incluso Grease aluminium Filter included	
Filtro carbone rigenerabile incluso Regenerable charcoal filter included	
Camino incluso Chimney included	



ACCESSORI ACCESSORIES		
Filtro carbone Charcoal filter	CFC0140343	43,50 €
MODELLI MODELS		
APLOMB BL/A/60	PRF0166938	540,00 €
APLOMB BL/A/90	PRF0166939	590,00 €
APLOMB WH/A/60	PRF0166940	540,00 €
APLOMB WH/A/90	PRF0166941	590,00 €



BLOOM-S

DESIGN FABRIZIO CRISÀ

85 cm
Aspirante Duct-out
Vetro bianco, gres Dekton
White glass, stonewear Dekton



La parte frontale della cappa è caratterizzata da un visore mobile, azionabile manualmente, che consente di aumentare la captazione dei fumi durante le operazioni di cottura. La versione Dekton, grazie alle caratteristiche di questo materiale, ha un'alta resistenza ai raggi UV, ai graffi e alle macchie.

The front part of the hood is characterised by a mobile, manually operated visor, which allows increased fume extraction during cooking. The Dekton version, thanks to the characteristics of this material, is highly resistant to UV rays, scratches and dents.

ILLUMINAZIONE LIGHTING	
Tipo Type	Strip Led 1x7 W
Intensità Intensity	365 LUX
Temperatura Temperature	3500 K

PERFORMANCE PERFORMANCE	
Comandi Controls	Touch control infrarossi 3V+2I 3S+2B Infrared touch control
Portata intensiva Booster airflow	750 m³/h
Livello sonoro min-max Noise level min-max	35 - 53 db(A)
Assorbimento totale Total absorption	277 W

Filtro grassi alluminio incluso Grease aluminium filter included
Camino incluso Chimney included



ACCESSORI ACCESSORIES		
Filtro carbone Charcoal filter	CFC0140343	43,50 €
Filtro carbone rigenerabile Regenerable charcoal filter	CFC0162221	99,00 €

MODELLI MODELS		
BLOOM-S WH/A/85	PRF0164490	1.145,00 €
BLOOM-S DEKT/A/85	PRF0164475	1.145,00 €

MAJESTIC NO DRIP

DESIGN FABRIZIO CRISÀ

60 - 90 cm
Aspirante Duct-out
Vetro nero + acciaio inox
Black glass + stainless steel



La cappa è dotata di un sistema di resistenze che permette al vetro di riscaldarsi, riducendo così la formazione della condensa. Un suo eventuale residuo viene raccolto in un apposito collettore.

The hood features a heating element system that allows the glass to heat up, thus reducing the formation of condensate. Any residual condensate is then collected in a dedicated manifold.


ILLUMINAZIONE LIGHTING	
Tipo Type	Strip Led 1x7 W
Intensità Intensity	141 LUX
Temperatura Temperature	3500 K

PERFORMANCE PERFORMANCE	
Comandi Controls	Touch control capacitivo 3V+I 3S+B Capacitive touch control
Portata intensiva Booster airflow	600 m³/h
Livello sonoro min-max Noise level min-max	46 - 60 db(A)
Assorbimento totale Total absorption	207 W

Filtro grassi alluminio incluso Grease aluminium filter included
Camino incluso Chimney included

ACCESSORI ACCESSORIES		
Filtro carbone Charcoal filter	CFC0140343	43,50 €
Filtro carbone rigenerabile Regenerable charcoal filter	CFC0162221	99,00 €

MODELLI MODELS		
MAJESTIC NO DRIP BL/A/60	PRF0147731	980,00 €
MAJESTIC NO DRIP BL/A/90	PRF0147732	1.031,00 €



MAJESTIC

DESIGN FABRIZIO CRISA



60 - 90 cm

Aspirante Duct-out

Vetro nero + acciaio inox, vetro bianco + acciaio inox

Black glass + stainless steel, white glass + stainless steel



BACK ASPIRATION



EASY TO MAINTAIN



LONG LIFE FILTER



CM 45




CM 55



Ø150



ENERGY CLASS (A+++D)



ILLUMINAZIONE LIGHTING

Tipo Type	Led 2x2,5 W
Intensità Intensity	145 LUX
Temperatura Temperature	3000 K

PERFORMANCE PERFORMANCE

Comandi Controls	Touch control capacitivo 3V+I 3S+B Capacitive touch control
Portata intensiva Booster airflow	691 m³/h
Livello sonoro min-max Noise level min-max	49 - 65 db(A)
Assorbimento totale Total absorption	255 W

Filtro grassi alluminio incluso Grease aluminium filter included
Camino incluso Chimney included

ACCESSORI ACCESSORIES

Filtro carbone Charcoal filter	CFC0140343	43,50 €
Filtro carbone rigenerabile Regenerable charcoal filter	CFC0162221	99,00 €

MODELLI MODELS

MAJESTIC BL/A/60	PRF0117381A	769,00 €
MAJESTIC BL/A/90	PRF0116967A	877,00 €
MAJESTIC WH/A/60	PRF0124235A	769,00 €
MAJESTIC WH/A/90	PRF0124236A	877,00 €



OM AIR BLACK




OM AIR VINTAGE




OM AIR WHITE



OM AIR BEAUTY



OM AIR POP



OM AIR NATURE

OM AIR

DESIGN FABRIZIO CRISA

75 cm

Filtrante Filtering

Vetro bianco, vetro nero, vetro colorato

White glass, black glass, coloured glass



MULTI-D CAPTURE



BACK ASPIRATION



EASY TO MAINTAIN



LONG LIFE FILTER



CM 40




CM 55



Ø150



ENERGY CLASS (A+++D)



Al momento dell'attivazione, l'anello centrale si muove elettronicamente verso l'interno consentendo alla cappa di attivare l'aspirazione perimetrale.
When activated, the central ring electronically shifts inward, thus allowing the hood to activate perimeter extraction.

ILLUMINAZIONE LIGHTING

Tipo Type	Strip Led 1x7 W
Intensità Intensity	113 LUX
Temperatura Temperature	4000 K

PERFORMANCE PERFORMANCE

Comandi Controls	Touch control capacitivo 3V+I 3S+B Capacitive touch control
Portata intensiva Booster airflow	650 m³/h
Livello sonoro min-max Noise level min-max	42 - 60 db(A)
Assorbimento totale Total absorption	247 W


Filtro grassi alluminio incluso Grease aluminium Filter included
Filtro carbone incluso Charcoal filter included

ACCESSORI ACCESSORIES

Filtro carbone Charcoal filter	CFC0140343	43,50 €
Filtro carbone rigenerabile Regenerable charcoal filter	CFC0162221	99,00 €
Kit camino lungo Long chimney kit	KIT0010439	210,50 €
Kit camino corto Short chimney kit	KIT0010700	152,00 €

MODELLI MODELS

OM AIR BL/F/75	PRF0094744	2.057,00 €
OM AIR WH/F/75	PRF0094734	2.057,00 €
OM AIR NATURE/F/75	PRF0100231	2.382,00 €
OM AIR POP/F/75	PRF0098373	2.382,00 €
OM AIR VINTAGE/F/75	PRF0100138	2.382,00 €
OM AIR BEAUTY/F/75	PRF0100137	2.382,00 €



MINI OM

ELICA DESIGN CENTER

55 cm
Filtrante Filtering
Vetro bianco, vetro nero White glass, black glass

ILLUMINAZIONE LIGHTING

Tipo Type	Led 2x2,5 W
Intensità Intensity	341 LUX
Temperatura Temperature	4000 K

PERFORMANCE PERFORMANCE

Comandi Controls	Pulsantiera Soft Light 3V
Portata massima Max airflow	590 m³/h
Livello sonoro min-max Noise level min-max	48 - 63 db(A)
Assorbimento totale Total absorption	225 W

Filtro grassi alluminio incluso Grease aluminium Filter included	
Filtro carbone rigenerabile incluso Regenerable charcoal filter included	

ACCESSORI ACCESSORIES

Filtro carbone rigenerabile Regenerable charcoal filter	CFC0140423	52,00 €
Kit camino lungo Long chimney kit	KIT01513	210,50 €
Kit camino corto Short chimney kit	KIT01797	191,00 €

MODELLI MODELS

MINI OM BL/F/55	61614583A	1.614,00 €
MINI OM WH/F/55	61614584A	1.614,00 €

SINFONIA

DESIGN FABRIZIO CRISÀ

80 cm
Filtrante Filtering
Vetro bianco, vetro nero White glass, black glass

ILLUMINAZIONE LIGHTING

Tipo Type	Neon 2x14 W
Intensità Intensity	59 LUX
Temperatura Temperature	4000 K

PERFORMANCE PERFORMANCE

Comandi Controls	Touch control capacitivo 3V+I
Portata intensiva Booster airflow	760 m³/h
Livello sonoro min-max Noise level min-max	56 - 70 db(A)
Assorbimento totale Total absorption	328 W


Filtro grassi alluminio incluso Grease aluminium Filter included	
Filtro carbone rigenerabile incluso Regenerable charcoal filter included	

ACCESSORI ACCESSORIES

Filtro carbone rigenerabile Regenerable charcoal filter	CFC0140088	55,00 €
Kit camino lungo Long chimney kit	KIT0010439	210,50 €
Kit camino corto Short chimney kit	KIT0010700	152,00 €

MODELLI MODELS


SINFONIA BL/F/80	PRF0010417B	1.774,00 €
SINFONIA WH/F/80	PRF0010418B	1.774,00 €



NUAGE

DESIGN FABRIZIO CRISÀ

75 cm
Filtrante Filtering
Acciaio inox rivestibile con cartongesso (non incluso), acciaio inox + bianco verniciabile
Coverable stainless steel finish with drywall (not included), stainless steel + paintable white



Modello unico e personalizzabile secondo le esigenze del cliente. Due sono le versioni disponibili: rivestibile con cartongesso (spessore di 6 mm, non compreso nella confezione) o metallo bianco verniciabile. Le immagini presentate sono esempi di estetiche esclusivamente dimostrative.

A unique model that can be personalised to suit customer needs. It is available in two versions: ready for finishing with gypsum panels (6 mm thick, not included in packaging) or in white metal ready for painting. The images shown are only an example of the possible solutions.



ILLUMINAZIONE LIGHTING

Tipo Type	Strip Led 1x7 W
Intensità Intensity	141 LUX
Temperatura Temperature	4000 K

PERFORMANCE PERFORMANCE

Comandi Controls	Rotativo elettronico 3V+I
Portata intensiva Booster airflow	580 m³/h
Livello sonoro min-max Noise level min-max	49 - 62 db(A)
Assorbimento totale Total absorption	227 W


Filtro grassi alluminio incluso Grease aluminium Filter included	
Filtro carbone incluso Charcoal filter included	

ACCESSORI ACCESSORIES

Filtro carbone Charcoal filter	CFC0140343	43,50 €
Filtro carbone rigenerabile Regenerable charcoal filter	CFC0162221	99,00 €

MODELLI MODELS

NUAGE DRYWALL/F/75	PRF0096484	1.117,00 €
NUAGE PAINTABLE/F/75	PRF0098374	1.207,00 €



VERTIGO

ELICA DESIGN CENTER

90 - 120 cm
Filtrante Filtering
Vetro nero, vetro bianco Black glass, white glass

ILLUMINAZIONE LIGHTING	
Tipo Type	Led 2x2,5 W
Intensità Intensity	381 LUX
Temperatura Temperature	3500 K
PERFORMANCE PERFORMANCE	
Comandi Controls	Touch control capacitivo 3V+I 3S+B Capacitive touch control
Portata intensiva Booster airflow	691 m³/h
Livello sonoro min-max Noise level min-max	50 - 68 db(A)
Assorbimento totale Total absorption	265 W

Filtro grassi alluminio incluso Grease aluminium Filter included
Filtro carbone incluso Charcoal filter included

ACCESSORI ACCESSORIES		
Filtro carbone Charcoal filter	CFC0140343	43,50 €
Filtro carbone rigenerabile Regenerable charcoal filter	CFC0162221	99,00 €
Kit camino lungo Long chimney kit	KIT01513	210,50 €
Kit camino corto Short chimney kit	KIT01797	191,00 €

MODELLI MODELS		
VERTIGO BL/F/90	PRF0079553B	1.114,00 €
VERTIGO WH/F/90	PRF0079554B	1.114,00 €
VERTIGO BL/F/120	PRF0079555B	1.227,00 €
VERTIGO WH/F/120	PRF0079556B	1.227,00 €

ELLE

DESIGN FABRIZIO CRISÀ


80 cm
Filtrante Filtering
Vetro nero, vetro bianco Black glass, white glass

ILLUMINAZIONE LIGHTING	
Tipo Type	Strip Led 1x7 W
Intensità Intensity	141 LUX
Temperatura Temperature	4000 K
PERFORMANCE PERFORMANCE	
Comandi Controls	Touch control infrarossi 3V+I 3S+B Infrared touch control
Portata intensiva Booster airflow	670 m³/h
Livello sonoro min-max Noise level min-max	43 - 62 dB(A)
Assorbimento totale Total absorption	247 W

Filtro grassi alluminio incluso Grease aluminium Filter included
Filtro carbone incluso Charcoal filter included

ACCESSORI ACCESSORIES		
Filtro carbone Charcoal filter	CFC0140343	43,50 €
Filtro carbone rigenerabile Regenerable charcoal filter	CFC0162221	99,00 €
Kit camino lungo Long chimney kit	KIT0010703	203,00 €
Kit camino corto Short chimney kit	KIT0010704	152,00 €


MODELLI MODELS		
ELLE BL/F/80	PRF0094251	1.029,00 €
ELLE WH/F/80	PRF0097706	1.029,00 €



BLOOM

DESIGN FABRIZIO CRISÀ

85 cm
Aspirante Duct-out
Vetro nero, vetro grigio Black glass, grey glass




La parte frontale della cappa è caratterizzata da un visore mobile, azionabile manualmente, che consente di aumentare la captazione dei fumi durante le operazioni di cottura. La versione Dekton, grazie alle caratteristiche di questo materiale, ha un'alta resistenza ai raggi UV, ai graffi e alle macchie. The front part of the hood is characterised by a mobile, manually operated visor, which allows increased fume extraction during cooking. The Dekton version, thanks to the characteristics of this material, is highly resistant to UV rays, scratches and dents.

ILLUMINAZIONE LIGHTING	
Tipo Type	Strip Led 1x7 W
Intensità Intensity	365 LUX
Temperatura Temperature	3500 K
PERFORMANCE PERFORMANCE	
Comandi Controls	Touch control capacitivo 3V+I 3S+B Capacitive touch control
Portata intensiva Booster airflow	750 m³/h
Livello sonoro min-max Noise level min-max	35 - 56 db(A)
Assorbimento totale Total absorption	277 W

Filtro grassi alluminio incluso Grease aluminium filter included
Camino incluso Chimney included

ACCESSORI ACCESSORIES		
Filtro carbone Charcoal filter	CFC0140343	43,50 €
Filtro carbone rigenerabile Regenerable charcoal filter	CFC0162221	99,00 €

MODELLI MODELS		
BLOOM BL/A/85	PRF0164459	799,00 €
BLOOM GR/A/85	PRF0164462	799,00 €



STRIPE

ELICA DESIGN CENTER

60 - 80 - 90 cm
Aspirante Duct-out
Vetro nero, vetro bianco, acciaio inox Black glass, white glass, stainless steel



ILLUMINAZIONE LIGHTING		
Tipo Type	Led 2x2,5 W	
Intensità Intensity	203 LUX	
Temperatura Temperature	3000 K	
Filtro grassi alluminio incluso Grease aluminium filter included		
Camino incluso Chimney included		
PERFORMANCE PERFORMANCE		
Comandi Controls	BL/WH Touch control capacitivo 3V+I 3S+B Capacitive touch control	IX Pulsantiera elettronica 3V+I 3S+B Electronic push button
Portata intensiva Booster airflow	757 m³/h	757 m³/h
Livello sonoro min-max Noise level min-max	50 - 65 db(A)	50 - 65 db(A)
Assorbimento totale Total absorption	265 W	265 W
ACCESSORI ACCESSORIES		
Filtro carbone Charcoal filter	CFC0140343	43,50 €
Filtro carbone rigenerabile Regenerable charcoal filter	CFC0162221	99,00 €
MODELLI MODELS		
STRIPE IX/A/60	PRF0110514B	609,00 €
STRIPE IX/A/90	PRF0110515B	712,00 €
STRIPE BL/A/60	PRF0101142B	609,00 €
STRIPE BL/A/80	PRF0164806	712,00 €
STRIPE BL/A/90	PRF0101143B	712,00 €
STRIPE WH/A/60	PRF0101144B	609,00 €
STRIPE WH/A/80	PRF0164805	712,00 €
STRIPE WH/A/90	PRF0101145B	712,00 €

STRIPE URBAN

ELICA DESIGN CENTER

90 cm
Aspirante Duct-out
Effetto ghisa, effetto zincato Cast iron effect, zinc coating effect

ILLUMINAZIONE LIGHTING			
Tipo Type	Led 2x2,5 W		
Intensità Intensity	381 LUX		
Temperatura Temperature	3500 K		
PERFORMANCE PERFORMANCE			
Comandi Controls	Pulsantiera elettronica 3V+I 3S+B Electronic push button		
Portata intensiva Booster airflow	757 m³/h		
Livello sonoro min-max Noise level min-max	50 - 65 db(A)		
Assorbimento totale Total absorption	265 W		
Filtro grassi alluminio incluso Grease aluminium filter included			
Camino incluso Chimney included			
ACCESSORI ACCESSORIES			
Filtro carbone Charcoal filter	CFC0140343	43,50 €	
Filtro carbone rigenerabile Regenerable charcoal filter	CFC0162221	99,00 €	
MODELLI MODELS			
STRIPE URBAN ZINC/A/90	PRF0147739	712,00 €	
STRIPE URBAN CAST IRON/A/90	PRF0147738	712,00 €	



ELEKTRA

ELICA DESIGN CENTER

55 - 80 cm
Filtrante Filtering
Acciaio inox Stainless steel


ILLUMINAZIONE LIGHTING		
Tipo Type	Led 2x1 W	
Intensità Intensity	136 LUX	
Temperatura Temperature	3500 K	
PERFORMANCE PERFORMANCE		
Comandi Controls	Pulsantiera elettronica con display 3V+I 3S+B Electronic push button with display	
Portata intensiva Booster airflow	647 m³/h	
Livello sonoro min-max Noise level min-max	45 - 63 db(A)	
Assorbimento totale Total absorption	252 W	
Filtro carbone rigenerabile incluso Regenerable charcoal filter included		
ACCESSORI ACCESSORIES		
Filtro carbone rigenerabile Regenerable charcoal filter	CFC0140088	55,00 €
Kit camino Chimney kit	KIT0008747A	130,00 €
MODELLI MODELS		
ELEKTRA IX/F/55	PRF0006407B	552,00 €
ELEKTRA IX/F/80	PRF0006872B	609,00 €


BELT

DESIGN FABRIZIO CRISÀ

55 - 80 cm
Filtrante Filtering
Vetro nero, vetro bianco, acciaio inox Black glass, white glass, stainless steel

ILLUMINAZIONE LIGHTING		
Tipo Type	Led 2x2,5 W	
Intensità Intensity	381 LUX	
Temperatura Temperature	3500 K	
PERFORMANCE PERFORMANCE		
Comandi Controls	BL/WH Touch control capacitivo 3V+I 3S+B Capacitive touch control	IX Touch control infrarossi 3V+I 3S+B Infrared touch control
Portata intensiva Booster airflow	590 m³/h	590 m³/h
Livello sonoro min-max Noise level min-max	46 - 61 db(A)	46 - 61 db(A)
Assorbimento totale Total absorption	225 W	225 W
Filtro grassi alluminio incluso Grease aluminium Filter included		
Filtro carbone incluso Charcoal filter included		
ACCESSORI ACCESSORIES		
Filtro carbone Charcoal filter	CFC0140343	43,50 €
Filtro carbone rigenerabile Regenerable charcoal filter	CFC0162221	99,00 €
Kit camino lungo Long chimney kit (80)	KIT0010439	210,50 €
Kit camino corto Short chimney kit (80)	KIT0010700	152,00 €
Kit camino lungo Long chimney kit (55)	KIT0010519	203,00 €
Kit camino corto Short chimney kit (55)	KIT0010701	152,00 €
MODELLI MODELS		
BELT IX/F/55	PRF0034012C	825,00 €
BELT BL/F/55	PRF0034211C	825,00 €
BELT WH/F/55	PRF0038445C	825,00 €
BELT IX/F/80	PRF0033852C	928,00 €
BELT BL/F/80	PRF0032793C	928,00 €
BELT WH/F/80	PRF0038443C	928,00 €





L'ESSENZA

DESIGN FABRIZIO CRISÀ

60 - 90 cm
Aspirante Duct-out
Vetro nero, vetro bianco Black glass, white glass

ILLUMINAZIONE LIGHTING

Tipo Type	Led 2x2,5 W
Intensità Intensity	145 LUX
Temperatura Temperature	3000 K

PERFORMANCE PERFORMANCE

Comandi Controls	Touch control capacitivo 3V+I 3S+B Capacitive touch control
Portata intensiva Booster airflow	691 m³/h
Livello sonoro min-max Noise level min-max	49 - 65 db(A)
Assorbimento totale Total absorption	255 W


Filtro grassi alluminio incluso Grease aluminium filter included
Camino incluso Chimney included

ACCESSORI ACCESSORIES

Filtro carbone Charcoal filter	CFC0140343	43,50 €
Filtro carbone rigenerabile Regenerable charcoal filter	CFC0162221	99,00 €

MODELLI MODELS

L'ESSENZA BL/A/60	PRF0117403A	645,00 €
L'ESSENZA WH/A/60	PRF0124233A	645,00 €
L'ESSENZA BL/A/90	PRF0117374A	743,00 €
L'ESSENZA WH/A/90	PRF0124234A	743,00 €



SHY-S

DESIGN FABRIZIO CRISÀ

60 - 90 cm
Aspirante Duct-out
Vetro nero, vetro bianco Black glass, white glass

ILLUMINAZIONE LIGHTING

Tipo Type	Led 2x1,5 W
Intensità Intensity	180 LUX
Temperatura Temperature	3500 K

PERFORMANCE PERFORMANCE

Comandi Controls	Touch control capacitivo 3V+I 3S+B Capacitive touch control
Portata intensiva Booster airflow	650 m³/h
Livello sonoro min-max Noise level min-max	52 - 65 db(A)
Assorbimento totale Total absorption	233 W

Filtro grassi alluminio incluso Grease aluminium filter included
Camino incluso Chimney included

ACCESSORI ACCESSORIES

Filtro carbone Charcoal filter	CFC0140343	43,50 €
--------------------------------	------------	---------

MODELLI MODELS

SHY-S BL/A/60	PRF0166932	480,00 €
SHY-S BL/A/90	PRF0166933	530,00 €
SHY-S WH/A/60	PRF0166934	480,00 €
SHY-S WH/A/90	PRF0166935	530,00 €

SHEEN-S

DESIGN FABRIZIO CRISÀ

60 - 90 cm
Aspirante Duct-out
Vetro nero, vetro bianco Black glass, white glass

ILLUMINAZIONE LIGHTING

Tipo Type	Led 2x1,5 W
Intensità Intensity	180 LUX
Temperatura Temperature	3500 K

PERFORMANCE PERFORMANCE

Comandi Controls	Touch control capacitivo 3V+I 3S+B Capacitive touch control
Portata intensiva Booster airflow	650 m³/h
Livello sonoro min-max Noise level min-max	52 - 65 db(A)
Assorbimento totale Total absorption	233 W


Filtro grassi alluminio incluso Grease aluminium filter included
Camino incluso Chimney included

ACCESSORI ACCESSORIES

Filtro carbone Charcoal filter	CFC0140343	43,50 €
--------------------------------	------------	---------

MODELLI MODELS

SHEEN-S BL/A/60	PRF0166928	480,00 €
SHEEN-S BL/A/90	PRF0166929	530,00 €
SHEEN-S WH/A/60	PRF0166930	480,00 €
SHEEN-S WH/A/90	PRF0166931	530,00 €



SHIRE

DESIGN FABRIZIO CRISÀ

60 - 90 cm
Aspirante Duct-out
Vetro nero, vetro bianco Black glass, white glass

ILLUMINAZIONE LIGHTING

Tipo Type	Led 2x1 W
Intensità Intensity	120 LUX
Temperatura Temperature	3500 K

PERFORMANCE PERFORMANCE

Comandi Controls	Touch control capacitivo 2V+I 2S+B Capacitive touch control
Portata intensiva Booster airflow	650 m³/h
Livello sonoro min-max Noise level min-max	52 - 64 db(A)
Assorbimento totale Total absorption	232 W


Filtro grassi alluminio incluso Grease aluminium filter included
Camino incluso Chimney included

ACCESSORI ACCESSORIES

Filtro carbone Charcoal filter	CFC0140343	43,50 €
--------------------------------	------------	---------

MODELLI MODELS

SHIRE BL/A/60	PRF0119819A	433,00 €
SHIRE BL/A/90	PRF0119829A	488,00 €
SHIRE WH/A/60	PRF0119823A	433,00 €
SHIRE WH/A/90	PRF0119828A	488,00 €






STONE

ELICA DESIGN CENTER

Ø33 cm
Aspirante Duct-out
Acciaio inox, bianco
Stainless steel, white




ILLUMINAZIONE LIGHTING	
Tipo Type	Led 2x2,5 W
Intensità Intensity	457 LUX
Temperatura Temperature	2700 K

PERFORMANCE PERFORMANCE	
Comandi Controls	Pulsantiera soft light 3V 3S Light push button
Portata massima Max airflow	559 m³/h
Livello sonoro min-max Noise level min-max	44 - 67 db(A)
Assorbimento totale Total absorption	180 W

Filtro grassi alluminio incluso Grease aluminium filter included

ACCESSORI ACCESSORIES		
Filtro carbone Charcoal filter	CFC0141529A	33,00 €
Filtro carbone rigenerabile Regenerable charcoal filter	CFC0141725A	73,50 €

MODELLI MODELS		
STONE IX/A/33	61412862B	794,00 €
STONE WH/A/33	PRF0007123A	794,00 €



TUBE PRO

ELICA DESIGN CENTER

Ø 43 cm
Aspirante Duct-out
Acciaio inox, nero effetto soft touch, bianco effetto soft touch
Stainless steel, black soft touch effect, white soft touch effect


ILLUMINAZIONE LIGHTING	
Tipo Type	Led 2x3 W
Intensità Intensity	457 LUX
Temperatura Temperature	2700 K

PERFORMANCE PERFORMANCE	
Comandi Controls	Pulsantiera meccanica 3V 3S Mechanical push button
Portata massima Max airflow	603 m³/h
Livello sonoro min-max Noise level min-max	47 - 68 db(A)
Assorbimento totale Total absorption	256 W

Filtro grassi alluminio incluso Grease aluminium Filter included
Filtro carbone rigenerabile incluso Regenerable charcoal filter included

ACCESSORI ACCESSORIES		
Filtro carbone rigenerabile Regenerable charcoal filter	CFC0140423	52,00 €

MODELLI MODELS		
TUBE PRO IX/A/43	PRF0080075B	1.021,00 €
TUBE PRO BL MAT/A/43	PRF0090719B	1.021,00 €
TUBE PRO WH MAT/A/43	PRF0090720B	1.021,00 €



KUADRA

ELICA DESIGN CENTER

43 - 60 cm
Aspirante Duct-out
Acciaio inox Stainless steel



ILLUMINAZIONE LIGHTING	
Tipo Type	Led 2x2,5 W
Intensità Intensity	457 LUX
Temperatura Temperature	2700 K

PERFORMANCE PERFORMANCE	
Comandi Controls	Pulsantiera elettronica con display 3V+I 3S+B Electronic push button with display
Portata intensiva Booster airflow	496 m³/h
Livello sonoro min-max Noise level min-max	48 - 62 db(A)
Assorbimento totale Total absorption	256 W

Filtro grassi alluminio incluso Grease aluminium Filter included

ACCESSORI ACCESSORIES		
Filtro carbone rigenerabile Regenerable charcoal filter	CFC0140423	52,00 €

MODELLI MODELS		
KUADRA IX/A/43	PRF0006491A	970,00 €
KUADRA IX/A/60	PRF0007419A	1.021,00 €





TONDA

DESIGN FABRIZIO CRISÀ

60 - 90 cm
Filtrante Filtering
Acciaio inox Stainless steel

ILLUMINAZIONE LIGHTING

Tipo Type	Led 2x3 W
Intensità Intensity	97 LUX
Temperatura Temperature	2700 K

PERFORMANCE PERFORMANCE

Comandi Controls	Slider meccanico 3V 3S Mechanical slider
Portata massima Max airflow	355 m³/h
Livello sonoro min-max Noise level min-max	60 - 67 db(A)
Assorbimento totale Total absorption	146 W


Filtro grassi alluminio incluso Grease aluminium Filter included	
Filtro carbone incluso Charcoal filter included	
Camino incluso Chimney included	

ACCESSORI ACCESSORIES

Filtro carbone Charcoal filter	CFC0140124	35,50 €
--------------------------------	------------	---------

MODELLI MODELS

TONDA IX F/60	2938000C	294,00 €
TONDA IX F/90	2937999C	325,00 €



TAMAYA

ELICA DESIGN CENTER

60 - 90 cm
Aspirante Duct-out
Acciaio inox Stainless steel

ILLUMINAZIONE LIGHTING

Tipo Type	Led 2x3 W
Intensità Intensity	121 LUX
Temperatura Temperature	2700 K

PERFORMANCE PERFORMANCE

Comandi Controls	Pulsantiera meccanica 3V 3S Mechanical push button
Portata massima Max airflow	430 m³/h
Livello sonoro min-max Noise level min-max	53 - 62 db(A)
Assorbimento totale Total absorption	146 W


Filtro grassi alluminio incluso Grease aluminium Filter included	
--	--

ACCESSORI ACCESSORIES

Filtro carbone Charcoal filter	CFC0140124	35,50 €
Kit camino +200 Chimney kit +200	KIT00778A	80,50 €
Kit camino +420 Chimney kit +420	KIT00779A	95,50 €

MODELLI MODELS

TAMAYA PB IX/A/60	PRF0009706C	387,00 €
TAMAYA PB IX/A/90	PRF0009794C	439,00 €



MISSY

ELICA DESIGN CENTER

60 - 90 cm
Aspirante Duct-out
Acciaio inox, nero Stainless steel, black

ILLUMINAZIONE LIGHTING

Tipo Type	Led 2x3 W
Intensità Intensity	97 LUX
Temperatura Temperature	2700 K

PERFORMANCE PERFORMANCE

Comandi Controls	Pulsantiera meccanica 3V 3S Mechanical push button
Portata massima Max airflow	395 m³/h
Livello sonoro min-max Noise level min-max	49 - 68 db(A)
Assorbimento totale Total absorption	96 W


Filtro grassi alluminio incluso Grease aluminium Filter included	
Camino incluso Chimney included	

ACCESSORI ACCESSORIES

Filtro carbone Charcoal filter	CFC0141497	23,00 €
--------------------------------	------------	---------

MODELLI MODELS

MISSY PB IX/A/60	PRF0091761B	176,00 €
MISSY PB IX/A/90	PRF0091763B	196,00 €
MISSY BL/A/60	PRF0151543	159,00 €
MISSY BL/A/90	PRF0151544	177,00 €



VEGA

ELICA DESIGN CENTER

60 - 90 cm
Filtrante Filtering
Acciaio inox Stainless steel

ILLUMINAZIONE LIGHTING

Tipo Type	Led 2x3 W	ST
	Intensità Intensity	Led 2x3 W
	73 LUX	97 LUX
Temperatura Temperature	2700 K	2700 K

PERFORMANCE PERFORMANCE

Comandi Controls	Slider meccanico 3V 3S Mechanical slider
Portata massima Max airflow	272 m³/h
Livello sonoro min-max Noise level min-max	52 - 71 db(A)
Assorbimento totale Total absorption	121 W


Filtro grassi alluminio incluso Grease aluminium Filter included	
Filtro carbone incluso Charcoal filter included	
Camino incluso Chimney included	

ACCESSORI ACCESSORIES

Filtro carbone Charcoal filter	CFC0140064	25,00 €
Kit camino +200 Chimney kit +200	KIT00778A	80,50 €
Kit camino +420 Chimney kit +420	KIT00779A	95,50 €

MODELLI MODELS

VEGA 60 IX	56111002C	248,00 €
VEGA ST IX F/90	56111004B	258,00 €





ACUTA

ELICA DESIGN CENTER

100 cm
Filtrante Filtering
Acciaio inox, nero Stainless steel, black

ILLUMINAZIONE LIGHTING	
Tipo Type	Led 4x2,5 W
Intensità Intensity	441 LUX
Temperatura Temperature	3500 K

PERFORMANCE PERFORMANCE	
Comandi Controls	Pulsantiera elettronica 3V+I 3S+B Electronic push button
Portata intensiva Booster airflow	625 m³/h
Livello sonoro min-max Noise level min-max	46 - 60 db(A)
Assorbimento totale Total absorption	210 W

Filtro grassi alluminio incluso Grease aluminium Filter included
Filtro carbone incluso Charcoal filter included
Camino incluso Chimney included

ACCESSORI ACCESSORIES		
Filtro carbone Charcoal filter	CFC0140343	43,50 €
Filtro carbone rigenerabile Regenerable charcoal filter	CFC0162221	99,00 €

MODELLI MODELS		
ACUTA IX/F/100	PRF0121267A	1.052,00 €
ACUTA BL/F/100	PRF0127462A	1.052,00 €



LONG LIFE FILTER



CM 50




CM 65



Ø150



ENERGY CLASS (A++/D)



HYDRA

ELICA DESIGN CENTER

100 cm
Filtrante Filtering
Acciaio inox Stainless steel


ILLUMINAZIONE LIGHTING	
Tipo Type	Led 4x2,5 W
Intensità Intensity	441 LUX
Temperatura Temperature	3500 K

PERFORMANCE PERFORMANCE	
Comandi Controls	Pulsantiera meccanica 3V 3S Mechanical push button
Portata massima Max airflow	496 m³/h
Livello sonoro min-max Noise level min-max	46 - 68 db(A)
Assorbimento totale Total absorption	170 W

Filtro grassi alluminio incluso Grease aluminium Filter included
Filtro carbone incluso Charcoal filter included
Camino incluso Chimney included

ACCESSORI ACCESSORIES		
Filtro carbone Charcoal filter	CFC0140122	30,00 €

MODELLI MODELS		
HYDRA ANG IX F/100	1608046A	1.294,00 €



CM 50



CM 65



Ø150



ENERGY CLASS (A++/D)



SYNTHESIS

ELICA DESIGN CENTER

100 cm
Aspirante Duct-out
Acciaio inox + vetro Stainless steel + glass

ILLUMINAZIONE LIGHTING	
Tipo Type	Led 4x2,5 W
Intensità Intensity	441 LUX
Temperatura Temperature	3500 K

PERFORMANCE PERFORMANCE	
Comandi Controls	Control ball 3V+I 3S+B Control ball
Portata intensiva Booster airflow	559 m³/h
Livello sonoro min-max Noise level min-max	44 - 63 db(A)
Assorbimento totale Total absorption	185 W

Filtro grassi alluminio incluso Grease aluminium Filter included
Camino incluso Chimney included

ACCESSORI ACCESSORIES		
Filtro carbone Charcoal filter	CFC0141529A	33,00 €
Filtro carbone rigenerabile Regenerable charcoal filter	CFC0141725A	73,50 €

MODELLI MODELS		
SYNTHESIS IX A/100	64214507A	1.547,00 €



LONG LIFE FILTER



CM 50




CM 65



Ø150



ENERGY CLASS (A++/D)



RUBINO CORNER

ELICA DESIGN CENTER

100 cm
Aspirante Duct-out
Acciaio inox Stainless steel


ILLUMINAZIONE LIGHTING	
Tipo Type	Led 2x3 W
Intensità Intensity	121 LUX
Temperatura Temperature	2700 K

PERFORMANCE PERFORMANCE	
Comandi Controls	Slider meccanico 3V 3S Mechanical slider
Portata massima Max airflow	603 m³/h
Livello sonoro min-max Noise level min-max	42 - 64 db(A)
Assorbimento totale Total absorption	186 W

Filtro grassi alluminio incluso Grease aluminium Filter included
Camino incluso Chimney included

ACCESSORI ACCESSORIES		
Filtro carbone Charcoal filter	CFC0140124	35,50 €

MODELLI MODELS		
RUBINO ANG IX A/100 IX	56811101C	794,00 €



CM 50



CM 65



Ø150



ENERGY CLASS (A++/D)

ISLAND





Il KRION® è una superficie solida di nuova generazione, un materiale caldo al tatto e simile alla pietra naturale. È composto da due terzi di minerali naturali e da una piccola percentuale di resine ad alta resistenza. Tale composizione conferisce al KRION® alcune particolarità esclusive: proprietà antibatteriche, durezza, resistenza, durezza e manutenzione ridotta. KRION® is a solid, latest generation surface, a material that's warm to the touch and similar to natural stone. It is comprised of two thirds natural minerals and a small percentage of high-resistance resins. This composition offers KRION® a number of exclusive characteristics: antibacterial properties, hardness, resistance, durability and minimal maintenance.



HAIKU ISLAND

DESIGN FABRIZIO CRISÀ



32x32 - 120x32 - 180x32 cm

Aspirante Duct-out

Vetro nero, Krion bianco, Acciaio inox

Black glass, white Krion, stainless steel



LONG LIFE FILTER



COMFORT SILENCE



SPECIAL MATERIAL



CM 50




CM 65



Ø150



ENERGY CLASS (A+++D)



ILLUMINAZIONE LIGHTING

Tipo Type	Strip Led 1x7 W
Intensità Intensity	365 LUX
Temperatura Temperature	3500 K

PERFORMANCE PERFORMANCE

Comandi Controls	Pulsantiera elettronica 3V+2I 3S+2B Electronic push button
Portata intensiva Booster airflow	690 m³/h
Livello sonoro min-max Noise level min-max	34 - 51 db(A)
Assorbimento totale Total absorption	277 W

Filtro grassi alluminio incluso Grease aluminium filter included
Camino incluso Chimney included

ACCESSORI ACCESSORIES

Filtro carbone Charcoal filter	CFC0141529A	33,00 €
Filtro carbone rigenerabile Regenerable charcoal filter	CFC0141725A	73,50 €

MODELLI MODELS

HAIKU ISLAND IX/A/32	PRF0146277	939,00 €
HAIKU ISLAND BL/A/32	PRF0146285	1.196,00 €
HAIKU ISLAND WH/A/32	PRF0146289	1.196,00 €
HAIKU ISLAND IX/A/120	PRF0146279	1.457,00 €
HAIKU ISLAND BL/A/120	PRF0146286	1.719,00 €
HAIKU ISLAND WH/A/120	PRF0146290	1.719,00 €
HAIKU ISLAND IX/A/180	PRF0146280	1.771,00 €
HAIKU ISLAND BL/A/180	PRF0146287	2.031,00 €
HAIKU ISLAND WH/A/180	PRF0146291	2.031,00 €



BIO ISLAND

DESIGN FABRIZIO CRISÀ



reddot award 2017
winner



120x52 cm

Aspirante Duct-out

Rovere naturale + bianco effetto soft touch

Natural oak + white soft touch effect



SPECIAL MATERIAL



LONG LIFE FILTER ++



COMFORT SILENCE



TUNE WHITE



CM 50




CM 65



Ø150



ENERGY CLASS (A+++D)



La cornice è un multistrato con rivestimento di 10 mm di rovere massello per evitare il fenomeno della dilatazione dovuta allo shock termico. Nella sua parte superiore è presente un supporto per tablet e smartphone e una presa USB a doppia porta. Bio island è altamente versatile grazie alla mensola da 60 cm che permette di completare esteticamente il prodotto a proprio piacimento come estensione del corpo cappa o come elemento di arredo indipendente con l'acquisto di un ulteriore kit cavi. The frame is made from plywood with a 10 mm solid oak finish to prevent expansion phenomena caused by thermal shock. The top part features a support for tablets and smartphones, along with a double USB port. Bio island is highly versatile thanks to its 60 cm shelf, which allows the product to be aesthetically completed however one prefers, whether as an extension of the hood body or independent furnishing element by purchasing an additional wiring kit.

ILLUMINAZIONE LIGHTING

Tipo Type	Strip Led 2x7 W
Intensità Intensity	141 LUX
Temperatura Temperature	2700 - 6500 K

PERFORMANCE PERFORMANCE

Comandi Controls	Pulsantiera elettronica 3V+2I 3S+2B Electronic push button
Portata intensiva Booster airflow	757 m³/h
Livello sonoro min-max Noise level min-max	32 - 60 db(A)
Assorbimento totale Total absorption	324 W

Filtro grassi alluminio incluso Grease aluminium filter included
Camino incluso Chimney included

ACCESSORI ACCESSORIES

Filtro carbone rigenerabile Regenerable charcoal filter	CFC0141725A	73,50 €
Kit filtrante Revolution Revolution recycling kit	KIT0160440	300,00 €
Kit mensola isola rovere 60cm + 2 cavi Oak island shelf kit 60cm + 2 cables	KIT0120947	278,50 €
Kit 2 cavi mensola (1,7m) Cables shelf kit 2pcs (1,7m)	KIT0120948	87,00 €
Radiocomando bianco White remote control	KIT0121468	76,00 €
Radiocomando nero Black remote control	KIT0121469	76,00 €

MODELLI MODELS


BIO ISLAND WH/A/120X53 ROVERE	PRF0148081	2.004,00 €
-------------------------------	------------	------------



METEORITE ISLAND

DESIGN FABRIZIO CRISA

120x60 cm
Aspirante Duct-out
Acciaio Inox + vetro nero
Stainless steel + black glass



ILLUMINAZIONE LIGHTING	
Tipo Type	Strip Led 2x7 W
Intensità Intensity	85 LUX
Temperatura Temperature	2700 - 6500 K

PERFORMANCE PERFORMANCE	
Comandi Controls	Touch control capacitivo 3V+2I 3S+2B Capacitive touch control
Portata intensiva Booster airflow	800 m³/h
Livello sonoro min-max Noise level min-max	31 - 60 db(A)
Assorbimento totale Total absorption	324 W

Filtro grassi alluminio incluso Grease aluminium filter included
Camino incluso Chimney included

ACCESSORI ACCESSORIES		
Filtro carbone rigenerabile Regenerable charcoal filter	CFC0141725A	73,50 €
Kit filtrante Revolution Revolution recycling kit	KIT0160440	300,00 €


MODELLI MODELS		
METEORITE ISLAND IX/A/120x60	PRF0148122	1.895,00 €



MOON ISLAND

ELICA DESIGN CENTER

90x57 - 120x57 - 175x73 cm
Aspirante Duct-out - Filtrante Filtering (180cm)
Acciaio Inox Stainless steel



ILLUMINAZIONE LIGHTING	
Tipo Type	Neon 2x21 W (90cm) - Neon 2x28 W (120cm) - Neon 4x21 W (180cm)
Intensità Intensity	172 (90cm) - 230 (120cm) - 176 (180cm) LUX
Temperatura Temperature	6500 K

PERFORMANCE PERFORMANCE	
Comandi Controls	Pulsantiera elettronica 3V+I 3S+B Electronic push button
Portata intensiva Booster airflow	690 m³/h
Livello sonoro min-max Noise level min-max	52 - 68 db(A)
Assorbimento totale Total absorption	302 (90cm) - 316 (120cm) W 344 (180cm) W

Filtro grassi alluminio incluso Grease aluminium Filter included
Filtro carbone incluso (180cm) Charcoal filter included (180cm)
Camino incluso Chimney included

ACCESSORI ACCESSORIES		
Filtro carbone Charcoal filter	CFC0141529A	33,00 €
Filtro carbone rigenerabile Regenerable charcoal filter	CFC0141725A	73,50 €

MODELLI MODELS		
MOON IS IX/A/60X90	PRF0093507A	1.453,00 €
MOON IS IX/A/60X120	PRF0093541A	1.676,00 €
MOON ISLAND IX/F/180	PRF0079552A	2.030,00 €



JOY ISLAND

ELICA DESIGN CENTER

90x61 cm
Aspirante Duct-out
Acciaio inox + vetro nero, acciaio inox + vetro bianco
Stainless steel + black glass, stainless steel + white glass


ILLUMINAZIONE LIGHTING	
Tipo Type	Led 4x2,5 W
Intensità Intensity	761 LUX
Temperatura Temperature	3500 K

PERFORMANCE PERFORMANCE	
Comandi Controls	Touch control capacitivo 3V+I 3S+B Capacitive touch control
Portata intensiva Booster airflow	713 m³/h
Livello sonoro min-max Noise level min-max	51 - 69 db(A)
Assorbimento totale Total absorption	270 W

Filtro grassi alluminio incluso Grease aluminium Filter included	
Camino incluso Chimney included	

ACCESSORI ACCESSORIES		
Filtro carbone Charcoal filter	CFC0141529A	33,00 €
Filtro carbone rigenerabile Regenerable charcoal filter	CFC0141725A	73,50 €


MODELLI MODELS		
JOY ISLAND BLIX/A/90	PRF0104628A	1.104,00 €
JOY ISLAND WHIX/A/90	PRF0104629A	1.104,00 €



ADÉLE ISLAND

DESIGN FABRIZIO CRISA

90x60 cm
Aspirante Duct-out
Acciaio inox + vetro nero, nero effetto soft touch + vetro nero
Stainless steel + black glass, black soft touch effect + black glass



ILLUMINAZIONE LIGHTING	
Tipo Type	Strip Led 2x7 W
Intensità Intensity	309 LUX
Temperatura Temperature	3000 K

PERFORMANCE PERFORMANCE	
Comandi Controls	Touch control capacitivo 3V+I 3S+B Capacitive touch control
Portata intensiva Booster airflow	770 m³/h
Livello sonoro min-max Noise level min-max	55 - 69 db(A)
Assorbimento totale Total absorption	277 W

Filtro grassi alluminio incluso Grease aluminium filter included	
Camino incluso Chimney included	

ACCESSORI ACCESSORIES		
Filtro carbone Charcoal filter	CFC0141529A	33,00 €
Filtro carbone rigenerabile Regenerable charcoal filter	CFC0141725A	73,50 €

MODELLI MODELS		
ADÉLE IS BLIX/A/90 X 60	PRF0167313	1.100,00 €
ADÉLE IS BL MAT/A/90 X 60	PRF0167316	1.100,00 €

GALAXY ISLAND

ELICA DESIGN CENTER

90x45 cm
Aspirante Duct-out
Acciaio inox + vetro nero, acciaio inox + vetro bianco
Stainless steel + black glass, stainless steel + white glass,


ILLUMINAZIONE LIGHTING	
Tipo Type	Led 4x2,5 W
Intensità Intensity	290 LUX
Temperatura Temperature	3500 K

PERFORMANCE PERFORMANCE	
Comandi Controls	Touch control capacitivo 3V+I 3S+B Capacitive touch control
Portata intensiva Booster airflow	647 m³/h
Livello sonoro min-max Noise level min-max	52 - 69 db(A)
Assorbimento totale Total absorption	270 W

Filtro grassi alluminio incluso Grease aluminium Filter included	
Camino incluso Chimney included	

ACCESSORI ACCESSORIES		
Filtro carbone Charcoal filter	CFC0141529A	33,00 €
Filtro carbone rigenerabile Regenerable charcoal filter	CFC0141725A	73,50 €

MODELLI MODELS		
GALAXY ISLAND BLIX/A/90x45	PRF0017852B	1.212,00 €
GALAXY ISLAND WHIX/A/90x45	PRF0019192B	1.212,00 €





THIN ISLAND

DESIGN FABRIZIO CRISÀ

120x57 cm
Aspirante Duct-out
Acciaio inox Stainless steel


ILLUMINAZIONE LIGHTING	
Tipo Type	Strip Led 2x7 W
Intensità Intensity	253 LUX
Temperatura Temperature	3500 K

PERFORMANCE PERFORMANCE	
Comandi Controls	Touch Control Infrarossi 3V+2I 3S+2B Infrared touch control
Portata intensiva Booster airflow	680 m³/h
Livello sonoro min-max Noise level min-max	34 - 52 db(A)
Assorbimento totale Total absorption	284 W

Filtro grassi alluminio incluso Grease aluminium Filter included	
Camino incluso Chimney included	

ACCESSORI ACCESSORIES		
Filtro carbone Charcoal filter	CFC0141529A	33,00 €
Filtro carbone rigenerabile Regenerable charcoal filter	CFC0141725A	73,50 €

MODELLI MODELS		
THIN ISLAND IX/A/120	PRF0144973	1.150,00 €



SPOT PLUS ISLAND

ELICA DESIGN CENTER

90x60 cm
Aspirante Duct-out
Acciaio inox Stainless steel


ILLUMINAZIONE LIGHTING	
Tipo Type	Led 4x2,5 W
Intensità Intensity	761 LUX
Temperatura Temperature	4000 K

PERFORMANCE PERFORMANCE	
Comandi Controls	Pulsantiera elettronica con LCD 3V+I 3S+B Electronic push button with LCD
Portata massima Max airflow	620 m³/h
Livello sonoro min-max Noise level min-max	52 - 67 db(A)
Assorbimento totale Total absorption	210 W

Filtro grassi alluminio incluso Grease aluminium Filter included	
Camino incluso Chimney included	

ACCESSORI ACCESSORIES		
Filtro carbone Charcoal filter	CFC0141529A	33,00 €
Filtro carbone rigenerabile Regenerable charcoal filter	CFC0141725A	73,50 €

MODELLI MODELS		
SPOT PLUS ISLAND IX/A/90	PRF0097375A	1.061,00 €



TRIBE ISLAND

ELICA DESIGN CENTER

90x60 cm
Aspirante Duct-out
Acciaio inox + vetro Stainless steel + glass


ILLUMINAZIONE LIGHTING	
Tipo Type	Led 2x2,5 W
Intensità Intensity	381 LUX
Temperatura Temperature	3000 K

PERFORMANCE PERFORMANCE	
Comandi Controls	Pulsantiera elettronica con display 3V+I 3S+B Electronic push button with display
Portata intensiva Booster airflow	600 m³/h
Livello sonoro min-max Noise level min-max	48 - 64 db(A)
Assorbimento totale Total absorption	205 W

Filtro grassi alluminio incluso Grease aluminium Filter included	
Camino incluso Chimney included	

ACCESSORI ACCESSORIES		
Filtro carbone Charcoal filter	CFC0141529A	33,00 €
Filtro carbone rigenerabile Regenerable charcoal filter	CFC0141725A	73,50 €

MODELLI MODELS		
TRIBE A ISLAND IX/A/90X60	PRF0150293	985,00 €



REEF ISLAND

ELICA DESIGN CENTER

90x60 cm
Aspirante Duct-out
Acciaio inox + vetro Stainless steel + glass


ILLUMINAZIONE LIGHTING	
Tipo Type	Led 2x2,5 W
Intensità Intensity	381 LUX
Temperatura Temperature	3000 K

PERFORMANCE PERFORMANCE	
Comandi Controls	Pulsantiera elettronica con display 3V+I 3S+B Electronic push button with display
Portata intensiva Booster airflow	600 m³/h
Livello sonoro min-max Noise level min-max	48 - 64 db(A)
Assorbimento totale Total absorption	205 W

Filtro grassi alluminio incluso Grease aluminium Filter included	
Camino incluso Chimney included	

ACCESSORI ACCESSORIES		
Filtro carbone Charcoal filter	CFC0141529A	33,00 €
Filtro carbone rigenerabile Regenerable charcoal filter	CFC0141725A	73,50 €

MODELLI MODELS		
REEF A ISLAND IX/A/90X60	PRF0150290	985,00 €






YE

DESIGN FABRIZIO CRISÀ

66x42 cm
Aspirante Duct-out
Cristalplant bianco White cristalplant




ILLUMINAZIONE LIGHTING		
Tipo Type	Led 2x4 W	
Intensità Intensity	609 LUX	
Temperatura Temperature	4000 K	

PERFORMANCE PERFORMANCE		
Comandi Controls	Radiocomando 3V+I 3S+B Remote control	
Portata intensiva Booster airflow	600 m³/h	
Livello sonoro min-max Noise level min-max	45 - 61 db(A)	
Assorbimento totale Total absorption	268 W	

Filtro grassi alluminio incluso Grease aluminium Filter included
Radiocomando bianco incluso White remote control included

ACCESSORI ACCESSORIES		
Filtro carbone rigenerabile Regenerable charcoal filter	CFC0141737	113,00 €
Radiocomando bianco White remote control	KIT0121468	76,00 €
Radiocomando nero Black remote control	KIT0121469	76,00 €

MODELLI MODELS		
YE WH/A/66	PRF0098375	4.354,00 €



KUADRA ISLAND

ELICA DESIGN CENTER

43x43 - 60x43 cm
Aspirante Duct-out
Acciaio inox Stainless steel

ILLUMINAZIONE LIGHTING		
Tipo Type	Led 2x2,5 W	
Intensità Intensity	457 LUX	
Temperatura Temperature	2700 K	

PERFORMANCE PERFORMANCE		
Comandi Controls	Pulsantiera elettronica con display 3V+I 3S+B Electronic push button with display	
Portata massima Max airflow	496 m³/h	
Livello sonoro min-max Noise level min-max	48 - 62 db(A)	
Assorbimento totale Total absorption	256 W	

Filtro grassi alluminio incluso Grease aluminium Filter included

ACCESSORI ACCESSORIES		
Filtro carbone rigenerabile Regenerable charcoal filter	CFC0140423	52,00 €
Kit prolunga installazione isola Island installation extension kit	KIT01600	100,00 €

MODELLI MODELS		
KUADRA ISLAND IX/A/43	PRF0007655A	1.145,00 €
KUADRA ISLAND IX/A/60	PRF0007028A	1.222,00 €

TUBE PRO ISLAND

ELICA DESIGN CENTER

Ø43 cm
Aspirante Duct-out
Acciaio inox, nero opaco, bianco effetto soft touch
Stainless steel, matt black, white soft touch effect


ILLUMINAZIONE LIGHTING		
Tipo Type	Led 2x3 W	
Intensità Intensity	457 LUX	
Temperatura Temperature	2700 K	

PERFORMANCE PERFORMANCE		
Comandi Controls	Pulsantiera meccanica 3V 3S Mechanical push button	
Portata massima Max airflow	603 m³/h	
Livello sonoro min-max Noise level min-max	47 - 68 db(A)	
Assorbimento totale Total absorption	256 W	

Filtro grassi alluminio incluso Grease aluminium Filter included

ACCESSORI ACCESSORIES		
Filtro carbone rigenerabile Regenerable charcoal filter	CFC0140423	52,00 €
Kit prolunga installazione isola Island installation extension kit	KIT01600	100,00 €

MODELLI MODELS		
TUBE PRO ISLAND IX/A/43	PRF0044794B	1.403,00 €
TUBE PRO ISLAND BL MAT/A/43	PRF0090717B	1.403,00 €
TUBE PRO ISLAND WH MAT/A/43	PRF0090718B	1.403,00 €



CEILING





LULLABY


DESIGN FABRIZIO CRISÀ




120x65 cm
Aspirante Duct-out
Legno laccato bianco + acciaio inox,
rovere naturale + bianco effetto soft touch
White lacquered wood + stainless steel,
natural oak + White soft touch effect



Modello installabile senza necessità di interventi su cartongesso o tubazioni aggiuntive (Lullaby Filtrante). Il pannello luminoso centrale full LED è avvolto in una cornice in legno di rovere invecchiato disponibile in due finiture. Disponibili come accessori le mensole in coordinato e possibilità di collegare al prodotto qualsiasi tipo di lampada disponibile sul mercato. The model can be installed without the need for work on plasterboard or additional pipes (Lullaby Filter). The central full LED light panel is surrounded by a distressed oak frame, available in two finishes. The coordinated shelves are available as accessories and any type of commercially available light can also be connected.



FALSE CEILING NEEDED
CUT 470X960



ILLUMINAZIONE LIGHTING		
Tipo Type	Led Panel 28W	
Intensità Intensity	1683 LUX	
Temperatura Temperature	2700 - 5000 K	


PERFORMANCE PERFORMANCE		
Comandi Controls	Aspirante Duct-out	Filtrante Filtering
	Radiocomando 3V + 2I 3S + 2B Remote control	Radiocomando 3V + 2I 3S + 2B Remote control
Portata intensiva Booster airflow	790 m³/h	474 m³/h
Livello sonoro min-max Noise level min-max	38 - 53 db(A)	44 - 63 db(A)
Assorbimento totale Total absorption	188 W	568 W

Filtro grassi alluminio incluso Grease aluminium Filter included
Filtro carbone ceramico incluso (*) Ceramic filter included (*)
Radiocomando bianco incluso White remote control included

ACCESSORI ACCESSORIES			
Filtro carbone ceramico Ceramic filter	KIT0147861A	247,50 €	
Radiocomando bianco White remote control	KIT0121468	76,00 €	
Radiocomando nero Black remote control	KIT0121469	76,00 €	
Kit mensola bianca White shelf kit	KIT0147859	309,50 €	
Kit mensola rovere Oak shelf kit	KIT0147858	309,50 €	

MODELLI MODELS			
LULLABY WH WOOD/A/120	PRF0146227	2.200,00 €	
LULLABY WH WOOD/F/120	PRF0146226	2.350,00 €	
LULLABY WOOD/A/120	PRF0146229	2.200,00 €	
LULLABY WOOD/F/120	PRF0146225	2.350,00 €	

Modello non soggetto a certificazione energetica obbligatoria. (*)
Model not subject to compulsory energy certification. (*)



SKYDOME

DESIGN FABRIZIO CRISÀ

100x50 cm
Aspirante Duct-out
Cornice bianca White frame




L'esclusiva soluzione H16 per controsoffitti con altezze limitate è stata progettata per mantenere elevate proprietà di aspirazione con bassi livelli sonori.

Il pannello full LED può essere controllato da un interruttore a parete o radiocomando per regolare intensità e colore della luce. Possibilità di collegare al prodotto qualsiasi tipo di lampada disponibile sul mercato.

The exclusive H16 solution for false ceilings with lower heights has been designed to maintain the excellent extraction properties with low noise levels.


The full LED panel can be controlled by a wall-mounted switch or remote control to adjust the intensity and colour of the light. Possibility to connect the product to any commercially available light.

H16 - NO MOTOR VERSIONS



FALSE CEILING CUT: 480X980

H30 VERSION



FALSE CEILING CUT: 480X980



TOTAL
INTEGRATION



LONG LIFE
FILTER ++



LONG LIFE
FILTER



SUPER EASY
INSTALLATION



COMFORT
SILENCE



TUNE WHITE



DIM LIGHT



H16
KG 25.2



H30
KG 27.2



NO MOT
KG 21.7



Ø150



ENERGY
CLASS
A

ILLUMINAZIONE LIGHTING			
Tipo Type		Led Panel 28W	
Intensità Intensity		1683 LUX	
Temperatura Temperature		2700 - 5000 K	
PERFORMANCE PERFORMANCE			
Comandi Controls		Radiocomando 3V+2I 3S+2B Remote control	
		H16	H30
Portata intensiva Booster airflow		720 m³/h	790 m³/h
Livello sonoro min-max Noise level min-max		49 - 69 db(A)	38 - 53 db(A)
Assorbimento totale Total absorption		293 W	188 W
Filtro grassi alluminio incluso Grease aluminium Filter included			
Radiocomando bianco incluso White remote control included			

ACCESSORI ACCESSORIES		
Kit filtrante high performance High performance filtering kit	KIT0148450A	350,00 €
Kit filtrante H30 Recycling kit H30	KIT0148449	57,00 €
Kit filtrante rigenerabile Regenerable filter kit	KIT0167743	170,00 €
Motore remoto interno Remote internal motor	KIT0147879	1.021,00 €
Motore remoto esterno (muro) Remote external motor (wall)	KIT0147880	1.340,50 €
Motore remoto esterno (tetto) Remote external motor (roof)	KIT0147881	2.371,50 €
Motore remoto esterno (tetto inclinati) Remote external motor (inclined roof)	KIT0147882	1.948,50 €
Cavo Prolunga motore remoto Extension lead for remote motor	KIT0161392	30,00 €
Radiocomando bianco White remote control	KIT0121468	76,00 €
Radiocomando nero Black remote control	KIT0121469	76,00 €

MODELLI MODELS		
SKYDOME H16 A/100	PRF0147735	1.753,00 €
SKYDOME H30 A/100	PRF0146232	1.753,00 €
SKYDOME NO MOTOR A/100	PRF0146230	1.444,00 €



ILLUSION


DESIGN FABRIZIO CRISÀ

100x50 cm
Aspirante Duct-out
Bianco + cornice bianca, rivestibile con cartongesso (non incluso) + cornice acciaio inox
White + white frame, coverable with drywall (not included) + stainless steel frame

Modello unico e personalizzabile. Due sono le versioni disponibili: rivestibile con cartongesso o bianco con cornice bianca. Il cartongesso non è compreso nella confezione. L'esclusiva soluzione H16 per controsoffitti con altezze limitate è stata progettata per mantenere elevate proprietà di aspirazione con bassi livelli sonori. Possibilità di collegare al prodotto qualsiasi tipo di lampada disponibile sul mercato.


Unique and customisable model. Available in two versions: ready for cladding with gypsum panels or white with white frame. The gypsum panels are not included in the packaging. The exclusive H16 solution for false ceilings with lower heights has been designed to maintain the excellent extraction properties with low noise levels. Possibility to connect the product to any commercially available light.

H16 - NO MOTOR VERSIONS



FALSE CEILING CUT: 480X980

H30 VERSION



FALSE CEILING CUT: 480X980

TOTAL INTEGRATION

LONG LIFE FILTER ++

LONG LIFE FILTER

SUPER EASY INSTALLATION

COMFORT SILENCE

TUNE WHITE

DIM LIGHT

H16
KG 23

H30
KG 23.7

NO MOT
KG 19.5


Ø150

ENERGY CLASS
(A+++/D)

ILLUMINAZIONE LIGHTING		
Tipo Type	Strip Led 2x14 W	
Intensità Intensity	563 LUX	
Temperatura Temperature	2700 - 5000 K	
PERFORMANCE PERFORMANCE		
Comandi Controls	Radiocomando 3V+2I 3S+2B Remote control	
	H16	H30
Portata intensiva Booster airflow	720 m³/h	790 m³/h
Livello sonoro min-max Noise level min-max	49 - 69 db(A)	38 - 53 db(A)
Assorbimento totale Total absorption	293 W	188 W
Filtro grassi alluminio incluso Grease aluminium Filter included		
Radiocomando bianco incluso White remote control included		

ACCESSORI ACCESSORIES			
Kit filtrante high performance High performance filtering kit	KIT0148450A	350,00 €	
Kit filtrante H30 Recycling kit H30	KIT0148449	57,00 €	
Motore remoto interno Remote internal motor	KIT0147879	1.021,00 €	
Motore remoto esterno (muro) Remote external motor (wall)	KIT0147880	1.340,50 €	
Motore remoto esterno (tetto) Remote external motor (roof)	KIT0147881	2.371,50 €	
Motore remoto esterno (tetto inclinati) Remote external motor (inclined roof)	KIT0147882	1.948,50 €	
Cavo Prolunga motore remoto Extension lead for remote motor	KIT0161392	30,00 €	
Kit filtrante rigenerabile Regenerable filter kit	KIT0167743	170,00 €	
Radiocomando bianco White remote control	KIT0121468	76,00 €	
Radiocomando nero Black remote control	KIT0121469	76,00 €	

MODELLI MODELS			
ILLUSION H16 WH/A/100	PRF0147727	1.547,00 €	
ILLUSION H16 PAINT/A/100	PRF0147726	1.547,00 €	
ILLUSION H30 WH/A/100	PRF0146251	1.547,00 €	
ILLUSION H30 PAINT/A/100	PRF0146250	1.547,00 €	
ILLUSION NO MOTOR WH/A/100	PRF0146253	1.238,00 €	
ILLUSION NO MOTOR PAINT/A/100	PRF0146252	1.238,00 €	



HILIGHT-W

DESIGN FABRIZIO CRISÀ

100x57 cm
Aspirante Duct-out
Vetro bianco + cornice bianca
White glass + white frame




L'esclusiva soluzione H16 per controsoffitti con altezze limitate è stata progettata per mantenere elevate proprietà di aspirazione con bassi livelli sonori.

Le strip LED possono essere controllate da un interruttore a parete o radiocomando per regolare intensità e colore della luce. Possibilità di collegare al prodotto qualsiasi tipo di lampada disponibile sul mercato.


The exclusive H16 solution for false ceilings with lower heights has been designed to maintain the excellent extraction properties with low noise levels. The LED strips can be controlled by a wall-mounted switch or remote control to adjust the intensity and colour of the light. Possibility to connect the product to any commercially available light.

H16 - NO MOTOR VERSION



FALSE CEILING CUT: 550X980

H30 VERSION



FALSE CEILING CUT: 550X980



TOTAL INTEGRATION



LONG LIFE FILTER ++



LONG LIFE FILTER



SUPER EASY INSTALLATION



COMFORT SILENCE



TUNE WHITE



DIM LIGHT



H16 KG 27



H30 KG 34



NO MOT KG 21



Ø150



ENERGY CLASS (A+++D)

ACCESSORI ACCESSORIES

Kit filtrante rigenerabile Regenerable filter kit	KIT0167743	170,00 €
Kit filtrante H30 Recycling kit H30	KIT0148449	57,00 €
Kit filtrante high performance High performance filtering kit	KIT0148450A	350,00 €
Filtro carbone rigenerabile kit estetico Regenerating carbon filter aesthetic kit	KIT0168748	45,00 €
Filtro carbone high performance kit estetico High performance carbon filter aesthetic kit	KIT0168749	220,00 €
Motore remoto interno Remote internal motor	KIT0147879	1.021,00 €
Motore remoto esterno (muro) Remote external motor (wall)	KIT0147880	1.340,50 €
Motore remoto esterno (tetto) Remote external motor (roof)	KIT0147881	2.371,50 €
Motore remoto esterno (tetto inclinati) Remote external motor (inclined roof)	KIT0147882	1.948,50 €
Cavo Prolunga motore remoto Extension lead for remote motor	KIT0161392	30,00 €
Radiocomando bianco White remote control	KIT0121468	76,00 €
Radiocomando nero Black remote control	KIT0121469	76,00 €

MODELLI MODELS

HILIGHT-W H16 WH/A/100	PRF0167044	1.547,00 €
HILIGHT-W H30 WH/A/100	PRF0146246	1.547,00 €
HILIGHT-W NO MOTOR WH/A/100	PRF0146248	1.238,00 €



HILIGHT-X


DESIGN FABRIZIO CRISÀ

100x57 cm
Aspirante Duct-out
Acciaio inox Stainless steel




L'esclusiva soluzione H16 per controsoffitti con altezze limitate è stata progettata per mantenere elevate proprietà di aspirazione con bassi livelli sonori.
The exclusive H16 solution for false ceilings with lower heights has been designed to maintain the excellent extraction properties with low noise levels.

H16 - NO MOTOR VERSION



FALSE CEILING CUT: 550X980

H30 VERSION



FALSE CEILING CUT: 550X980



TOTAL INTEGRATION



LONG LIFE FILTER ++



LONG LIFE FILTER



SUPER EASY INSTALLATION



DIM LIGHT



H16 KG 27



H30 KG 34



NO MOT KG 21



Ø150



ENERGY CLASS (A''''/D)

ILLUMINAZIONE LIGHTING		
Tipo Type	Strip Led 2x7 W	
Intensità Intensity	393 LUX	
Temperatura Temperature	3500 K	
PERFORMANCE PERFORMANCE		
	H16	H30
Comandi Controls	Radiocomando 3V + 2I 3S + 2B Remote control	Radiocomando 3V + 2I 3S + 2B Remote control
Portata intensiva Booster airflow	720 m³/h	780 m³/h
Livello sonoro min-max Noise level min-max	49 - 69 db(A)	31 - 63 db(A)
Assorbimento totale Total absorption	279 W	324 W
Filtro grassi alluminio incluso Grease aluminium Filter included		
Radiocomando bianco incluso White remote control included		

ACCESSORI ACCESSORIES			
Kit filtrante rigenerabile Regenerable filter kit	KIT0167743	170,00 €	
Kit filtrante H30 Recycling kit H30	KIT0148449	57,00 €	
Kit filtrante high performance High performance filtering kit	KIT0148450A	350,00 €	
Filtro carbone rigenerabile kit estetico Regenerating carbon filter aesthetic kit	KIT0168748	45,00 €	
Filtro carbone high performance kit estetico High performance carbon filter aesthetic kit	KIT0168749	220,00 €	
Motore remoto interno Remote internal motor	KIT0147879	1.021,00 €	
Motore remoto esterno (muro) Remote external motor (wall)	KIT0147880	1.340,50 €	
Motore remoto esterno (tetto) Remote external motor (roof)	KIT0147881	2.371,50 €	
Motore remoto esterno (tetto inclinati) Remote external motor (inclined roof)	KIT0147882	1.948,50 €	
Cavo Prolunga motore remoto Extension lead for remote motor	KIT0161392	30,00 €	
Radiocomando bianco White remote control	KIT0121468	76,00 €	
Radiocomando nero Black remote control	KIT0121469	76,00 €	

MODELLI MODELS			
HILIGHT-X H16 IX/A/100	PRF0167045	1.400,00 €	
HILIGHT-X H30 IX/A/100	PRF0163520	1.400,00 €	
HILIGHT-X NO MOTOR IX/A/100	PRF0163523	1.135,00 €	



FILTERING VERSION



DUCT-OUT VERSION




CLOUD SEVEN


DESIGN FABRIZIO CRISÀ

90 cm
Aspirante/filtrante Duct-out/filtering
Acciaio inox + bianco
Stainless steel + white

DUCT-OUT VERSION



FILTERING VERSION



FALSE CEILING CUT: 480X880



Modello Plug&Play, installabile facilmente, senza necessità di interventi su cartongesso o tubazioni aggiuntive (Cloud Seven Filtrante).
Plug&Play model, easy-to-install, no need for building work on gypsum panels or additional pipes (Cloud Seven Filter).



LONG LIFE
FILTER



FILTERING
KG 19.5



DUCT-OUT
KG 17.7



Ø150



ENERGY
CLASS
(A***/D)

ILLUMINAZIONE LIGHTING	
Tipo Type	Strip Led 2x7 W
Intensità Intensity	393 LUX
Temperatura Temperature	3500 K

PERFORMANCE PERFORMANCE		
	ASPIRANTE DUCT-OUT	FILTRANTE FILTERING
Comandi Controls	Radiocomando 3V+2I 3S+2B Remote control	Radiocomando 3V+I 3S+B Remote control
Portata intensiva Booster airflow	770 m³/h	570 m³/h
Livello sonoro min-max Noise level min-max	43 - 60 db(A)	52 - 70 db(A)
Assorbimento totale Total absorption	284 W	214 W

ACCESSORI ACCESSORIES		
Filtro carbone rigenerabile Regenerable charcoal filter	CFC0140426	80,50 €
Radiocomando bianco White remote control	KIT0121468	76,00 €
Radiocomando nero Black remote control	KIT0121469	76,00 €

MODELLI MODELS		
CLOUD SEVEN IX/F/90 (*)	PRF0141953	1.031,00 €
CLOUD SEVEN IX/A/90	PRF0142094A	1.031,00 €

Modello non soggetto a certificazione energetica obbligatoria. (*)
Model not subject to compulsory energy certification. (*)

Filtro grassi alluminio incluso Grease aluminium Filter included
Filtro carbone rigenerabile incluso (*) Regenerable charcoal filter included (*)
Radiocomando bianco incluso White remote control included

ACCESSORI TUBAZIONI CEILING
CEILING PIPE FITTING ACCESSORIES



222x89x1000 mm
KIT0120991 40,00 €



Ø146 - 227x94 mm
KIT0121007 30,50 €



90° - 227x288x94 mm
KIT0121004 35,00 €



90° - 227x94 mm
KIT0121005 30,50 €



int 216x82 / est 290x160 mm
KIT0121009 210,00 €



227x94x80 mm
KIT0121001 13,00 €



Ø153 - 227x94 mm
KIT0121008 29,50 €



Ø150x500 mm
KIT0120996 25,00 €



Ø150x1000 mm
KIT0121000 45,00 €



Ø158x59 mm
KIT0121003 9,00 €



90° - Ø157
KIT0121006 37,00 €



Ø150x3000 mm
1052AD 42,50 €




Ø152x1000 mm
KIT0161455 40,00 €




Ø150x240 mm
KIT0161457 100,00 €



227x94 mm
KIT0126810 108,50 €



Ø147 - 190x190 mm
KIT0121010 206,00 €



50 mm x 25 m
KIT0161453 35,00 €

KIT FILTRI CARBONE
CARBON FILTERS KIT



Kit filtrante H30
Recycling kit H30
KIT0148449 57,00 €
Disponibile per Available for
HIGHLIGHT X H30
HIGHLIGHT W H30
ILLUSION H30
SKYDOME H30
LULLABY DUCT-OUT VERS.



Kit filtrante high performance
prima installazione
High performance filtering kit
KIT0148450A 350,00 €
Disponibile per Available for
CLOUD SEVEN DUCT-OUT VERS.
HIGHLIGHT X H16
HIGHLIGHT W H16
HIGHLIGHT X H30
HIGHLIGHT W H30
ILLUSION H16
ILLUSION H30
SKYDOME H16
SKYDOME H30
LULLABY DUCT-OUT VERS.



Kit filtrante rigenerabile
Regenerable filter kit
KIT0167743 170,00 €
Disponibile per Available for
CLOUD SEVEN DUCT-OUT VERS.
HIGHLIGHT X H16
HIGHLIGHT W H16
HIGHLIGHT X H30
HIGHLIGHT W H30
ILLUSION H16
ILLUSION H30
SKYDOME H16
SKYDOME H30



Filtro carbone high performance
per KIT0148450A
High performance carbon filter
for KIT0148450A
KIT0168749 220,00 €
Disponibile per Available for
CLOUD SEVEN DUCT-OUT VERS.
HIGHLIGHT X H16
HIGHLIGHT W H16
HIGHLIGHT X H30
HIGHLIGHT W H30
ILLUSION H16
ILLUSION H30
SKYDOME H16
SKYDOME H30
LULLABY DUCT-OUT VERS.



Filtro carbone rigenerabile
per KIT0167743
Regenerating carbon filter
for KIT0167743
KIT0168748 45,00 €
Disponibile per Available for
CLOUD SEVEN DUCT-OUT VERS.
HIGHLIGHT X H16
HIGHLIGHT W H16
HIGHLIGHT X H30
HIGHLIGHT W H30
ILLUSION H16
ILLUSION H30
SKYDOME H16
SKYDOME H30



Filtro carbone rigenerabile
Regenerable charcoal filter
CFC0140426 80,50 €
Disponibile per Available for
CLOUD SEVEN FILTERING VERS.



Filtro carbone ceramico
Ceramic filter
KIT0147861A 247,50 €
Disponibile per Available for
LULLABY FILTERING VERS.



SUSPENDED




INTERSTELLAR

DESIGN FABRIZIO CRISA



Ø67 cm
Filtrante Recycling
Acciaio inox lucido + vetro, acciaio inox lucido + vetro nero
Shiny stainless steel + glass, shiny stainless steel + black glass



Protagonista assoluta dell'ambiente, questa cappa sospesa crea un'atmosfera magica con i prismi in vetro che diffondono giochi di luce e di colori. Prodotto raffinato ed equilibrato nella combinazione di materiali e luci LED.

This chandelier hood takes centre stage, creating a magical atmosphere with glass prisms which project the light effects and colours. A sophisticated product with a well-balanced combination of materials and LED lights.

ILLUMINAZIONE LIGHTING

Tipo Type	Led 9 W
Intensità Intensity	261 LUX
Temperatura Temperature	3500 K

PERFORMANCE PERFORMANCE

Comandi Controls	Pulsantiera elettronica 3V+I 3S+B Electronic push button
Portata intensiva Booster airflow	384 m³/h
Livello sonoro min-max Noise level min-max	36 - 54 db(A)
Assorbimento totale Total absorption	134 W

Filtro grassi alluminio incluso Grease aluminium Filter included
Filtro carbone Revolution incluso Revolution charcoal filter included
Radiocomando nero incluso Black remote control included

ACCESSORI ACCESSORIES

Filtro carbone Revolution Revolution charcoal filter	CFC0140053	214,50 €
Filtro carbone rigenerabile Regenerable charcoal filter	CFC0140090	119,00 €
Kit prolunga cavi (5m) Extension cable kit (5m)	KIT0112772	113,00 €
Radiocomando bianco White remote control	KIT0121468	76,00 €
Radiocomando nero Black remote control	KIT0121469	76,00 €


MODELLI MODELS

INTERSTELLAR IX/F/65	PRF0151808	3.897,00 €
INTERSTELLAR BL/F/65	PRF0151809	4.330,00 €

SEASHELL

DESIGN FABRIZIO CRISA

Ø80 cm
Filtrante Recycling
Bianco perla, bianco opaco, nero opaco, acciaio inox lucido
Pearl, matt white, matt black, shiny stainless steel



ILLUMINAZIONE LIGHTING

Tipo Type	Neon 4x24 W
Intensità Intensity	1386 LUX
Temperatura Temperature	6500 K

PERFORMANCE PERFORMANCE

Comandi Controls	Radiocomando 3V+I 3S+B Remote control
Portata intensiva Booster airflow	400 m³/h
Livello sonoro min-max Noise level min-max	55 - 67 db(A)
Assorbimento totale Total absorption	288 W

Filtro grassi alluminio incluso Grease aluminium Filter included
Filtro carbone rigenerabile incluso Regenerable charcoal filter included
Radiocomando nero incluso Black remote control included


ACCESSORI ACCESSORIES

Filtro carbone rigenerabile Regenerable charcoal filter	CFC0141725A	73,50 €
Kit prolunga cavi (2,5m) Extension cable kit (2,5m)	KIT0067590	124,00 €
Radiocomando bianco White remote control	KIT0121468	76,00 €
Radiocomando nero Black remote control	KIT0121469	76,00 €

MODELLI MODELS

SEASHELL IX/F/80	PRF0098394	2.598,00 €
SEASHELL BL/F/80	PRF0098393	2.545,00 €
SEASHELL WH/F/80	PRF0024262A	2.545,00 €
SEASHELL WH MAT/F/80	PRF0098392	2.545,00 €

Modello non soggetto a certificazione energetica obbligatoria.
Model not subject to compulsory energy certification.





SUMMILUX

DESIGN FABRIZIO CRISÀ



Ø 50 cm
Filtrante Recycling
Vetro + metallo cromato Glass + chromed metal



ILLUMINAZIONE LIGHTING

Tipo Type	Led 9 W
Intensità Intensity	261 LUX
Temperatura Temperature	3500 K

PERFORMANCE PERFORMANCE

Comandi Controls	Pulsantiera elettronica 3V+I 3S+B Electronic push button
Portata intensiva Booster airflow	384 m³/h
Livello sonoro min-max Noise level min-max	36 - 53 db(A)
Assorbimento totale Total absorption	124 W

Filtro grassi alluminio incluso Grease aluminium Filter included
Filtro carbone Revolution incluso Revolution charcoal filter included
Radiocomando bianco incluso White remote control included

ACCESSORI ACCESSORIES

Filtro carbone Revolution Revolution charcoal filter	CFC0140053	214,50 €
Filtro carbone rigenerabile Regenerable charcoal filter	CFC0140090	119,00 €
Kit installazione a parete cromato Chrome wall installation kit	KIT0146156	200,00 €
Kit prolunga cavi (5m) Extension cable kit (5m)	KIT0112772	113,00 €
Radiocomando bianco White remote control	KIT0121468	76,00 €
Radiocomando nero Black remote control	KIT0121469	76,00 €



MODELLI MODELS

SUMMILUX IX/F/50	PRF0151810	2.011,00 €
------------------	------------	------------

SHINING

DESIGN FABRIZIO CRISÀ

Ø 50 cm
Filtrante Recycling
Metallo effetto: peltrox, ruggine, ghisa
Metal: peltrox, rust, cast iron effect



ILLUMINAZIONE LIGHTING

Tipo Type	Led 9 W
Intensità Intensity	541 LUX
Temperatura Temperature	3500 K

PERFORMANCE PERFORMANCE

Comandi Controls	Pulsantiera elettronica 3V+I 3S+B Electronic push button
Portata intensiva Booster airflow	380 m³/h
Livello sonoro min-max Noise level min-max	36 - 53 db(A)
Assorbimento totale Total absorption	54 W


Filtro grassi alluminio incluso Grease aluminium Filter included
Filtro carbone Revolution incluso Revolution charcoal filter included
Radiocomando nero incluso Black remote control included

ACCESSORI ACCESSORIES

Filtro carbone Revolution Revolution charcoal filter	CFC0140053	214,50 €
Filtro carbone rigenerabile Regenerable charcoal filter	CFC0140090	119,00 €
Kit installazione a parete cromato Chrome wall installation kit	KIT0146156	200,00 €
Kit installazione a parete nero Black wall installation kit	KIT0146155	200,00 €
Kit prolunga cavi (5m) Extension cable kit (5m)	KIT0112772	113,00 €
Radiocomando bianco White remote control	KIT0121468	76,00 €
Radiocomando nero Black remote control	KIT0121469	76,00 €

MODELLI MODELS

SHINING RUST/F/50	PRF0120528A	2.217,00 €
SHINING CAST IRON/F/50	PRF0120590A	2.217,00 €
SHINING PELTROX/F/50	PRF0120497A	2.217,00 €




ÉDITH

DESIGN FABRIZIO CRISÀ



Ø 50 cm
Filtrante Recycling
Metallo colorato, acciaio inox lucido
Coloured metal, shiny stainless steel



ILLUMINAZIONE LIGHTING

Tipo Type	Led 9 W
Intensità Intensity	469 LUX
Temperatura Temperature	3500 K

PERFORMANCE PERFORMANCE

Comandi Controls	Pulsantiera elettronica 3V+I 3S+B Electronic push button
Portata intensiva Booster airflow	380 m³/h
Livello sonoro min-max Noise level min-max	36 - 53 db(A)
Assorbimento totale Total absorption	54 W

Filtro grassi alluminio incluso Grease aluminium Filter included
Filtro carbone Revolution incluso Revolution charcoal filter included
Radiocomando nero incluso Black remote control included

ACCESSORI ACCESSORIES

Filtro carbone Revolution Revolution charcoal filter	CFC0140053	214,50 €
Filtro carbone rigenerabile Regenerable charcoal filter	CFC0140090	119,00 €
Kit installazione a parete cromato Chrome wall installation kit	KIT0146156	200,00 €
Kit installazione a parete nero Black wall installation kit	KIT0146155	200,00 €
Kit prolunga cavi (5m) Extension cable kit (5 m)	KIT0112772	113,00 €
Radiocomando bianco White remote control	KIT0121468	76,00 €
Radiocomando nero Black remote control	KIT0121469	76,00 €


MODELLI MODELS

EDITH HEAVYMETAL/F/50	PRF0098364	1.856,00 €
EDITH CLASSIC/F/50	PRF0098360	1.753,00 €
EDITH ROCK/F/50	PRF0098361	1.753,00 €

AUDREY

DESIGN FABRIZIO CRISÀ

Ø 50 cm
Filtrante Recycling
Metallo colorato, acciaio inox lucido
Coloured metal, shiny stainless steel



ILLUMINAZIONE LIGHTING

Tipo Type	Led 9 W
Intensità Intensity	469 LUX
Temperatura Temperature	3500 K

PERFORMANCE PERFORMANCE

Comandi Controls	Pulsantiera elettronica 3V+I 3S+B Electronic push button
Portata intensiva Booster airflow	380 m³/h
Livello sonoro min-max Noise level min-max	36 - 53 db(A)
Assorbimento totale Total absorption	54 W


Filtro grassi alluminio incluso Grease aluminium Filter included
Filtro carbone Revolution incluso Revolution charcoal filter included
Radiocomando nero incluso Black remote control included

ACCESSORI ACCESSORIES

Filtro carbone Revolution Revolution charcoal filter	CFC0140053	214,50 €
Filtro carbone rigenerabile Regenerable charcoal filter	CFC0140090	119,00 €
Kit installazione a parete cromato Chrome wall installation kit	KIT0146156	200,00 €
Kit installazione a parete nero Black wall installation kit	KIT0146155	200,00 €
Kit prolunga cavi (5m) Extension cable kit (5 m)	KIT0112772	113,00 €
Radiocomando bianco White remote control	KIT0121468	76,00 €
Radiocomando nero Black remote control	KIT0121469	76,00 €

MODELLI MODELS

AUDREY ROCK/F/50	PRF0098366	1.753,00 €
AUDREY HEAVYMETAL/F/50	PRF0098368	1.856,00 €
AUDREY CLASSIC/F/50	PRF0098365	1.753,00 €



STAR

ELICA DESIGN CENTER



Ø47 cm
Filtrante Recycling
Acciaio inox + vetro Stainless steel + glass

ILLUMINAZIONE LIGHTING	
Tipo Type	Led 1X5 W + 3x3 W
Intensità Intensity	128 LUX
Temperatura Temperature	3000 K

PERFORMANCE PERFORMANCE	
Comandi Controls	Magic Wand 3V+I 3S+B Magic Wand
Portata intensiva Booster airflow	515 m³/h
Livello sonoro min-max Noise level min-max	51 - 66 db(A)
Assorbimento totale Total absorption	234 W

Filtro grassi alluminio incluso Grease aluminium Filter included
Filtro carbone rigenerabile incluso Regenerable charcoal filter included

ACCESSORI ACCESSORIES		
Filtro carbone rigenerabile Regenerable charcoal filter	CFC0140384	103,50 €
Kit prolunga cavi (2,5m) Extension cable kit (2,5 m)	KIT01889	63,00 €
Kit prolunga cavi (5m) Extension cable kit (5 m)	KIT01921	113,00 €
Radiocomando bianco White remote control	KIT0121468	76,00 €
Radiocomando nero Black remote control	KIT0121469	76,00 €

MODELLI MODELS		
STAR IX/F 47	65414592A	3.083,00 €



TWIN

ELICA DESIGN CENTER



90x50 cm
Filtrante Recycling
Acciaio inox Stainless steel

ILLUMINAZIONE LIGHTING	
Tipo Type	Led 2x5 W
Intensità Intensity	1050 LUX
Temperatura Temperature	3000 K


PERFORMANCE PERFORMANCE	
Comandi Controls	Magic wand 3V+I 3S+B Magic wand
Portata intensiva Booster airflow	865 m³/h
Livello sonoro min-max Noise level min-max	58 - 73 db(A)
Assorbimento totale Total absorption	350 W

Filtro grassi alluminio incluso Grease aluminium Filter included

ACCESSORI ACCESSORIES		
Filtro carbone rigenerabile Regenerable charcoal filter	CFC0140384	103,50 €
Kit prolunga cavi (2,5m) Extension cable kit (2,5 m)	KIT01889	63,00 €
Kit prolunga cavi (5m) Extension cable kit (5 m)	KIT01921	113,00 €
Radiocomando bianco White remote control	KIT0121468	76,00 €
Radiocomando nero Black remote control	KIT0121469	76,00 €

MODELLI MODELS		
TWIN IX/F/90	65414590A	2.320,00 €

Modello non soggetto a certificazione energetica obbligatoria.
Model not subject to compulsory energy certification.





WAVE

ELICA DESIGN CENTER



Ø51 cm
Filtrante Recycling
Acciaio inox, nero Stainless steel, black



ILLUMINAZIONE LIGHTING	
Tipo Type	Led 1X5 W + 3x3 W
Intensità Intensity	381 LUX
Temperatura Temperature	3000 K

PERFORMANCE PERFORMANCE	
Comandi Controls	Magic wand 3V+I 3S+B Magic wand
Portata intensiva Booster airflow	515 m³/h
Livello sonoro min-max Noise level min-max	51 - 66 db(A)
Assorbimento totale Total absorption	234 W

Filtro grassi alluminio incluso Grease aluminium Filter included
Filtro carbone rigenerabile incluso Regenerable charcoal filter included

ACCESSORI ACCESSORIES		
Filtro carbone rigenerabile Regenerable charcoal filter	CFC0140384	103,50 €
Kit prolunga cavi (2,5m) Extension cable kit (2,5 m)	KIT01889	63,00 €
Kit prolunga cavi (5m) Extension cable kit (5 m)	KIT01921	113,00 €
Radiocomando bianco White remote control	KIT0121468	76,00 €
Radiocomando nero Black remote control	KIT0121469	76,00 €

MODELLI MODELS		
WAVE IX/F/51	65414588A	1.521,00 €
WAVE BL/F/51	PRF0090419B	1.521,00 €




GRACE

ELICA DESIGN CENTER



Ø51 cm
Filtrante Recycling
Acciaio inox + vetro bianco, acciaio inox + vetro nero
Stainless steel + white glass, stainless steel + black glass



ILLUMINAZIONE LIGHTING	
Tipo Type	Led 1X5 W + 3x3 W
Intensità Intensity	128 LUX
Temperatura Temperature	3000 K

PERFORMANCE PERFORMANCE	
Comandi Controls	Magic wand 3V+I 3S+B Magic wand
Portata intensiva Booster airflow	515 m³/h
Livello sonoro min-max Noise level min-max	51 - 66 db(A)
Assorbimento totale Total absorption	234 W

Filtro grassi alluminio incluso Grease aluminium Filter included

ACCESSORI ACCESSORIES		
Filtro carbone rigenerabile Regenerable charcoal filter	CFC0140384	103,50 €
Kit prolunga cavi (2,5m) Extension cable kit (2,5 m)	KIT01889	63,00 €
Kit prolunga cavi (5m) Extension cable kit (5 m)	KIT01921	113,00 €
Radiocomando bianco White remote control	KIT0121468	76,00 €
Radiocomando nero Black remote control	KIT0121469	76,00 €


MODELLI MODELS		
GRACE BL/F/51	PRF0010393C	2.155,00 €
GRACE WH/F 51	65414586A	2.155,00 €

EASY

ELICA DESIGN CENTER



Ø52 cm
Filtrante Recycling
Acciaio inox, nero, bianco Stainless steel, black, white



ILLUMINAZIONE LIGHTING	
Tipo Type	Led 3x2,5 W
Intensità Intensity	451 LUX
Temperatura Temperature	4000 K

PERFORMANCE PERFORMANCE	
Comandi Controls	Pulsantiera elettronica 3V+I 3S+B Electronic push button
Portata intensiva Booster airflow	610 m³/h
Livello sonoro min-max Noise level min-max	45 - 62 db(A)
Assorbimento totale Total absorption	2075 W

Filtro grassi alluminio incluso Grease aluminium Filter included
Filtro carbone rigenerabile incluso Regenerable charcoal filter included

ACCESSORI ACCESSORIES		
Filtro carbone rigenerabile Regenerable charcoal filter	CFC0140088	55,00 €
Kit installazione a parete Wall installation kit	KIT0121394	87,00 €
Kit prolunga cavi (2,5m) Extension cable kit (2,5 m)	KIT01889	63,00 €
Kit prolunga cavi (5m) Extension cable kit (5 m)	KIT01921	113,00 €

MODELLI MODELS		
EASY IX/F/50	PRF0120354	1.299,00 €
EASY BL/F/50	PRF0120352	1.299,00 €
EASY WH/F/50	PRF0119940	1.299,00 €




PIX CONCRETE



PIX JEANS



PIX WHITE



PIX BLACK




PIX

DESIGN FABRIZIO CRISÀ



42x42 cm
Filtrante Recycling
Bianco, nero, finitura cemento, finitura denim
White, black, concrete finish, denim finish



Cappa sospesa dal design geometrico e di carattere grazie alle griglie effetto ghisa. Disponibile nelle finiture classiche come il bianco e il nero o in quelle più inedite come il cemento e il denim.
Ceiling hood with a signature geometric design featuring cast iron grilles. Available in the classic finishes of black and white or in the latest finishes, such as cement and denim.

ILLUMINAZIONE LIGHTING	
Tipo Type	Strip Led 1x7 W
Intensità Intensity	365 LUX
Temperatura Temperature	3500 K
PERFORMANCE PERFORMANCE	
Comandi Controls	Pulsantiera elettronica 3V+I 3S+B Electronic push button
Portata intensiva Booster airflow	610 m³/h
Livello sonoro min-max Noise level min-max	44 - 60 db(A)
Assorbimento totale Total absorption	207 W
Filtro grassi alluminio incluso Grease aluminium Filter included Filtro carbone rigenerabile incluso Regenerable charcoal filter included	


ACCESSORI ACCESSORIES		
Filtro carbone rigenerabile Regenerable charcoal filter	KIT0147175	124,00 €
Kit installazione a parete Wall installation kit	KIT0146153	87,00 €
Kit prolunga cavi (2,5m) Extension cable kit (2,5 m)	KIT0147941	155,00 €
Kit prolunga cavi (5m) Extension cable kit (5 m)	KIT0147942	186,00 €

MODELLI MODELS		
PIX BL/F/42	PRF0146220	1.279,00 €
PIX WH/F/42	PRF0145561	1.279,00 €
PIX JEANS/F/42	PRF0146221	1.279,00 €
PIX CONCRETE/F/42	PRF0146222	1.279,00 €

IKONA LIGHT

DESIGN FABRIZIO CRISÀ

60 cm
Filtrante Filtering
Acciaio inox, nero effetto soft touch, bianco
Stainless steel, black soft touch effect, white




Ikona Light illumina il piano di lavoro in modo uniforme e senza sprechi, inoltre è semplicissima da usare, grazie alla forma e posizione ergonomica del comando.
Ikona Light illuminates the work top evenly and economically. It is also extremely easy to use thanks to the shape and ergonomic position of the control.

ILLUMINAZIONE LIGHTING	
Tipo Type	Strip Led 1x7 W
Intensità Intensity	421 LUX
Temperatura Temperature	3500 K
PERFORMANCE PERFORMANCE	
Comandi Controls	Pulsantiera elettronica 3V+I 3S+B Electronic push button
Portata intensiva Booster airflow	710 m³/h
Livello sonoro min-max Noise level min-max	49 - 64 db(A)
Assorbimento totale Total absorption	267 W
Filtro grassi alluminio incluso Grease aluminium Filter included Filtro carbone incluso Charcoal filter included	

ACCESSORI ACCESSORIES		
Filtro carbone Charcoal filter	CFC0140343	43,50 €
Kit installazione a parete Wall mounted kit	KIT0165077	100,00 €

MODELLI MODELS		
IKONA LIGHT IX/F/60	PRF0165071	1.100,00 €
IKONA LIGHT BL MAT/F/60	PRF0165082	1.100,00 €
IKONA LIGHT WH/F/60	PRF0165083	1.100,00 €



JUNO

ELICA DESIGN CENTER



Ø 50 cm
Filtrante Recyling
Acciaio inox, bianco, nero Stainless steel, white , black


ILLUMINAZIONE LIGHTING	
Tipo Type	Led 2x2,5 W
Intensità Intensity	381 LUX
Temperatura Temperature	3500 K

PERFORMANCE PERFORMANCE	
Comandi Controls	Pulsantiera soft light 3V 3S Light push button
Portata massima Max airflow	610 m³/h
Livello sonoro min-max Noise level min-max	45 - 67 db(A)
Assorbimento totale Total absorption	205 W

Filtro grassi alluminio incluso Grease aluminium Filter included	
Filtro carbone rigenerabile incluso Regenerable charcoal filter included	

ACCESSORI ACCESSORIES		
Filtro carbone rigenerabile Regenerable charcoal filter	CFC0140088	55,00 €
Kit installazione a parete Wall installation kit	KIT02263	87,00 €
Kit prolunga cavi (2,5m) Extension cable kit (2,5 m)	KIT01889	63,00 €
Kit prolunga cavi (5m) Extension cable kit (5 m)	KIT01921	113,00 €

MODELLI MODELS		
JUNO IX/F/50	PRF0089651C	1.083,00 €
JUNO BL/F/50	PRF0071970C	1.083,00 €
JUNO WH/F/50	PRF0071972C	1.083,00 €



NAKED

ELICA DESIGN CENTER



Ø25 cm
Filtrante Recyling
Acciaio inox Stainless steel

ILLUMINAZIONE LIGHTING	
Tipo Type	Led 1x5 W
Intensità Intensity	145 LUX
Temperatura Temperature	3000 K

PERFORMANCE PERFORMANCE	
Comandi Controls	Magic wand 3V+I 3S+B Magic wand
Portata intensiva Booster airflow	515 m³/h
Livello sonoro min-max Noise level min-max	51 - 66 db(A)
Assorbimento totale Total absorption	225 W

Filtro grassi alluminio incluso Grease aluminium Filter included	
Filtro carbone rigenerabile incluso Regenerable charcoal filter included	

ACCESSORI ACCESSORIES		
Filtro carbone rigenerabile Regenerable charcoal filter	CFC0140384	103,50 €
Kit prolunga cavi (2,5m) Extension cable kit (2,5 m)	KIT01889	63,00 €
Kit prolunga cavi (5m) Extension cable kit (5 m)	KIT01921	113,00 €
Radiocomando bianco White remote control	KIT0121468	76,00 €
Radiocomando nero Black remote control	KIT0121469	76,00 €

MODELLI MODELS		
NAKED IX/F/25	64714985/1	1.022,00 €

JUNO URBAN

ELICA DESIGN CENTER



Ø50 cm
Filtrante Recyling
Metallo effetto ghisa, metallo effetto zincato
Cast iron effect metal, zinc coating effect metal


ILLUMINAZIONE LIGHTING	
Tipo Type	Led 2x2,5 W
Intensità Intensity	381 LUX
Temperatura Temperature	3500 K

PERFORMANCE PERFORMANCE	
Comandi Controls	Pulsantiera soft light 3V 3S Light push button
Portata massima Max airflow	610 m³/h
Livello sonoro min-max Noise level min-max	45 - 67 db(A)
Assorbimento totale Total absorption	205 W

Filtro grassi alluminio incluso Grease aluminium Filter included	
Filtro carbone rigenerabile incluso Regenerable charcoal filter included	

ACCESSORI ACCESSORIES		
Filtro carbone rigenerabile Regenerable charcoal filter	CFC0140088	55,00 €
Kit installazione a parete Wall installation kit	KIT02263	87,00 €
Kit prolunga cavi (2,5m) Extension cable kit (2,5 m)	KIT01889	63,00 €
Kit prolunga cavi (5m) Extension cable kit (5 m)	KIT01921	113,00 €

MODELLI MODELS		
JUNO URBAN CAST IRON/F/50	PRF0147728A	1.083,00 €
JUNO URBAN ZINC/F/50	PRF0147730A	1.083,00 €



NAKED URBAN

ELICA DESIGN CENTER



Ø25 cm
Filtrante Recyling
Metallo effetto ghisa, metallo effetto zincato
Cast iron effect metal, zinc coating effect metal


ILLUMINAZIONE LIGHTING	
Tipo Type	Led 1x5 W
Intensità Intensity	145 LUX
Temperatura Temperature	3000 K

PERFORMANCE PERFORMANCE	
Comandi Controls	Magic wand 3V+I 3S+B Magic wand
Portata intensiva Booster airflow	515 m³/h
Livello sonoro min-max Noise level min-max	51 - 66 db(A)
Assorbimento totale Total absorption	255 W

Filtro grassi alluminio incluso Grease aluminium Filter included	
Filtro carbone rigenerabile incluso Regenerable charcoal filter included	

ACCESSORI ACCESSORIES		
Filtro carbone rigenerabile Regenerable charcoal filter	CFC0140384	103,50 €
Kit prolunga cavi (2,5m) Extension cable kit (2,5 m)	KIT01889	63,00 €
Kit prolunga cavi (5m) Extension cable kit (5 m)	KIT01921	113,00 €
Radiocomando bianco White remote control	KIT0121468	76,00 €
Radiocomando nero Black remote control	KIT0121469	76,00 €

MODELLI MODELS		
NAKED URBAN ZINC/F/25	PRF0147734	1.022,00 €
NAKED URBAN CAST IRON/F/25	PRF0147733	1.022,00 €



DOWNDRAFT





GETUP BL MAT



GETUP IX



GETUP CAST IRON



GETUP NAKED

GETUP

DESIGN FABRIZIO CRISÀ

90 cm

Aspirante Duct-out

Acciaio inox, nero effetto soft touch + vetro nero, effetto ghisa, effetto ghisa + rivestibile
Stainless steel, black soft touch effect + black glass, cast iron effect, cast iron effect + coverable



EASY TO MAINTAIN



TOTAL INTEGRATION



CONNECTIVITY



LONG LIFE FILTER ++



LONG LIFE FILTER



DIM LIGHT




SPECIAL MATERIAL



Ø150



ENERGY CLASS (A+++/D)



CUT FOR INSTALLATION



Con Getup la libertà e il comfort sono massimi grazie all'interfaccia utente sempre visibile frontalmente e alla comodità dell'assistente vocale o del telecomando tramite APP nella gestione del flusso d'aria, dell'intensità della luce e della manutenzione del prodotto.

Total freedom and comfort with Getup, thanks to the user interface displayed on the front and the handy voice assistant or remote control via the app, to manage the air flow, light intensity and product maintenance.

ILLUMINAZIONE LIGHTING

Tipo Type	Strip Led 1x7W
Intensità Intensity	203 LUX
Temperatura Temperature	3500 K

PERFORMANCE PERFORMANCE

Comandi Controls	Touch control infrarossi 3V+2I 3S+2B Infrared touch control
Portata intensiva Booster airflow	750 m³/h
Livello sonoro min-max Noise level min-max	43 - 62 db(A)
Assorbimento totale Total absorption	317 W

Filtro grassi alluminio incluso Grease aluminium Filter included

ACCESSORI ACCESSORIES

Kit filtro carbone rigenerabile HP Regenerable charcoal filter HP	KIT0166432	300,00 €
Kit filtro carbone rigenerabile Regenerable carbon filter kit	KIT0166444	99,00 €
Kit trasformazione motore satellite Remote motor transformation kit	KIT0166435	100,00 €

MODELLI MODELS

GETUP IX/A/90	PRF0161680	2.165,00 €
GETUP BL MAT/A/90	PRF0162784	2.165,00 €
GETUP CAST IRON/A/90	PRF0162866	2.165,00 €
GETUP NAKED/A/90	PRF0162869	2.165,00 €



PANDORA

DESIGN FABRIZIO CRISÀ

90 cm

Filtrante (motore interno) Filtering (internal motor)

Aspirante (motore esterno) Duct-out (external motor)

Acciaio inox + vetro nero, Nero + vetro nero

Stainless steel + black glass, black + black glass



EASY TO MAINTAIN



TOTAL INTEGRATION




COMFORT SILENCE



Ø150



ENERGY CLASS (A+++/D)



GME VERSION

PERFORMANCE PERFORMANCE

Comandi Controls	Pulsantiera elettronica 3V+I 3S+B Electronic push button
Portata intensiva Booster airflow	669 m³/h
Livello sonoro min-max Noise level min-max	45 - 59 db(A)
Assorbimento totale Total absorption	275 W

Filtro grassi alluminio incluso Grease aluminium Filter included
Filtro carbone incluso (*) Charcoal filter included (*)

ACCESSORI ACCESSORIES

Filtro carbone Charcoal filter	CFC0142324	56,00 €
Motore remoto esterno (GME22) Remote external motor (GME22)	PRF0006212A	800,00 €
Motore remoto esterno (GME88) Remote external motor (GME88)	PRF0046491A	900,00 €

MODELLI MODELS

PANDORA IX/F/90 (*)	PRF0120980	1.462,00 €
PANDORA BL/F/90 (*)	PRF0120979	1.462,00 €
PANDORA GME IX/A/90	PRF0120982	1.246,00 €
PANDORA GME BL/A/90	PRF0120981	1.246,00 €

BUILT-IN







HIDDEN 2.0 @

DESIGN FABRIZIO CRISA

60 - 90 cm
Aspirante Duct-out
Acciaio Inox, nero effetto soft touch + vetro nero
Stainless steel, black soft touch effect + black glass



Hidden 2.0 @ consente all'utente di sentirsi più libero e di avere più tempo per concentrarsi sulle operazioni di cottura grazie al suo sistema wireless intelligente. La cappa può essere utilizzata tramite app o controllo vocale ricevendo e dando informazioni.

Hidden 2.0 @ heightens the user's sense of freedom, offering more time to concentrate on cooking thanks to the smart wireless system. The hood can be used either through the app or with voice commands, giving and receiving information.



ILLUMINAZIONE LIGHTING		
Tipo Type	Strip led 1x7W	
Intensità Intensity	309 LUX	
Temperatura Temperature	2700 - 6500 K	
PERFORMANCE PERFORMANCE		
Comandi Controls	Pulsantiera elettronica 3V+I 3S+B Electronic push button	
Portata intensiva Booster airflow	700 m³/h	
Livello sonoro min-max Noise level min-max	51 - 67 db(A)	
Assorbimento totale Total absorption	280 W	
Filtro grassi alluminio incluso Grease aluminium Filter included		

ACCESSORI ACCESSORIES		
Filtro carbone Charcoal filter	CFC0140343	43,50 €
Filtro carbone rigenerabile Regenerable charcoal filter	CFC0162221	99,00 €
Kit camino telescopico h18,5+h18,5 Telescopic chimney kit h18,5+h18,5	KIT0141458	76,50 €
MODELLI MODELS		
HIDDEN 2.0 @ IX/A/60	PRF0164340	880,00 €
HIDDEN 2.0 @ IX/A/90	PRF0164356	920,00 €
HIDDEN 2.0 @ BLGL/A/60	PRF0164361	940,00 €
HIDDEN 2.0 @ BLGL/A/90	PRF0164391	980,00 €

HIDDEN 2.0

ELICA DESIGN CENTER

60 - 90 cm
Aspirante Duct-out
Acciaio inox, Acciaio inox + vetro bianco
Stainless steel, Stainless steel + white glass



ILLUMINAZIONE LIGHTING		
Tipo Type	Strip Led 1x7 W	
Intensità Intensity	365 LUX	
Temperatura Temperature	3500 K	
PERFORMANCE PERFORMANCE		
Comandi Controls	Pulsantiera elettronica 3V+I 3S+B Electronic push button	
Portata intensiva Booster airflow	700 m³/h	
Livello sonoro min-max Noise level min-max	51 - 67 db(A)	
Assorbimento totale Total absorption	280 W	
Filtro grassi alluminio incluso Grease aluminium Filter included		



ACCESSORI ACCESSORIES		
Filtro carbone Charcoal filter	CFC0140343	43,50 €
Filtro carbone rigenerabile Regenerable charcoal filter	CFC0162221	99,00 €
Kit camino telescopico h18,5+h18,5 Telescopic chimney kit h18,5+h18,5	KIT0141458	76,50 €
MODELLI MODELS		
HIDDEN 2.0 IX/A/60	PRF0092333A	545,00 €
HIDDEN 2.0 IX/A/90	PRF0095073A	590,00 €
HIDDEN 2.0 IXGL/A/60	PRF0097676A	600,00 €
HIDDEN 2.0 IXGL/A/90	PRF0097708A	645,00 €



LANE

DESIGN FABRIZIO CRISÀ

60 - 80 cm
Aspirante Duct-out
Acciaio inox, nero effetto soft touch, bianco, grigio
Stainless steel, black soft touch effect, white, grey



Lane è la cappa invisibile che si integra perfettamente con la linearità della cucina. Ha un design moderno, prestazioni eccellenti e un ottimo rapporto qualità-prezzo. Il prodotto, inoltre, ha un sistema di ancoraggio brevettato composto da 2 clip laterali che consente di fissare con solo 2 viti dal basso la cappa al mobile in meno di un minuto. Lane is the invisible hood that blends perfectly into the kitchen's linearity. It features a modern design, high performance and offers excellent value for money. Moreover, it comes with a patented fastening system made up of 2 side clips, allowing the hood to be secured to the cabinet with only 2 screws from below, in less than one minute.


ILLUMINAZIONE LIGHTING	
Tipo Type	Strip led 1x7W
Intensità Intensity	365 LUX
Temperatura Temperature	3500 K

PERFORMANCE PERFORMANCE	
Comandi Controls	Pulsantiera elettronica 3V+I 3S+B Electronic push button
Portata intensiva Booster airflow	650 m³/h
Livello sonoro min-max Noise level min-max	49 - 65 db(A)
Assorbimento totale Total absorption	257 W

Filtro grassi alluminio incluso Grease aluminium Filter included

ACCESSORI ACCESSORIES		
Filtro carbone Charcoal filter	CFC0140343	43,50 €
Filtro carbone rigenerabile Regenerable charcoal filter	CFC0162221	99,00 €

MODELLI MODELS		
LANE IX/A/52	PRF0157333	435,00 €
LANE IX/A/72	PRF0157377	475,00 €
LANE BL MAT/A/52	PRF0165830	435,00 €
LANE BL MAT/A/72	PRF0165834	475,00 €
LANE WH/A/52	PRF0157357	435,00 €
LANE WH/A/72	PRF0157394	475,00 €
LANE GR/A/52	PRF0157369	435,00 €
LANE GR/A/72	PRF0157404	475,00 €



ERA S

ELICA DESIGN CENTER

52 - 72 cm
Aspirante Duct-out
Acciaio inox Stainless steel

ILLUMINAZIONE LIGHTING	
Tipo Type	Led 3 W
Intensità Intensity	73 LUX
Temperatura Temperature	2700 K

PERFORMANCE PERFORMANCE	
Comandi Controls	Rotativo meccanico 3V 3S Mechanical rotative
Portata massima Max airflow	428 m³/h
Livello sonoro min-max Noise level min-max	57 - 68 db(A)
Assorbimento totale Total absorption	121 W

Filtro grassi alluminio incluso Grease aluminium Filter included

ACCESSORI ACCESSORIES		
Filtro carbone Charcoal filter	CFC0141571	45,50 €
MODELLI MODELS		
ERA S IX/A/52	PRF0142886	314,00 €
ERA S IX/A/72	PRF0142744	339,00 €

ELIBLOC

ELICA DESIGN CENTER


60 - 80 cm
Aspirante Duct-out
Silver, acciaio inox, nero Silver, stainless steel, black

ILLUMINAZIONE LIGHTING	
Tipo Type	Led 2x5 W
Intensità Intensity	761 LUX
Temperatura Temperature	3000 K

PERFORMANCE PERFORMANCE	
Comandi Controls	HT Slider meccanico 4V 4S Mechanical slider
Portata massima Max airflow	LUX Pulsantiera elettronica 3V+I 3S+B Electronic push button
Livello sonoro min-max Noise level min-max	645 m³/h
Assorbimento totale Total absorption	690 m³/h
	49 - 65 db(A)
	54 - 70 db(A)
	210 W
	285 W

Filtro grassi alluminio incluso Grease aluminium Filter included

ACCESSORI ACCESSORIES		
Filtro carbone Charcoal filter	CFC0140122	30,00 €
MODELLI MODELS		
ELIBLOC HT GR A/60	1768336A	315,00 €
ELIBLOC HT GR A/80	17614580A	330,00 €
ELIBLOC LUX IX/A/60	PRF0165627	365,00 €
ELIBLOC LUX IX/A/80	PRF0165628	380,00 €
ELIBLOC LUX BL/A/60	PRF0165624	365,00 €
ELIBLOC LUX BL/A/80	PRF0165626	380,00 €





ERA C


ELICA DESIGN CENTER

52 - 72 cm
Aspirante Duct-out
Acciaio inox, bianco, nero Stainless steel, white, black

ILLUMINAZIONE LIGHTING	
Tipo Type	Led 3 W
Intensità Intensity	73 LUX
Temperatura Temperature	2700 K
PERFORMANCE PERFORMANCE	
Comandi Controls	Pulsantiera meccanica 3V 3S Mechanical push button
Portata massima Max airflow	368 m³/h
Livello sonoro min-max Noise level min-max	62 - 67 db(A)
Assorbimento totale Total absorption	146 W

Filtro grassi alluminio incluso Grease aluminium Filter included

ACCESSORI ACCESSORIES		
Filtro carbone Charcoal filter	CFC0141571	45,50 €
MODELLI MODELS		
ERA C IX/A/52	PRF0142723	199,00 €
ERA C IX/A/72	PRF0142741	211,00 €
ERA C BL/A/52	PRF0166822	165,00 €
ERA C BL/A/72	PRF0166823	176,00 €
ERA C WH/A/52	PRF0142716	165,00 €
ERA C WH/A/72	PRF0142728	176,00 €



ERA


ELICA DESIGN CENTER

52 - 72 cm
Aspirante Duct-out
Silver Silver

ILLUMINAZIONE LIGHTING	
Tipo Type	Led 3 W
Intensità Intensity	78 LUX
Temperatura Temperature	2700 K
PERFORMANCE PERFORMANCE	
Comandi Controls	Slider meccanico 3V 3S Mechanical slider
Portata massima Max airflow	224 m³/h
Livello sonoro min-max Noise level min-max	45 - 54 db(A)
Assorbimento totale Total absorption	81 W

Filtro grassi alluminio incluso Grease aluminium Filter included



ACCESSORI ACCESSORIES		
Filtro carbone Charcoal filter	CFC0141571	45,50 €
MODELLI MODELS		
ERA GR/A/52	PRF0142633	119,00 €
ERA GR/A/72	PRF0142701	129,00 €



BOXIN NO DRIP

ELICA DESIGN CENTER

60 - 90 - 120 cm
Aspirante Duct-out
Acciaio inox Stainless steel



La prima cappa incasso di Elica per risolvere il problema della condensa con sistemi meccanici ed elettrici capaci di garantire una soluzione a 360 °. Il sistema è studiato per evitare la caduta delle gocce sul piano cottura e per salvare i pensili dal vapore.

Elica's first built-in hood that solves the problem of condensate with mechanical and electrical systems able to guarantee an all-round solution. The system has been designed to prevent dripping on the hob, as well as protect wall units from steam.

ILLUMINAZIONE LIGHTING	
Tipo Type	LED 2x2,5W
Intensità Intensity	381 LUX
Temperatura Temperature	3500 K
PERFORMANCE PERFORMANCE	
Comandi Controls	Pulsantiera elettronica 3V+I 3S+B Electronic push button
Portata intensiva Booster airflow	600 m³/h
Livello sonoro min-max Noise level min-max	30 - 60 db(A)
Assorbimento totale Total absorption	300 W

Filtro grassi alluminio incluso Grease aluminium Filter included

ACCESSORI ACCESSORIES		
Filtro carbone Charcoal filter	CFC0140343	43,50 €
Filtro carbone rigenerabile Regenerable charcoal filter	CFC0162221	99,00 €
Kit camino H12 Chimney kit H12	KIT0091876	46,00 €
Kit camino H18,5+18,5 Chimney kit H18,5+18,5	KIT0141458	76,50 €



MODELLI MODELS		
BOXIN NO DRIP IX/A/60	PRF0157712	928,00 €
BOXIN NO DRIP IX/A/90	PRF0156613	990,00 €
BOXIN NO DRIP IX/A/120	PRF0157280	1.135,00 €



BOXIN PLUS

ELICA DESIGN CENTER

60 - 90 - 120 cm
Aspirante Duct-out
Acciaio inox + vetro bianco
Stainless steel + white glass




ILLUMINAZIONE LIGHTING			
Tipo Type	Led 2x2,5 W		
Intensità Intensity	381 LUX		
Temperatura Temperature	3500 K		
PERFORMANCE PERFORMANCE			
Comandi Controls	Rotativo meccanico 3V 3S Mechanical rotative		
Portata massima Max airflow	580 m³/h		
Livello sonoro min-max Noise level min-max	49 - 70 db(A)		
Assorbimento totale Total absorption	255 W		
Filtro grassi alluminio incluso Grease aluminium Filter included			
ACCESSORI ACCESSORIES			
Filtro carbone Charcoal filter	CFC0140343	43,50 €	
Filtro carbone rigenerabile Regenerable charcoal filter	CFC0162221	99,00 €	
Kit camino H12 Chimney kit H12	KIT0091876	46,00 €	
Kit camino H18,5+18,5 Chimney kit H18,5+18,5	KIT0141458	76,50 €	
MODELLI MODELS			
BOX IN PLUS IXGL/A/60	PRF0097795A	549,00 €	
BOX IN PLUS IXGL/A/90	PRF0097796A	593,00 €	
BOX IN PLUS IXGL/A/120	PRF0097797A	705,00 €	

BOXIN

ELICA DESIGN CENTER

60 - 90 - 120 cm
Aspirante Duct-out
Acciaio inox Stainless steel



ILLUMINAZIONE LIGHTING		
Tipo Type	Led 2x2,5 W	
Intensità Intensity	381 LUX	
Temperatura Temperature	3500 K	
PERFORMANCE PERFORMANCE		
Comandi Controls	Rotativo meccanico 3V 3S Mechanical rotative	
	STD	LUX
Portata massima Max airflow	370 m³/h	620 m³/h
Livello sonoro min-max Noise level min-max	48 - 67 db(A)	49 - 67 db(A)
Assorbimento totale Total absorption	95 W	255 W
Filtro grassi alluminio incluso Grease aluminium Filter included		
ACCESSORI ACCESSORIES		
Filtro carbone (*) Charcoal filter (*)	CFC0140343	43,50 €
Filtro carbone rigenerabile (*) Regenerable charcoal filter (*)	CFC0162221	99,00 €
Filtro carbone Charcoal filter	CFC0141497	23,00 €
Kit camino H12 Chimney kit H12	KIT0091876	46,00 €
Kit camino H18,5+18,5 Chimney kit H18,5+18,5	KIT0141458	76,50 €
MODELLI MODELS		
BOXIN IX/A/60	PRF0097835B	366,00 €
BOXIN IX/A/90	PRF0097839B	403,00 €
BOXIN IX/A/120	PRF0097842B	490,00 €
BOXIN LX/IX/A/60 (*)	PRF0114760A	433,00 €
BOXIN LX/IX/A/90 (*)	PRF0114761A	472,00 €
BOXIN LX/IX/A/120 (*)	PRF0114762A	558,00 €



TOTAL
INTEGRATION



CM 50



LONG LIFE
FILTER




CM 50



Ø150



ENERGY
CLASS
(A+++/D)



LEVER

DESIGN FABRIZIO CRISÀ

60 - 90 - 120 cm
Aspirante Duct-out
Acciaio inox + vetro Stainless steel + glass

ILLUMINAZIONE LIGHTING

Tipo Type LED 2x2,5W
Intensità Intensity 145 LUX
Temperatura Temperature 3500 K

PERFORMANCE PERFORMANCE

Comandi Controls Pulsantiera meccanica 3V
3S Mechanical push button
Portata massima Max airflow 603 m³/h
Livello sonoro min-max Noise level min-max 46 – 67 db(A)
Assorbimento totale Total absorption 255 W

Filtro grassi alluminio incluso Grease aluminium Filter included

ACCESSORI ACCESSORIES

Filtro carbone Charcoal filter	CFC0140343	43,50 €
Filtro carbone rigenerabile Regenerable charcoal filter	CFC0162221	99,00 €
Kit camino H12 Chimney kit H12	KIT0091876	46,00 €
Kit camino H18,5+18,5 Chimney kit H18,5+18,5	KIT0141458	76,50 €

MODELLI MODELS

LEVER IX/A/56	PRF0160153	490,00 €
LEVER IX/A/86	PRF0160152	520,00 €
LEVER IX/A/116	PRF0163362	550,00 €

GLASS OUT

DESIGN FABRIZIO CRISÀ

60 - 90 cm
Aspirante Duct-out
Acciaio inox + vetro
Stainless steel + glass



EASY TO
MAINTAIN



TOTAL
INTEGRATION



LONG LIFE
FILTER



CM 50



CM 65



Ø150



ENERGY
CLASS
(A+++/D)

ILLUMINAZIONE LIGHTING

Tipo Type Strip Led 1x7 W
Intensità Intensity 141 LUX
Temperatura Temperature 4000 K

PERFORMANCE PERFORMANCE

Comandi Controls Pulsantiera elettronica 3V+I
3S+B Electronic push button
Portata intensiva Booster airflow 560 m³/h
Livello sonoro min-max Noise level min-max 53 - 61 db(A)
Assorbimento totale Total absorption 227 W


Filtro grassi alluminio incluso Grease aluminium Filter included

ACCESSORI ACCESSORIES

Filtro carbone Charcoal filter	CFC0140343	43,50 €
Filtro carbone rigenerabile Regenerable charcoal filter	CFC0162221	99,00 €
Kit camino telescopico h18,5+h18,5 Telescopic chimney kit h18,5+h18,5	KIT0141458	76,50 €
Kit camino H12 Chimney kit H12	KIT0091876	46,00 €

MODELLI MODELS

GLASS OUT IX/A/60	PRF0109787	783,00 €
GLASS OUT IX/A/90	PRF0109788	816,00 €



CIAK

ELICA DESIGN CENTER

60 - 90 cm
Aspirante Duct-out
Silver Silver

ILLUMINAZIONE LIGHTING

Tipo Type Led 2x2,5 W
Intensità Intensity 141 LUX
Temperatura Temperature 3500 K

PERFORMANCE PERFORMANCE

Comandi Controls Slider meccanico 3V
3S Mechanical slider
Portata massima Max airflow 255 m³/h
Livello sonoro min-max Noise level min-max 48 - 66 db(A)
Assorbimento totale Total absorption 120 W


Filtro grassi alluminio incluso Grease aluminium Filter included

ACCESSORI ACCESSORIES

Filtro carbone Charcoal filter	CFC0141563	23,00 €
--------------------------------	------------	---------

MODELLI MODELS

CIAK LUX GR/A/L/56	PRF0121068B	300,00 €
CIAK LUX GR/A/L/86	PRF0121107B	350,00 €



ENERGY
CLASS
(A+++/D)



TOTAL
INTEGRATION



CM 50



CM 65



Ø120



ELITE 35

ELICA DESIGN CENTER

60 - 90 cm
Aspirante Duct-out
Silver + acciaio inox Silver + stainless steel


ILLUMINAZIONE LIGHTING		
Tipo Type	Led 2x3 W	
Intensità Intensity	54 LUX	
Temperatura Temperature	2700 K	

Comandi Controls	Pulsantiera elettronica 3V+I 3S+B Electronic push button	
Portata intensiva Booster airflow	640 m³/h	
Livello sonoro min-max Noise level min-max	46 - 63 db(A)	
Assorbimento totale Total absorption	206 W	

Filtro grassi alluminio incluso Grease aluminium Filter included

ACCESSORI ACCESSORIES		
Filtro carbone Charcoal filter	CFC0140075	30,00 €

MODELLI MODELS		
ELITE 35 GRIX/A/60	PRF0139077	444,00 €
ELITE 35 GRIX/A/90	PRF0139069	547,00 €



ELITE 14

ELICA DESIGN CENTER

60 - 90 cm
Aspirante Duct-out
Silver + acciaio inox Silver + stainless steel



ILLUMINAZIONE LIGHTING		
Tipo Type	Led 2x3 W	
Intensità Intensity	73 LUX	
Temperatura Temperature	2700 K	

PERFORMANCE PERFORMANCE		
Comandi Controls	Pulsantiera meccanica 3V 3S Mechanical push button	
Portata massima Max airflow	304 m³/h	
Livello sonoro min-max Noise level min-max	46 - 62 db(A)	
Assorbimento totale Total absorption	121 W	

Filtro grassi alluminio incluso Grease aluminium Filter included

ACCESSORI ACCESSORIES		
Filtro carbone Charcoal filter	CFC0141571	45,50 €

MODELLI MODELS		
ELITE 14 LUX GRIX/A/60	PRF0037989B	200,00 €
ELITE 14 LUX GRIX/A/90	PRF0037992B	240,00 €



ESTRAIBILE

ELICA DESIGN CENTER

60 - 90 cm
Filtrante Filtering
Silver, Silver + acciaio inox Silver, Silver + stainless steel

ILLUMINAZIONE LIGHTING		
Tipo Type	Led 1X3 W	(*) Led 2x3 W
Intensità Intensity	48 LUX	97 LUX
Temperatura Temperature	2700 K	2700 K

Comandi Controls	Slider meccanico 3V 3S Mechanical slider	
Portata massima Max airflow	245 m³/h	
Livello sonoro min-max Noise level min-max	58 - 69 db(A)	
Assorbimento totale Total absorption	123 W - 126 (*) W	

Filtro grassi alluminio incluso Grease aluminium Filter included
Filtro carbone incluso Charcoal filter included

ACCESSORI ACCESSORIES		
Filtro carbone Charcoal filter	CFC0141732	34,50 €

MODELLI MODELS		
ESTRAIBILE GR/F/60	PRF0154623	181,00 €
ESTRAIBILE GR/F/90	PRF0154626	196,00 €
ESTRAIBILE GR-FR.IX/F/60 (*)	PRF0154624	229,00 €
ESTRAIBILE GR-FR.IX/F/90 (*)	PRF0154627	260,00 €

KREA

ELICA DESIGN CENTER

60 - 90 cm
Filtrante Filtering
Acciaio inox, bianco, nero Stainless steel, white, black


ILLUMINAZIONE LIGHTING			
Tipo Type	ST Led 1x3 W	LX Led 2x3 W	GFA Led 2x3 W
Intensità Intensity	48 LUX	97 LUX	97 LUX
Temperatura Temperature	2700 K	2700 K	2700 K

PERFORMANCE PERFORMANCE			
Comandi Controls	Slider meccanico 3V 3S Mechanical slider		
Portata intensiva Booster airflow	272 m³/h	336 m³/h	272 m³/h
Livello sonoro min-max Noise level min-max	52 - 71 db(A)	52 - 73 db(A)	52 - 71 db(A)
Assorbimento totale Total absorption	118 W	166 W	121 W

Filtro grassi alluminio incluso Grease aluminium Filter included
Filtro carbone incluso Charcoal filter included

ACCESSORI ACCESSORIES		
Filtro carbone Charcoal filter	CFC0140064	25,00 €

MODELLI MODELS		
KREA ST IX F/60	55311065B	159,00 €
KREA ST IX F/90	55311075B	185,00 €
KREA LX IX F/60	55311112A	198,00 €
KREA LX IX F/90	55311129A	224,00 €
KREA GFA BL/F/60	PRF0104634B	135,00 €
KREA GFA BL/F/90	PRF0104635B	155,00 €
KREA GFA WH/F/60	55310774B	135,00 €
KREA GFA WH/F/90	PRF0104636B	155,00 €



GOOD TO KNOW

Per te, che sei sempre attento alle nuove tendenze e non ti accontenti dell'estetica ma vuoi approfondire la funzionalità, abbiamo sviluppato una sezione in cui troverai tutti i dettagli su accessori, informazioni utili, consigli su come scegliere la tua cappa, garanzie e etichetta energetica.

For those of you, who like to keep up with the latest trends and are not just looking for an attractive finish, but also want detailed information about functionality, we have created a section in which you can source all the details on accessories, useful information, advice on how to choose your hood, warranties and energy labels.

ATTENZIONE AL PESO DELLA CAPP LEARN MORE ABOUT WEIGHT

Nei casi in cui il nostro progetto cucina preveda una cappa di tipo a isola, sospesa o inserita in un controsoffitto (ceiling), è buona norma fare attenzione nel realizzare una struttura in cartongesso che possa sostenere il peso della cappa stessa.

Il peso varia a seconda dei modelli e degli ingombri e la tabella seguente è un valido aiuto per costruire un sostegno adeguato senza dover rinunciare ad un open space pratico e di tendenza.

In kitchen designs featuring an island, suspended or ceiling hood (built into a false ceiling), it is important that the plasterboard structure is able to support the weight of the hood itself.

The weight varies depending on the model and overall dimensions, and the following table is a useful aid in developing a suitable support without needing to forgo a practical and stylish open space.

	PESO NETTO WEIGHT
ADÉLE ISLAND	27,4 Kg
AUDREY	18,85 Kg
BIO ISLAND	32,80 Kg
CLOUD SEVEN (DUCT-OUT)	17,70 Kg
CLOUD SEVEN (FILTERING)	19,50 Kg
EASY	11,65 Kg
EDITH	19,25 Kg
GALAXY ISLAND	24,50 Kg
GRACE	18,20 Kg
HAIKU ISLAND (32 cm)	33,70 Kg
HAIKU ISLAND (120 cm)	46,30 Kg
HAIKU ISLAND (180 cm)	55,10 Kg
HILIGHT-W / HILIGHT-X (H16)	31,00 Kg
HILIGHT-W / HILIGHT-X (H30)	34,10 Kg
HILIGHT-W / HILIGHT-X (NO MOTOR)	24,80 Kg
IKONA LIGHT	15,00 Kg
ILLUSION (H16)	23,00 Kg
ILLUSION (H30)	23,70 Kg
ILLUSION (NO MOTOR)	19,50 Kg
INTERSTELLAR	27,10 Kg
JOY ISLAND	28,75 Kg
JUNO	13,40 Kg
JUNO URBAN	13,50 Kg
KUADRA ISLAND (43 cm)	28,60 Kg
KUADRA ISLAND (60 cm)	33,50 Kg

	PESO NETTO WEIGHT
LULLABY (DUCT-OUT)	42,00 Kg
LULLABY (FILTERING)	50,00 Kg
METEORITE ISLAND	40,40 Kg
MOON ISLAND (90x60 cm)	29,75 Kg
MOON ISLAND (120x60 cm)	33,50 Kg
MOON ISLAND (180x60 cm)	60,30 Kg
NAKED	8,30 Kg
NAKED URBAN	7,50 Kg
PIX	16,40 Kg
REEF ISLAND	26,20 Kg
SEASHELL	33,80 Kg
SHINING	19,00 Kg
SKYDOME (H16)	25,20 Kg
SKYDOME (H30)	27,20 Kg
SKYDOME (NO MOTOR)	21,70 Kg
SPOT PLUS ISLAND	26,90 Kg
STAR	16,70 Kg
SUMMILUX	22,20 Kg
THIN ISLAND	34,20 Kg
TRIBE ISLAND	28,20 Kg
TUBE PRO ISLAND	26,35 Kg
TWIN	26,40 Kg
WAVE	14,50 Kg
YE	66,00 Kg

APPROFONDIMENTI PERFORMANCE

LEARN MORE ABOUT PERFORMANCE

	ENERGY CLASS	1 SPEED (airflow-noise)	2 SPEED (airflow-noise)	3 SPEED (airflow-noise)	4 SPEED * (airflow-noise)	5 SPEED * (airflow-noise)
Acuta	A	272 m³/h - 46 db(A)	368 m³/h - 53 db(A)	515 m³/h - 60 db(A)	---	625 m³/h - 65 db(A)
Adèle	A	325 m³/h - 55 db(A)	435 m³/h - 61 db(A)	630 m³/h - 69 db(A)	---	770 m³/h - 74 db(A)
Adèle Island	A	325 m³/h - 55 db(A)	435 m³/h - 61 db(A)	630 m³/h - 69 db(A)	---	770 m³/h - 74 db(A)
Aplomb	A	275 m³/h - 51 db(A)	385 m³/h - 59 db(A)	495 m³/h - 64 db(A)	---	680 m³/h - 71 db(A)
Audrey	A	160 m³/h - 36 db(A)	205 m³/h - 41 db(A)	335 m³/h - 53 db(A)	---	380 m³/h - 56 db(A)
Belt	A	250 m³/h - 46 db(A)	350 m³/h - 54 db(A)	475 m³/h - 61 db(A)	---	590 m³/h - 65 db(A)
Bio	A+	125 m³/h - 32 db(A)	410 m³/h - 56 db(A)	496 m³/h - 60 db(A)	610 m³/h - 65 db(A)	757 m³/h - 69 db(A)
Bio Island	A+	125 m³/h - 32 db(A)	410 m³/h - 56 db(A)	496 m³/h - 60 db(A)	610 m³/h - 65 db(A)	757 m³/h - 69 db(A)
Bloom	A	185 m³/h - 35 db(A)	310 m³/h - 52 db(A)	400 m³/h - 56 db(A)	---	750 m³/h - 70 db(A)
Bloom-S	A	185 m³/h - 35 db(A)	310 m³/h - 46 db(A)	400 m³/h - 53 db(A)	590 m³/h - 58 db(A)	750 m³/h - 64 db(A)
Boxin	D	140 m³/h - 48 db(A)	190 m³/h - 54 db(A)	370 m³/h - 67 db(A)	---	---
Boxin Lx	A	255 m³/h - 49 db(A)	355 m³/h - 55 db(A)	620 m³/h - 67 db(A)	---	---
Boxin No Drip	A	105 m³/h - 30 db(A)	250 m³/h - 53 db(A)	365 m³/h - 60 db(A)	---	600 m³/h - 69 db(A)
Boxin Plus	B	230 m³/h - 49 db(A)	335 m³/h - 56 db(A)	610 m³/h - 70 db(A)	---	---
Ciak Lux	D	100 m³/h - 48 db(A)	130 m³/h - 54 db(A)	255 m³/h - 66 db(A)	---	---
Circus	D	195 m³/h - 55 db(A)	368 m³/h - 56 db(A)	384 m³/h - 62 db(A)	---	---
Cloud Seven	A	235 m³/h - 43 db(A)	330 m³/h - 54 db(A)	460 m³/h - 60 db(A)	660 m³/h - 68 db(A)	770 m³/h - 71 db(A)
Cruise	B	288 m³/h - 51 db(A)	432 m³/h - 61 db(A)	581 m³/h - 69 db(A)	---	713 m³/h - 73 db(A)
Easy	A	260 m³/h - 45 db(A)	375 m³/h - 55 db(A)	520 m³/h - 62 db(A)	---	610 m³/h - 67 db(A)
Edith	A	160 m³/h - 36 db(A)	205 m³/h - 41 db(A)	335 m³/h - 53 db(A)	---	380 m³/h - 56 db(A)
Elektra	C	256 m³/h - 45 db(A)	384 m³/h - 55 db(A)	515 m³/h - 63 db(A)	---	647 m³/h - 68 db(A)
Elibloc Ht	C	256 m³/h - 49 db(A)	368 m³/h - 58 db(A)	496 m³/h - 65 db(A)	647 m3/h - 71 db(A)	---
Elibloc Lux	C	285 m³/h - 54 db(A)	405 m³/h - 63 db(A)	560 m³/h - 70 db(A)	---	690 m³/h - 74 db(A)
Elite 14	D	125 m³/h - 46 db(A)	288 m³/h - 57 db(A)	304 m³/h - 62 db(A)	---	---
Elite 35	A	250 m³/h - 46 db(A)	375 m³/h - 55 db(A)	535 m³/h - 63 db(A)	---	640 m³/h - 67 db(A)
Elle	A	240 m³/h - 43 db(A)	335 m³/h - 51 db(A)	515 m³/h - 62 db(A)	---	670 m³/h - 67 db(A)
Era	C	125 m³/h - 45 db(A)	155 m³/h - 47 db(A)	224 m³/h - 54 db(A)	---	---
Era C	D	290 m³/h - 62 db(A)	344 m³/h - 66 db(A)	368 m³/h - 67 db(A)	---	---
Era S	B	236 m³/h - 57 db(A)	332 m³/h - 63 db(A)	428 m³/h - 68 db(A)	---	---
Estraibile	D	160 m³/h - 58 db(A)	205 m³/h - 64 db(A)	245 m³/h - 69 db(A)	---	---
Flat Glass	D	195 m³/h - 55 db(A)	368 m³/h - 56 db(A)	384 m³/h - 62 db(A)	---	---
Galaxy	C	288 m³/h - 52 db(A)	416 m³/h - 61 db(A)	559 m³/h - 69 db(A)	---	647 m³/h - 73 db(A)
Galaxy Island	C	288 m³/h - 52 db(A)	416 m³/h - 61 db(A)	559 m³/h - 69 db(A)	---	647 m³/h - 73 db(A)

* Velocità intensive temporizzate *Booster time speeds

** Modello non soggetto a certificazione energetica obbligatoria *Model not subject to compulsory energy certification.

APPROFONDIMENTI PERFORMANCE

LEARN MORE ABOUT PERFORMANCE

	ENERGY CLASS	1 SPEED (airflow-noise)	2 SPEED (airflow-noise)	3 SPEED (airflow-noise)	4 SPEED * (airflow-noise)	5 SPEED * (airflow-noise)
Getup	A	260 m³/h - 43 db(A)	428 m³/h - 58 db(A)	530 m³/h - 62 db(A)	630 m³/h - 66 db(A)	750 m³/h - 67 db(A)
Glass Out	A	235 m³/h - 53 db(A)	315 m³/h - 54 db(A)	425 m³/h - 61 db(A)	---	560 m³/h - 65 db(A)
Grace	B	208 m³/h - 51 db(A)	272 m³/h - 59 db(A)	384 m³/h - 66 db(A)	---	515 m³/h - 72 db(A)
Haiku	A	155 m³/h - 34 db(A)	295 m³/h - 47 db(A)	375 m³/h - 51 db(A)	560 m³/h - 58 db(A)	690 m³/h - 63 db(A)
Haiku Island	A	155 m³/h - 34 db(A)	295 m³/h - 47 db(A)	375 m³/h - 51 db(A)	560 m³/h - 58 db(A)	690 m³/h - 63 db(A)
Hidden 2.0	A	300 m³/h - 51 db(A)	420 m³/h - 60 db(A)	600 m³/h - 67 db(A)	---	700 m³/h - 70 db(A)
Hidden 2.0 @	A	300 m³/h - 51 db(A)	420 m³/h - 60 db(A)	600 m³/h - 67 db(A)	---	700 m³/h - 70 db(A)
Hilight W H30	A	220 m³/h - 38 db(A)	395 m³/h - 49 db(A)	460 m³/h - 53 db(A)	700 m³/h - 63 db(A)	790 m³/h - 66 db(A)
Hilight-W H16	A	235 m³/h - 49 db(A)	445 m³/h - 64 db(A)	570 m³/h - 69 db(A)	680 m³/h - 73 db(A)	720 m³/h - 75 db(A)
Hilight-X H16	A	235 m³/h - 49 db(A)	445 m³/h - 64 db(A)	570 m³/h - 69 db(A)	680 m³/h - 73 db(A)	720 m³/h - 75 db(A)
Hilight-X H30	A	110 m³/h - 31 db(A)	415 m³/h - 58 db(A)	510 m³/h - 63 db(A)	620 m³/h - 67 db(A)	780 m³/h - 72 db(A)
Hydra	C	195 m³/h - 46 db(A)	256 m³/h - 63 db(A)	496 m³/h - 68 db(A)	---	---
Ikona Light	A	275 m³/h - 49 db(A)	400 m³/h - 57 db(A)	560 m³/h - 64 db(A)	---	710 m³/h - 69 db(A)
Illusion H16	A	235 m³/h - 49 db(A)	445 m³/h - 64 db(A)	570 m³/h - 69 db(A)	680 m³/h - 73 db(A)	720 m³/h - 75 db(A)
Illusion H30	A	220 m³/h - 38 db(A)	395 m³/h - 49 db(A)	460 m³/h - 53 db(A)	700 m³/h - 63 db(A)	790 m³/h - 66 db(A)
Interstellar	A	165 m³/h - 36 db(A)	209 m³/h - 53 db(A)	336 m³/h - 54 db(A)	---	384 m³/h - 56 db(A)
Joy	B	288 m³/h - 51 db(A)	432 m³/h - 61 db(A)	581 m³/h - 69 db(A)	---	713 m³/h - 73 db(A)
Joy Island	B	288 m³/h - 51 db(A)	432 m³/h - 61 db(A)	581 m³/h - 69 db(A)	---	713 m³/h - 73 db(A)
Juno	A	260 m³/h - 45 db(A)	375 m³/h - 55 db(A)	610 m³/h - 67 db(A)	---	---
Juno Urban Cast	A	260 m³/h - 45 db(A)	375 m³/h - 55 db(A)	610 m³/h - 67 db(A)	---	---
Krea	D	115 m³/h - 52 db(A)	206 m³/h - 64 db(A)	272 m³/h - 71 db(A)	---	---
Krea Lx	D	135 m³/h - 52 db(A)	185 m³/h - 61 db(A)	336 m³/h - 73 db(A)	---	---
Krea St	D	110 m³/h - 52 db(A)	206 m³/h - 64 db(A)	272 m³/h - 71 db(A)	---	---
Kuadra	D	224 m³/h - 48 db(A)	320 m³/h - 56 db(A)	416 m³/h - 62 db(A)	---	496 m³/h - 66 db(A)
Kuadra Island	D	224 m³/h - 48 db(A)	320 m³/h - 56 db(A)	416 m³/h - 62 db(A)	---	496 m³/h - 66 db(A)
L'essenza	B	288 m³/h - 49 db(A)	432 m³/h - 57 db(A)	603 m³/h - 65 db(A)	---	691 m³/h - 68 db(A)
Lane	B	255 m³/h - 49 db(A)	400 m³/h - 58 db(A)	550 m³/h - 65 db(A)	---	650 m³/h - 68 db(A)
Lever	B	240 m³/h - 46 db(A)	336 m³/h - 54 db(A)	603 m³/h - 67 db(A)	---	---
Lol	A	280 m³/h - 52 db(A)	405 m³/h - 60 db(A)	540 m³/h - 67 db(A)	---	620 m³/h - 70 db(A)
Lullaby Duct-out	A	220 m³/h - 38 db(A)	395 m³/h - 49 db(A)	460 m³/h - 53 db(A)	700 m³/h - 63 db(A)	790 m³/h - 66 db(A)
Lullaby Filtering	**	104 m³/h - 44 db(A)	159 m³/h - 53 db(A)	237 m³/h - 63 db(A)	384 m³/h - 72 db(A)	474 m³/h - 76 db(A)
Majestic	B	288 m³/h - 49 db(A)	432 m³/h - 57 db(A)	603 m³/h - 65 db(A)	---	691 m³/h - 68 db(A)
Majestic No Drip	A	245 m³/h - 46 db(A)	345 m³/h - 53 db(A)	485 m³/h - 60 db(A)	---	600 m³/h - 66 db(A)

* Velocità intensive temporizzate *Booster time speeds

** Modello non soggetto a certificazione energetica obbligatoria *Model not subject to compulsory energy certification.

APPROFONDIMENTI PERFORMANCE
LEARN MORE ABOUT PERFORMANCE

	ENERGY CLASS	1 SPEED (airflow-noise)	2 SPEED (airflow-noise)	3 SPEED (airflow-noise)	4 SPEED * (airflow-noise)	5 SPEED * (airflow-noise)
Meteorite	A	115 m³/h - 31 db(A)	410 m³/h - 55 db(A)	515 m³/h - 60 db(A)	620 m³/h - 64 db(A)	800 m³/h - 68 db(A)
Meteorite Island	A	115 m³/h - 31 db(A)	410 m³/h - 55 db(A)	515 m³/h - 60 db(A)	620 m³/h - 64 db(A)	800 m³/h - 68 db(A)
Mini Om	A	240 m³/h - 48 db(A)	320 m³/h - 50 db(A)	590 m³/h - 63 db(A)	---	---
Missy	D	165 m³/h - 49 db(A)	225 m³/h - 55 db(A)	395 m³/h - 68 db(A)	---	---
Moon	C	285 m³/h - 52 db(A)	425 m³/h - 61 db(A)	570 m³/h - 68 db(A)	---	690 m³/h - 72 db(A)
Moon Island	D	285 m³/h - 52 db(A)	425 m³/h - 61 db(A)	570 m³/h - 68 db(A)	---	690 m³/h - 72 db(A)
Naked	B	208 m³/h - 51 db(A)	272 m³/h - 59 db(A)	384 m³/h - 66 db(A)	---	515 m³/h - 72 db(A)
Naked Urban	B	208 m³/h - 51 db(A)	272 m³/h - 59 db(A)	384 m³/h - 66 db(A)	---	515 m³/h - 72 db(A)
Nuage	A	230 m³/h - 49 db(A)	330 m³/h - 53 db(A)	440 m³/h - 62 db(A)	---	580 m³/h - 65 db(A)
Om Air	A	230 m³/h - 42 db(A)	325 m³/h - 50 db(A)	510 m³/h - 60 db(A)	---	650 m³/h - 66 db(A)
Pandora	A	208 m³/h - 45 db(A)	288 m³/h - 49 db(A)	496 m³/h - 59 db(A)	---	669 m³/h - 67 db(A)
Pandora GME	C	240 m³/h - 58 db(A)	336 m³/h - 60 db(A)	581 m³/h - 71 db(A)	---	713 m³/h - 72 db(A)
Pix	A	250 m³/h - 44 db(A)	358 m³/h - 53 db(A)	445 m³/h - 60 db(A)	---	610 m³/h - 65 db(A)
Plat	A	160 m³/h - 38 db(A)	325 m³/h - 52 db(A)	420 m³/h - 57 db(A)	---	730 m³/h - 69 db(A)
Reef	A	255 m³/h - 48 db(A)	365 m³/h - 57 db(A)	500 m³/h - 64 db(A)	---	600 m³/h - 69 db(A)
Reef Island	A	255 m³/h - 48 db(A)	365 m³/h - 57 db(A)	500 m³/h - 64 db(A)	---	600 m³/h - 69 db(A)
Rubino Corner	C	224 m³/h - 42 db(A)	336 m³/h - 51 db(A)	603 m³/h - 64 db(A)	---	---
Rules	A	160 m³/h - 40 db(A)	415 m³/h - 58 db(A)	445 m³/h - 60 db(A)	---	700 m³/h - 71 db(A)
Seashell	**	180 m³/h - 55 db(A)	265 m³/h - 63 db(A)	335 m³/h - 67 db(A)	---	400 m³/h - 70 db(A)
Sheen-S	A	275 m³/h - 52 db(A)	385 m³/h - 59 db(A)	495 m³/h - 65 db(A)	---	650 m³/h - 71 db(A)
Shining	A	160 m³/h - 36 db(A)	205 m³/h - 41 db(A)	335 m³/h - 53 db(A)	---	380 m³/h - 56 db(A)
Shire	A	275 m³/h - 52 db(A)	495 m³/h - 64 db(A)	---	---	650 m³/h - 71 db(A)
Shy-S	A	275 m³/h - 52 db(A)	385 m³/h - 59 db(A)	495 m³/h - 65 db(A)	---	650 m³/h - 71 db(A)
Sinfonia	B	395 m³/h - 56 db(A)	515 m³/h - 62 db(A)	620 m³/h - 70 db(A)	---	760 m³/h - 73 db(A)
Skydome H16	A	235 m³/h - 49 db(A)	445 m³/h - 64 db(A)	570 m³/h - 69 db(A)	680 m³/h - 73 db(A)	720 m³/h - 75 db(A)
Skydome H30	A	220 m³/h - 38 db(A)	395 m³/h - 49 db(A)	460 m³/h - 53 db(A)	700 m³/h - 63 db(A)	790 m³/h - 66 db(A)
Spot Ng	D	195 m³/h - 55 db(A)	224 m³/h - 56 db(A)	368 m³/h - 62 db(A)	---	---
Spot Plus Island	A	280 m³/h - 52 db(A)	405 m³/h - 60 db(A)	540 m³/h - 67 db(A)	---	620 m³/h - 70 db(A)
Spot Plus	A	280 m³/h - 52 db(A)	405 m³/h - 60 db(A)	540 m³/h - 67 db(A)	---	620 m³/h - 70 db(A)
Spot Urban	B	270 m³/h - 52 db(A)	375 m³/h - 59 db(A)	630 m³/h - 71 db(A)	---	---
Star	B	208 m³/h - 51 db(A)	272 m³/h - 59 db(A)	384 m³/h - 66 db(A)	---	515 m³/h - 72 db(A)
Stone	C	240 m³/h - 44 db(A)	368 m³/h - 53 db(A)	559 m³/h - 67 db(A)	---	---
Stripe	B	288 m³/h - 50 db(A)	432 m³/h - 58 db(A)	603 m³/h - 65 db(A)	---	757 m³/h - 69 db(A)
Stripe Urban	B	288 m³/h - 50 db(A)	432 m³/h - 58 db(A)	603 m³/h - 65 db(A)	---	757 m³/h - 69 db(A)

* Velocità intensive temporizzate *Booster time speeds
** Modello non soggetto a certificazione energetica obbligatoria *Model not subject to compulsory energy certification.

APPROFONDIMENTI PERFORMANCE
LEARN MORE ABOUT PERFORMANCE

	ENERGY CLASS	1 SPEED (airflow-noise)	2 SPEED (airflow-noise)	3 SPEED (airflow-noise)	4 SPEED * (airflow-noise)	5 SPEED * (airflow-noise)
Summilux	A	165 m³/h - 36 db(A)	205 m³/h - 41 db(A)	336 m³/h - 53 db(A)	---	384 m³/h - 56 db(A)
Super Plat	A	175 m³/h - 37 db(A)	325 m³/h - 50 db(A)	415 m³/h - 57 db(A)	600 m³/h - 65 db(A)	740 m³/h - 70 db(A)
Sweet	A	230 m³/h - 46 db(A)	335 m³/h - 54 db(A)	465 m³/h - 61 db(A)	---	580 m³/h - 66 db(A)
Synthesis	C	240 m³/h - 44 db(A)	368 m³/h - 55 db(A)	496 m³/h - 63 db(A)	---	559m³/h - 67 db(A)
Tamaya	D	285 m³/h - 53 db(A)	365 m³/h - 58 db(A)	430 m³/h - 62 db(A)	---	---
Thin	A	145 m³/h - 34 db(A)	300 m³/h - 47 db(A)	385 m³/h - 52 db(A)	560 m³/h - 60 db(A)	680 m³/h - 64 db(A)
Thin Island	A	145 m³/h - 34 db(A)	300 m³/h - 47 db(A)	385 m³/h - 52 db(A)	560 m³/h - 60 db(A)	680 m³/h - 64 db(A)
Tonda	D	265 m³/h - 60 db(A)	325 m³/h - 65 db(A)	355 m³/h - 67 db(A)	---	---
Tribe	A	255 m³/h - 48 db(A)	365 m³/h - 57 db(A)	500 m³/h - 64 db(A)	---	600 m³/h - 69 db(A)
Tribe Island	A	255 m³/h - 48 db(A)	365 m³/h - 57 db(A)	500 m³/h - 64 db(A)	---	600 m³/h - 69 db(A)
Tube Pro	C	240 m³/h - 47 db(A)	368 m³/h - 56 db(A)	603 m³/h - 68 db(A)	---	---
Tube Pro Island	C	240 m³/h - 47 db(A)	368 m³/h - 56 db(A)	603 m³/h - 68 db(A)	---	---
Twin	**	280 m³/h - 58 db(A)	460 m³/h - 65 db(A)	625 m³/h - 73 db(A)	---	865 m³/h - 78 db(A)
Vega	D	115 m³/h - 52 db(A)	205 m³/h - 64 db(A)	270 m³/h - 71 db(A)	---	---
Vertigo	C	288 m³/h - 50 db(A)	450 m³/h - 60 db(A)	603 m³/h - 68 db(A)	---	691 m³/h - 71 db(A)
Wave	B	208 m³/h - 51 db(A)	272 m³/h - 59 db(A)	384 m³/h - 66 db(A)	---	515 m³/h - 72 db(A)
Ye	A	220 m³/h - 45 db(A)	300 m³/h - 52 db(A)	455 m³/h - 61 db(A)	---	600 m³/h - 66 db(A)

	ENERGY CLASS	1 SPEED m³/h-db(A)	2 SPEED m³/h-db(A)	3 SPEED m³/h-db(A)	4 SPEED m³/h-db(A)	5 SPEED m³/h-db(A)	6 SPEED m³/h-db(A)	7 SPEED m³/h-db(A)	8 SPEED m³/h-db(A)	9 SPEED m³/h-db(A)	BOOSTER 1* m³/h-db(A)	BOOSTER 2* m³/h-db(A)
NT FIT (Duct-out)	A	195 - 47	330 - 52	360 - 54	---	---	---	---	---	---	515 - 63	620 - 67
NT FLAME (Duct-out)	A	225 - 48	315 - 56	400 - 62	---	---	---	---	---	---	485 - 66	600 - 71
NT FLAME (Filtering)	A	185 - 53	300 - 63	380 - 68	---	---	---	---	---	---	460 - 72	550 - 77
NT LIBRA (Duct-out)	A	135 - 33	340 - 57	405 - 62	---	---	---	---	---	---	500 - 66	630 - 72
NT LIBRA (Filtering)	A	185 - 53	300 - 63	380 - 68	---	---	---	---	---	---	460 - 72	550 - 77
NT ONE (Duct-out)	A+	130 - 34	205 - 44	235 - 47	280 - 51	305 - 54	335 - 56	370 - 58	390 - 59	410 - 61	640 - 72	---
NT ONE (Filtering)	A+	105 - 40	170 - 50	200 - 53	235 - 57	260 - 59	290 - 62	320 - 64	340 - 65	360 - 67	545 - 77	---
NT PRIME (Duct-out)	A	200 - 43	320 - 57	400 - 61	---	---	---	---	---	---	485 - 66	620 - 72
NT PRIME (Filtering)	A	185 - 53	300 - 63	380 - 68	---	---	---	---	---	---	460 - 72	550 - 77
NT SWITCH (Duct-out)	A+	135 - 33	190 - 41	220 - 44	260 - 49	290 - 52	315 - 54	350 - 57	375 - 59	---	590 - 70	630 - 71
NT SWITCH (Filtering)	A+	110 - 39	160 - 48	190 - 51	230 - 55	255 - 58	280 - 60	310 - 62	330 - 64	---	540 - 75	550 - 76
NT Prime (Filtering)	**	175 - 54	336 - 69	384 - 71	---	---	---	---	---	---	400 - 72	422 - 73
NT Switch (Duct-Out)	A+	121 - 37	150 - 49	278 - 52	296 - 54	314 - 56	338 - 58	368 - 59	374 - 60	---	580 - 70	620 - 72
NT Switch (Filtering)	**	134 - 43	174 - 48	230 - 55	243 - 56	288 - 60	306 - 62	326 - 63	349 - 64	---	363 - 65	536 - 74

* Velocità intensive temporizzate *Booster time speeds
** Modello non soggetto a certificazione energetica obbligatoria *Model not subject to compulsory energy certification.

APPROFONDIMENTI
LEARN MORE

	REDUCTION 150/125	ODOUR FILTER ALERT	GREASE FILTER ALERT	NO RETURN VALVE
Acuta	---	√	√	√
Adèle	√	√	√	√
Adèle Is	√	√	√	√
Aplomb	---	√	√	√
Audrey	---	√	√	
Belt	---	√	√	√
Bio	---	√	√	√
Bio Island	---	√	√	√
Bloom	---	√	√	√
Bloom-S	---	√	√	√
Boxin	√	---	---	---
Boxin Lx	√	---	---	---
Boxin No Drip	√	√	√	
Boxin Plus	√	---	---	√
Ciak Lux	---	---	---	---
Circus	√	---	---	---
Cloud Seven	---	√	√	---
Cruise	---	√	√	√
Easy	---	√	√	---
Edith	---	√	√	---
Elektra	---	√	√	---
Elibloc Ht	---	---	---	---
Elibloc Lux	---	√	√	√
Elite 14	---	---	---	√
Elite 35	---	√	√	√
Elle	---	√	√	√
Era	---	---	---	√
Era C	---	---	---	√
Era S	---	---	---	√
Estrabile	---	---	---	---

	REDUCTION 150/125	ODOUR FILTER ALERT	GREASE FILTER ALERT	NO RETURN VALVE
Flat Glass	√	---	---	√
Galaxy	---	√	√	√
Galaxy Island	---	√	√	√
Getup	---	√	√	---
Glass Out	---	√	√	√
Grace	---	√	√	---
Haiku	√	√	√	√
Haiku Island	√	√	√	√
Hidden 2.0	√	√	√	√
Hidden 2.0 @	√	√	√	---
Hilight W H30	---	√	√	---
Hilight-W H16	---	√	√	---
Hilight-X H16	---	√	√	---
Hilight-X H30	---	√	√	---
Hydra	---	---	---	---
Ikona Light	---	√	√	---
Illusion H16	---	√	√	---
Illusion H30	---	√	√	---
Interstellar	---	√	√	---
Joy	√	√	√	---
Joy Island	---	√	√	√
Juno	---	---	---	---
Juno Urban	---	---	---	---
Krea	---	---	---	---
Krea Lx	---	---	---	---
Krea St	---	---	---	---
Kuadra Island	√	√	√	√
Kuadra	√	√	√	√
L'essenza	---	√	√	√
Lane	√	√	√	√

APPROFONDIMENTI
LEARN MORE

	REDUCTION 150/125	ODOUR FILTER ALERT	GREASE FILTER ALERT	NO RETURN VALVE
Lever	---	---	---	---
Lol	---	√	√	√
Lullaby Duct-Out	---	√	√	
Lullaby Filtering	---	√	√	
Majestic	---	√	√	√
Majestic No Drip	---	√	√	√
Meteorite	---	√	√	√
Meteorite Island	---	√	√	√
Mini Om	---	---	---	√
Missy	---	---	---	√
Moon	---	√	√	√
Moon Island	---	√	√	---
Naked	---	√	√	---
Naked Urban	---	√	√	---
Nuage	---	√	√	---
Om Air	---	√	√	---
Pandora	---	√	√	---
Pandora Gme	---	√	√	---
Pix	---	√	√	---
Plat	---	√	√	---
Reef	---	√	√	√
Reef Island	---	√	√	√
Rubino Corner	√	---	---	---
Rules	---	√	√	√
Seashell	---	---	---	---
Sheen-S	---	√	√	√
Shining	---	√	√	---
Shire	---	√	√	√
Shy-S	---	√	√	√
Sinfonia	---	√	√	√

	REDUCTION 150/125	ODOUR FILTER ALERT	GREASE FILTER ALERT	NO RETURN VALVE
Skydome H16	---	√	√	---
Skydome H30	---	√	√	---
Spot Ng	√	---	---	√
Spot Plus	√	√	√	---
Spot Plus Island	√	√	√	---
Spot Urban Cast	√	---	---	√
Star	---	√	√	---
Stone	---	---	---	---
Stripe	---	√	√	√
Stripe Urban	---	√	√	√
Summilux	---	√	√	---
Super Plat	---	√	√	---
Sweet	√	√	√	√
Synthesis	---	√	√	---
Tamaya	---	---	---	---
Thin	---	√	√	√
Thin Island	√	√	√	√
Tonda	√	---	---	---
Tribe	---	√	√	√
Tribe Island	---	√	√	√
Tube Pro	---	---	---	√
Tube Pro Island	√	---	---	√
Twin	---	√	√	---
Vega	---	---	---	---
Vertigo	---	√	√	√
Wave	---	√	√	
Ye	---	---	---	√

FILTRI GRASSI GREASE FILTERS

Filtro Grassi Alluminio
Aluminium Grease Filter
KIT0010805

24,50 €



Filtro grassi a strati in alluminio (GFA). Questo filtro è il più diffuso sul mercato anche perché grazie alla sua dimensione può essere facilmente lavato a mano e in lavastoviglie.

Layered aluminum grease filter (GFA). This filter is the most common on the market, also because, thanks to its size it can be easily washed by hand, or in the dishwasher.

Filtri Grassi Professionali Inox
Professional Stainless Steel Grease Filters
KIT0010806

34,50 €



Filtro grassi con primo strato in acciaio e lamiera microforata posteriore, facilmente lavabile e con un'elevata captazione dei grassi.

Grease filter with the first layer in steel and a microperforated back metal sheet, easily washable and with high grease capturing capacity.

Filtro Professionale Buffle
Buffle Professional Filter
KIT0010804


92,50 €



Filtro grassi completamente in acciaio che dà al prodotto un aspetto tipico delle cappe industriali. Grazie al labirinto degli strati in acciaio, questo filtro ha un'elevata captazione dei grassi.

All steel grease filter that gives the product a typical industrial hood look. Thanks to the labyrinth of steel layers, this filter has a high grease capturing capacity.

Filtro Grassi Inox
Stainless Steel Grease Filter



Filtro grassi a strati in alluminio (GFI). Il primo strato estetico in acciaio conferisce un aspetto professionale mantenendo il vantaggio di essere facilmente lavabile.

Layered aluminum grease filter (GFI). The first aesthetic steel layer gives it a professional look, while still maintaining its easy washability.

FILTRI ODORI ODOUR FILTERS

Filtro Carbone
Charcoal Filter



Il filtro odori tradizionale, composto da una miscela di carboni attivi, perde la sua efficacia attraverso il suo utilizzo ed ha una vita media di 3-6 mesi.

The traditional odour filter, made up of a mix of activated carbons, loses its efficiency through use and has an average life of 3-6 months.

Revolution Filter



Filtro Odori con elevatissimo livello di efficienza >82% capace di rigenerarsi e di durare fino ad un massimo di 3 anni rispetto a filtri standard. Per mantenere tali caratteristiche, il filtro deve essere lavato ogni 2 o 3 mesi con acqua calda e detergente delicato o nella lavastoviglie a 65°C. e poi asciugato in forno per 10 minuti a 100°.

Odour filter with very high efficiency level >82%. Capable of regenerating itself and of lasting up to a maximum of 3 years in comparison to standard filters. To maintain such characteristics, the filter must be washed every 2 or 3 months with hot water and mild soap, or in the dishwasher at 65°C. and can be dried in the the oven for 10 minutes at 100°.

Filtro Carbone Rigenerabile
Regenerable Charcoal Filter



Il Filtro Carbone Rigenerabile ha le stesse caratteristiche del revolution filter ma con un'efficienza di filtraggio che si aggira tra il 40-60%.

The Regenerable Charcoal Filter has the same characteristics of the revolution filter, but with a filtering efficiency that ranges from 40-60 %.

Filtro Ceramico
Ceramic Filter



Il filtro ceramico è un filtro carbone modulare che si rigenera termicamente in forno ogni 2/3 mesi a 200° per 45 minuti, fino ad un massimo di 5 anni. Permette di raggiungere un'altissima efficienza di assorbimento odori ed un'elevata resistenza meccanica.

The ceramic filter is a modular charcoal filter that can be thermally regenerated in the oven every 2/3 months at 200° for 45 minutes, up to max 5 years. It allows for very high odour absorption efficiency and very high mechanical strength.

FILTRI ODORI
ODOUR FILTERS

	CODICE FILTRO FILTER CODE	TIPO FILTRO FILTER TYPE			CODICE FILTRO FILTER CODE	TIPO FILTRO FILTER TYPE	
ACUTA	CFC0140343	Carbone / Charcoal	43,50 €	EASY	CFC0140384	Carbone rigenerabile Regenerable charcoal	103,50 €
ADÉLE	CFC0141529A	Carbone / Charcoal	33,00 €	EDITH	CFC0140053	Carbone Revolution Revolution charcoal	214,50 €
	CFC0141725A	Carbone rigenerabile Regenerable charcoal	73,50 €		CFC0140090	Carbone rigenerabile Regenerable charcoal	119,00 €
ADÉLE ISLAND	CFC0141529A	Carbone / Charcoal	33,00 €	ELEKTRA	CFC0140088	Carbone rigenerabile Regenerable charcoal	55,00 €
	CFC0141725A	Carbone rigenerabile Regenerable charcoal	73,50 €	ELIBLOC HT	CFC0140122	Carbone / Charcoal	30,00 €
APLOMB	CFC0140343	Carbone / Charcoal	43,50 €	ELITE 14	CFC0141571	Carbone / Charcoal	45,50 €
AUDREY	CFC0140053	Carbone Revolution Revolution charcoal	214,50 €	ELITE 35	CFC0140075	Carbone / Charcoal	30,00 €
	CFC0140090	Carbone rigenerabile Regenerable charcoal	119,00 €	ELLE	CFC0140343	Carbone / Charcoal	43,50 €
BELT	CFC0140343	Carbone / Charcoal	43,50 €	ERA	CFC0141571	Carbone / Charcoal	45,50 €
	CFC0162221	Carbone rigenerabile Regenerable charcoal	99,00 €	ERA C	CFC0141571	Carbone / Charcoal	45,50 €
BIO	CFC0140091	Carbone Revolution Revolution charcoal	202,50 €	ERA S	CFC0141571	Carbone / Charcoal	45,50 €
BIO ISLAND	CFC0140091	Carbone Revolution Revolution charcoal	202,50 €	ESTRAIBILE	CFC0141732	Carbone / Charcoal	34,50 €
BLOOM	CFC0140343	Carbone / Charcoal	43,50 €	FLAT GLASS	CFC0141529A	Carbone / Charcoal	33,00 €
	CFC0162221	Carbone rigenerabile Regenerable charcoal	99,00 €		CFC0141725A	Carbone rigenerabile Regenerable charcoal	73,50 €
BLOOM-S	CFC0140343	Carbone / Charcoal	43,50 €	GALAXY	CFC0141529A	Carbone / Charcoal	33,00 €
	CFC0162221	Carbone rigenerabile Regenerable charcoal	99,00 €		CFC0141725A	Carbone rigenerabile Regenerable charcoal	73,50 €
BOXIN	CFC0141497	Carbone / Charcoal	23,00 €	GALAXY ISLAND	CFC0141529A	Carbone / Charcoal	33,00 €
BOXIN LX	CFC0140343	Carbone / Charcoal	43,50 €		CFC0141725A	Carbone rigenerabile Regenerable charcoal	73,50 €
	CFC0162221	Carbone rigenerabile Regenerable charcoal	99,00 €	GETUP	KIT0166432	Carbone rigenerabile HP Regenerable charcoal HP	300,00 €
BOXIN NO DRIP	CFC0140343	Carbone / Charcoal	43,50 €		KIT0166444	Carbone rigenerabile Regenerable charcoal	99,00 €
	CFC0162221	Carbone rigenerabile Regenerable charcoal	99,00 €	GLASS OUT	CFC0140343	Carbone / Charcoal	43,50 €
BOXIN PLUS	CFC0140343	Carbone / Charcoal	43,50 €		CFC0162221	Carbone rigenerabile Regenerable charcoal	99,00 €
	CFC0162221	Carbone rigenerabile Regenerable charcoal	99,00 €	GRACE	CFC0140384	Carbone rigenerabile Regenerable charcoal	103,50 €
CIAK	CFC0141563	Carbone / Charcoal	23,00 €	HAIKU	CFC0141529A	Carbone / Charcoal	33,00 €
CIRCUS	CFC0141529A	Carbone / Charcoal	33,00 €		CFC0141725A	Carbone rigenerabile Regenerable charcoal	73,50 €
	CFC0141725A	Carbone rigenerabile Regenerable charcoal	73,50 €	HAIKU ISLAND	CFC0141529A	Carbone / Charcoal	33,00 €
CRUISE	CFC0141529A	Carbone / Charcoal	33,00 €		CFC0141725A	Carbone rigenerabile Regenerable charcoal	73,50 €
	CFC0141725A	Carbone rigenerabile Regenerable charcoal	73,50 €				

FILTRI ODORI
ODOUR FILTERS

	CODICE FILTRO FILTER CODE	TIPO FILTRO FILTER TYPE			CODICE FILTRO FILTER CODE	TIPO FILTRO FILTER TYPE	
HIDDEN	CFC0140343	Carbone / Charcoal	43,50 €	MAJESTIC NO DRIP	CFC0140343	Carbone / Charcoal	43,50 €
	CFC0162221	Carbone rigenerabile Regenerable charcoal	99,00 €		CFC0162221	Carbone rigenerabile Regenerable charcoal	99,00 €
HIDDEN 2.0	CFC0140343	Carbone / Charcoal	43,50 €	METEORITE	CFC0140091	Carbone Revolution Revolution charcoal	202,50 €
	CFC0162221	Carbone rigenerabile Regenerable charcoal	99,00 €	METEORITE ISLAND	CFC0140091	Carbone Revolution Revolution charcoal	202,50 €
HIDDEN 2.0 @	CFC0140343	Carbone / Charcoal	43,50 €	MINI OM	CFC0140423	Carbone rigenerabile Regenerable charcoal	52,00 €
	CFC0162221	Carbone rigenerabile Regenerable charcoal	99,00 €	MOON	CFC0141529A	Carbone / Charcoal	33,00 €
HYDRA	CFC0140122	Carbone / Charcoal	30,00 €		CFC0141725A	Carbone rigenerabile Regenerable charcoal	73,50 €
IKONA LIGHT	CFC0140343	Carbone / Charcoal	43,50 €	MOON ISLAND	CFC0141529A	Carbone / Charcoal	33,00 €
INTERSTELLAR	CFC0140053	Carbone Revolution Revolution charcoal	214,50 €		CFC0141725A	Carbone rigenerabile Regenerable charcoal	73,50 €
	CFC0140090	Carbone rigenerabile Regenerable charcoal	119,00 €	NAKED	CFC0140384	Carbone rigenerabile Regenerable charcoal	103,50 €
JOY	CFC0141529A	Carbone / Charcoal	33,00 €	NAKED URBAN	CFC0140384	Carbone rigenerabile Regenerable charcoal	103,50 €
	CFC0141725A	Carbone rigenerabile Regenerable charcoal	73,50 €	NUAGE	CFC0140343	Carbone / Charcoal	43,50 €
JOY ISLAND	CFC0141529A	Carbone / Charcoal	33,00 €		CFC0162221	Carbone rigenerabile Regenerable charcoal	99,00 €
	CFC0141725A	Carbone rigenerabile Regenerable charcoal	73,50 €	OM AIR	CFC0140343	Carbone / Charcoal	43,50 €
JUNO	CFC0140088	Carbone rigenerabile Regenerable charcoal	55,00 €		CFC0162221	Carbone rigenerabile Regenerable charcoal	99,00 €
JUNO URBAN	CFC0140088	Carbone rigenerabile Regenerable charcoal	55,00 €	PANDORA	CFC0142324	Carbone / Charcoal	56,00 €
KREA	CFC0140064	Carbone / Charcoal	25,00 €	PIX	KIT0147175	Carbone rigenerabile Regenerable charcoal	124,00 €
KUADRA	CFC0140423	Carbone rigenerabile Regenerable charcoal	52,00 €	PLAT	CFC0140423	Carbone rigenerabile Regenerable charcoal	52,00 €
KUADRA ISLAND	CFC0140423	Carbone rigenerabile Regenerable charcoal	52,00 €	REEF	CFC0141529A	Carbone / Charcoal	33,00 €
L'ESSENZA	CFC0140343	Carbone / Charcoal	43,50 €		CFC0141725A	Carbone rigenerabile Regenerable charcoal	73,50 €
LANE	CFC0140343	Carbone / Charcoal	43,50 €	REEF ISLAND	CFC0141529A	Carbone / Charcoal	33,00 €
	CFC0162221	Carbone rigenerabile Regenerable charcoal	99,00 €		CFC0141725A	Carbone rigenerabile Regenerable charcoal	73,50 €
LEVER	CFC0140343	Carbone / Charcoal	43,50 €	RUBINO CORNER	CFC0140124	Carbone / Charcoal	35,50 €
	CFC0162221	Carbone rigenerabile Regenerable charcoal	99,00 €	RULES	CFC0166361	Carbone rigenerabile Regenerable charcoal	29,00 €
LOL	CFC0141529A	Carbone / Charcoal	33,00 €	SEASHELL	CFC0141725A	Carbone rigenerabile Regenerable charcoal	73,50 €
	CFC0141725A	Carbone rigenerabile Regenerable charcoal	73,50 €	SHEEN-S	CFC0140343	Carbone / Charcoal	43,50 €
MAJESTIC	CFC0140343	Carbone / Charcoal	43,50 €	SHINING	CFC0140053	Carbone Revolution Revolution charcoal	214,50 €
	CFC0162221	Carbone rigenerabile Regenerable charcoal	99,00 €		CFC0140090	Carbone rigenerabile Regenerable charcoal	119,00 €

FILTRI ODORI
ODOUR FILTERS

	CODICE FILTRO FILTER CODE	TIPO FILTRO FILTER TYPE	
SHIRE	CFC0140343	Carbone / Charcoal	43,50 €
SHY-S	CFC0140343	Carbone / Charcoal	43,50 €
SINFONIA	CFC0140088	Carbone rigenerabile Regenerable charcoal	55,00 €
SPOT NG	CFC0141529A	Carbone / Charcoal	33,00 €
	CFC0141725A	Carbone rigenerabile Regenerable charcoal	73,50 €
SPOT NG URBAN	CFC0141529A	Carbone / Charcoal	33,00 €
	CFC0141725A	Carbone rigenerabile Regenerable charcoal	73,50 €
SPOT PLUS ISLAND	CFC0141529A	Carbone / Charcoal	33,00 €
	CFC0141725A	Carbone rigenerabile Regenerable charcoal	73,50 €
SPOT PLUS	CFC0141529A	Carbone / Charcoal	33,00 €
	CFC0141725A	Carbone rigenerabile Regenerable charcoal	73,50 €
STAR	CFC0140384	Carbone rigenerabile Regenerable charcoal	103,50 €
STONE	CFC0141529A	Carbone / Charcoal	33,00 €
	CFC0141725A	Carbone rigenerabile Regenerable charcoal	73,50 €
STRIPE	CFC0140343	Carbone / Charcoal	43,50 €
	CFC0162221	Carbone rigenerabile Regenerable charcoal	99,00 €
STRIPE URBAN	CFC0140343	Carbone / Charcoal	43,50 €
	CFC0162221	Carbone rigenerabile Regenerable charcoal	99,00 €
SUMMILUX	CFC0140053	Carbone Revolution Revolution charcoal	214,50 €
	CFC0140090	Carbone rigenerabile Regenerable charcoal	119,00 €
SUPER PLAT	CFC0140423	Carbone rigenerabile Regenerable charcoal	52,00 €
SWEET	CFC0140426	Carbone rigenerabile Regenerable charcoal	42,00 €
SYNTHESIS	CFC0141529A	Carbone / Charcoal	33,00 €
	CFC0141725A	Carbone rigenerabile Regenerable charcoal	73,50 €
TAMAYA	CFC0140124	Carbone / Charcoal	35,50 €

	CODICE FILTRO FILTER CODE	TIPO FILTRO FILTER TYPE	
THIN	CFC0141529A	Carbone / Charcoal	33,00 €
	CFC0141725A	Carbone rigenerabile Regenerable charcoal	73,50 €
THIN ISLAND	CFC0141529A	Carbone / Charcoal	33,00 €
	CFC0141725A	Carbone rigenerabile Regenerable charcoal	73,50 €
TONDA	CFC0140124	Carbone / Charcoal	35,50 €
TRIBE	CFC0141529A	Carbone / Charcoal	33,00 €
	CFC0141725A	Carbone rigenerabile Regenerable charcoal	73,50 €
TRIBE ISLAND	CFC0141529A	Carbone / Charcoal	33,00 €
	CFC0141725A	Carbone rigenerabile Regenerable charcoal	73,50 €
TUBE PRO	CFC0140423	Carbone rigenerabile Regenerable charcoal	52,00 €
TUBE PRO ISLAND	CFC0140423	Carbone rigenerabile Regenerable charcoal	52,00 €
TWIN	CFC0140384	Carbone rigenerabile Regenerable charcoal	103,50 €
VEGA	CFC0140064	Carbone / Charcoal	25,00 €
VERTIGO	CFC0140343	Carbone / Charcoal	43,50 €
	CFC0162221	Carbone rigenerabile Regenerable charcoal	99,00 €
WAVE	CFC0140384	Carbone rigenerabile Regenerable charcoal	103,50 €
YE	CFC0141737	Carbone rigenerabile Regenerable charcoal	113,00 €

	CODICE FILTRO FILTER CODE	TIPO FILTRO FILTER TYPE	
NIKOLATESLA FIT	KIT0167755	Filtro carbone ceramico Ceramic filter	200,00 €
NIKOLATESLA FLAME	KIT0120952A	Filtro carbone ceramico Ceramic filter	325,00 €
NIKOLATESLA LIBRA	KIT0120952A	Filtro carbone ceramico Ceramic filter	325,00 €
NIKOLATESLA ONE	KIT0120952A	Filtro carbone ceramico Ceramic filter	325,00 €
NIKOLATESLA PRIME	KIT0120952A	Filtro carbone ceramico Ceramic filter	325,00 €
NIKOLATESLA SWITCH	KIT0120952A	Filtro carbone ceramico Ceramic filter	325,00 €

* per i kit filtro carbone relativi ai modelli ceiling vedere nella sezione dedicata

* see the dedicated section for the ceiling model carbon filter kits

MOTORI REMOTI
REMOTE MOTORS

GME22 MOTOR


Portata Airflow
Assorbimento Tot. Absorption Tot.
Uscita Duct size

1420 m³/h
200 W
150 mm

PRF0006212A

Disponibile per Available for
PANDORA

800,00 €



GME88 MOTOR


Portata Airflow
Assorbimento Tot. Absorption Tot.
Uscita Duct size

1495 m³/h
250 W (50Hz)
390 W (60Hz)
150 mm

PRF0046491A

Disponibile per Available for
PANDORA

900,00 €



GME EXTERNAL WALL


Portata Airflow
Assorbimento Tot. Absorption Tot.
Uscita Duct size

1100 m³/h
150 W
150 mm

KIT0147880

Disponibile per Available for
HILIGHT / ILLUSION /
SKYDOME

1.340,50 €



GME EXTERNAL ROOF TILED



Portata Airflow
Assorbimento Tot. Absorption Tot.
Uscita Duct size

1200 m³/h
200 W
150 mm

KIT0147881

Disponibile per Available for
HILIGHT / ILLUSION /
SKYDOME

2.371,50 €




GME EXTERNAL INCLINED ROOF KIT0147882

Portata Airflow
Assorbimento Tot. Absorption Tot.
Uscita Duct size

1200 m³/h
200 W
150 mm

Disponibile per Available for
HILIGHT / ILLUSION /
SKYDOME

1.948,50 €



GME INTERNAL INLINE


Portata Airflow
Assorbimento Tot. Absorption Tot.
Uscita Duct size

2150 m³/h
250 W
150 mm
(264mm motor)

KIT0147879

Disponibile per Available for
HILIGHT / ILLUSION /
SKYDOME

1.021,00 €



L'IMPORTANZA DELLA CAPPA IN CUCINA THE IMPORTANCE OF THE HOOD IN THE KITCHEN

La cappa è un alleato imprescindibile in cucina per migliorare la qualità dell'aria e mantenere un ambiente sano. I fumi della combustione, i cattivi odori, l'odore e i vapori della cottura sono infatti fastidiosi e dannosi non solo per le persone, ma possono deteriorare anche i mobili e le pareti. È quindi importante assicurare una aspirazione efficace, di facile utilizzo e silenziosa che possa rimuoverli lasciando l'ambiente più salubre e pulito.

Eclettica nelle funzioni, la cappa viene oggi utilizzata non solo come fondamentale **corpo aspirante**, ma anche come **fonte luminosa** in grado di illuminare al meglio il piano cottura o di creare atmosfere più soffuse, o come vero e proprio **complemento d'arredo**. I numerosi modelli e finiture disponibili sul mercato permettono di personalizzare l'ambiente in base al design della propria cucina e dei singoli gusti: che sia minimal e lineare o di grande impatto e protagonista, la cappa oggi è diventata un elemento centrale nelle nostre cucine.

The extractor hood is an essential tool in the kitchen, helping to improve air quality and maintain a healthy environment. Combustion fumes, unpleasant smells, odours and cooking vapours are, in fact, both annoying and harmful not only for people, but can also deteriorate furniture and walls. It is, therefore, important to ensure effective, easy-to-use and silent extraction that can eliminate them, leaving the kitchen more hygienic and cleaner. With its eclectic function, the hood is now used not only as a basic **extractor unit**, but also as a **light source** to illuminate the hob, to create softer atmospheres or as an authentic **furnishing accessory**. The numerous models and finishes available on the market allow you to customise the space according to the design of your kitchen and individual taste: whether it is minimal and linear or a statement, signature piece, the hood today has become a central element in our kitchens.


QUALE CAPPA SCEGLIERE? WHICH HOOD SHOULD I CHOOSE?

Tra i tanti modelli disponibili è difficile orientarsi sulla scelta migliore. Per trovare la cappa che più si adatta al proprio ambiente, gusto e stile di vita bisogna tenere in considerazione alcuni fattori principali: corretta potenza di aspirazione, tipologia di installazione, design della cucina. Per ripulire al meglio l'aria, la cappa deve avere la **giusta potenza** di aspirazione. Valuta le dimensioni della tua cucina e le tue abitudini culinarie. Con un semplice calcolo è possibile definire quale sia la portata ideale per ogni ambiente: basta moltiplicare per 10 il volume della stanza. **Facilità di utilizzo e silenziosità** sono altre due variabili importanti che ti aiuteranno a vivere una user experience appagante.

It can be difficult to find the best choice among the many models on offer. To find the hood that best suits your space, personal taste and lifestyle, you should consider several key factors: correct extraction power, type of installation and kitchen design. For the best air removal performance, the hood must offer the **right extraction power**. Take a look at the size of your kitchen and your cooking habits. With a simple calculation, it is possible to define the ideal flow rate for each room: just multiply the room volume by 10. **Ease-of-use and silence** are another two important variables that will help you achieve the best user experience.

La **tipologia di installazione** è fondamentale per restringere il campo e indirizzarsi sulla categoria necessaria per la propria cucina.


The **type of installation** is essential in narrowing the field and finding the category you need for your kitchen.



AD INCASSO BUILT-IN

La cappa è incassata all'interno del pensile, scomparendo alla vista.


The hood is built into the cabinet, disappearing from view.



A PARETE WALL-MOUNTED

La cucina è posizionata contro la parete con il piano cottura in adiacenza al muro. Cappa da installare a parete.

The kitchen is positioned against the wall with the hob adjacent to the wall. Wall-mounted hood.



A ISOLA ISLAND

La cucina è posizionata al centro della stanza con il piano cottura distante dal muro. Cappa da installare a soffitto.


The kitchen is positioned in the centre of the room with the hob away from the wall. Ceiling-mounted hood.



AD ANGOLO CORNER

La cucina è sviluppata tra due pareti della stanza e il piano cottura è posizionato a ridosso dell'angolo. Cappa da installare tra le pareti adiacenti.


The kitchen is laid out between two walls of the room and the hob is positioned close to the corner. Install the hood between adjacent walls.



CEILING

La cucina è posizionata o al centro della stanza o contro la parete. La cappa diventa luce e aspirazione e si installa nel controsoffitto.

The kitchen is positioned either in the centre of the room or against the wall. The hood acts as both a light and extractor and is installed in the false ceiling.



DOWNDRAFT

Il piano cottura è posizionato distante dal muro, su un bancone a penisola o al centro della stanza. Cappa da installare direttamente sul top.

The hob is positioned away from the wall, on a peninsula counter or in the centre of the room. Install the hood directly on the top.



SOSPESA SUSPENDED

Cappa da installare a soffitto, a sospensione come un lampadario.

Install the hood on the ceiling, suspended like a pendant light.



PIANO COTTURA ASPIRANTE
EXTRACTOR HOB

La cappa è integrata nel piano cottura. Aspirazione dal basso.

The hood is integrated into the hob. Extraction from below.

COME INSTALLARLA? HOW IS IT INSTALLED?

Il perfetto funzionamento della cappa è assicurato da una corretta installazione, garantita da personale specializzato. Il montaggio e la manutenzione variano in base alle due tipologie di cappa: aspirante e filtrante.


Molti i modelli Elica sono predisposti per lavorare in entrambe le versioni. Prima di procedere all'installazione della tua cappa, tieni a mente queste semplici regole di base:

- Segui tutte le fasi indicate nel libretto di istruzioni;
- Collega la cappa aspirante all'esterno con una tubazione dedicata dal diametro 120-150mm: una lunghezza ridotta e l'assenza di curvature garantiscono prestazioni ottimali.
- Rispetta la distanza minima dal piano cottura indicata nel libretto, al fine di evitare danni alle parti funzionali e salvaguardare la sicurezza delle persone;
- Controlla che la posizione della presa elettrica sia in prossimità del prodotto per il collegamento;
- In caso di difficoltà richiedi l'intervento di un tecnico specializzato di tua fiducia.

Perfect hood operation is ensured by correct installation, guaranteed by specialised personnel. Assembly and maintenance vary according to the two types of hood: extractor and filter. Many Elica models are designed to work in both versions. Before starting installation of your hood, bear in mind these simple, basic rules:

- Follow all the steps indicated in the instruction booklet;
- Connect the extractor hood to the outside using a dedicated pipe with a diameter of 120-150mm: a shorter length and the absence of bends guarantee the best performance.
- Respect the minimum distance from the hob indicated in the booklet to avoid damage to the operational parts and protect personal safety;
- Ensure that the location of the electrical outlet is close to the product for connection;
- In case of difficulty, request the intervention of a specialised technician.


CAPPA FILTRANTE FILTER HOOD



La cappa filtrante elimina fumi e cattivi odori attraverso i filtri dedicati e reimmette l'aria ripulita nell'ambiente cucina. Questa tipologia è adatta in situazioni prive del foro di evacuazione all'esterno.

The filter hood eliminates fumes and unpleasant odours via dedicated filters and returns clean air to the kitchen. This type of hood is suitable in situations without no external evacuation hole.

CAPPA ASPIRANTE EXTRACTOR HOOD



La cappa aspirante espelle l'aria all'esterno dell'abitazione. È la tipologia più diffusa in quanto garantisce elevate prestazioni, alta portata e bassa rumorosità.

The extractor hood expels the air outside the home. It is the most common type as it guarantees high performance, high flow rate and minimum noise.

MANUTENZIONE MAINTENANCE

Per assicurare una lunga durata e un corretto funzionamento della tua cappa, il primo passo è mantenere in ottimo stato il sistema di filtraggio.

To ensure that your hood lasts for a long time and continues to work correctly, the first step is to keep the filtering system in tip-top condition.



Le cappe filtranti prevedono due tipologie di filtro: il filtro grassi, che ripulisce l'aria dai grassi dispersi durante la cottura, e il filtro odori. Entrambi vanno regolarmente puliti e sostituiti per assicurare performance sempre alte.

- Il filtro grassi protegge la tua cappa trattenendo le particelle di grasso. Il filtro grassi può essere in versione alluminio o inox e richiede una pulizia periodica a mano con detergente neutro o in lavastoviglie a basse temperature (*), oppure in carta. In questo caso va sostituito ogni mese in base all'utilizzo.
- Il filtro odori, a carboni attivi, installato sulle cappe filtranti, cattura e trattiene le particelle odorose dell'aria. Ricorda di sostituirlo ogni 3-4 mesi. I filtri odori long life hanno invece una durata maggiore: sono infatti rigenerabili, possono essere lavati e asciugati e sostituiti ogni due anni. Bastano semplici e piccole accortezze per mantenere sana ed efficiente la tua cappa nel tempo.

(*) Verificare sempre come lavare il filtro sul libretto d'istruzione del prodotto

Filter hoods feature two types of filter: the grease filter which removes the grease from the air dispersed during cooking and the odour filter. Both must be regularly cleaned and replaced to ensure the very best performance.

- The grease filter protects your hood by trapping grease particles. The grease filter can be made of aluminium or stainless steel and requires periodic cleaning by hand with a neutral detergent or in the dishwasher at a low temperature (*), or alternatively in a paper version. In this case, it must be replaced every month based on use.
- The odour filter with activated carbon, installed on filter hoods, captures and traps odour particles in the air. Remember to replace it every 3-4 months. Long-life odour filters, on the other hand, last longer. They can, in fact, be regenerated and washed, dried and replaced every two years. A few simple, minor precautions are all it takes to keep your hood hygienic and working efficient over time.

(*) Always check how to wash the filter in the product instruction booklet


ETICHETTA ENERGETICA
ENERGY LABEL

L'Etichetta Energetica è uno strumento fondamentale per scegliere la cappa aspirante più idonea alle proprie esigenze. Dalla sua lettura è possibile ottenere immediatamente informazioni non solo in merito ai suoi consumi di energia, ma anche un quadro semplice e chiaro dell'efficienza con cui essa espleta le sue funzioni. In ciascuna pagina del catalogo trovate un simbolo che indica la Classe Energetica del prodotto presentato. Per ottenere informazioni dettagliate di ciascuna versione del modello di interesse, tra cui tutti i parametri riportati nell'etichetta energetica, procedere come segue:

- Identificare il **codice del prodotto** di interesse
- Nel sito web **www.elica.com** accedere alla sezione DOWNLOADS dell'area ASSISTENZA, inserire il codice del prodotto nell'apposito campo di ricerca e scaricare il documento PDF (Product Fiche) che riporta tutte le caratteristiche del prodotto, in accordo ai regolamenti EU n° 65/2014 e 66/2014.

The Energy Label constitutes a fundamental tool for choosing the most suitable extractor hood for the user's needs. The label provides instant information on energy consumption and the level of efficiency of the product's performances. Each page of our catalogue contains a symbol indicating the energy class of the product presented. For obtaining detailed information on each version of the desired model, including all the parameters appearing on the energy label, proceed as follows:

- Identify the **product code** of the relevant model
- Visit the website **www.elica.com** and go to the DOWNLOADS section of the ASSISTANCE page, insert the product code in the search field and download the PDF document (Product Fiche) listing all the product characteristics, as per EU regulations no. 65/2014 and 66/2014.



1	NOME O MARCHIO DEL FORNITORE	SUPPLIER NAME OR BRAND.
2	IDENTIFICATIVO DEL MODELLO	MODEL IDENTIFICATION CODE.
3	CLASSE DI EFFICIENZA ENERGETICA A/A+/A++/A+++ Massima efficienza - D Minima.	ENERGY EFFICIENCY CLASS A/A+/A++/A+++ Maximum efficiency - D Minimun.
4	CONSUMO ANNUO DI ENERGIA STIMATO Per utilizzo standard.	ESTIMATED ANNUAL ENERGY CONSUMPTION For standard use
5	CLASSE DI EFFICIENZA FLUIDODINAMICA Indica l'efficienza con cui la cappa è in grado di aspirare i vapori generati dalla cottura. A Massima efficienza - G Minima.	FLUID DYNAMIC EFFICIENCY CLASS Indicates the efficiency with which the hood is able to extract vapours through cooking A Maximum efficiency - G Minimun.
6	CLASSE DI EFFICIENZA LUMINOSA Indica l'efficienza con cui la cappa illumina il piano cottura. A Massima efficienza - G Minima.	LIGHTING EFFICIENCY CLASS Indicates the efficiency with which the hood is able to illuminate the cooker hob A Maximum efficiency - G Minimun.
7	CLASSE EFFICIENZA FILTRAGGIO GRASSI Indica l'efficienza con cui la cappa filtra i grassi generati dalla cottura. A Massima efficienza - G Minima.	GREASE FILTERING EFFICIENCY CLASS Indicates the efficiency with which the hood filters grease generated through cooking A Maximum efficiency - G Minimun.
8	LIVELLO DI RUMOROSITÀ Indica il massimo livello di rumore generato dal prodotto nell'utilizzo normale.	NOISE LEVEL Indicates the maximum noise level generated by the product during normal use

BENVENUTO NEL SERVICE DI ELICA
WELCOME TO ELICA SERVICE

NUMERO ASSISTENZA
02.382.93.009

Un centro di supporto specializzato a disposizione dal lunedì al venerdì dalle 08:00 alle 20:00 e il sabato dalle 08:00 alle 14:00.

E-MAIL PER ASSISTENZA TECNICA
trade.italia@consumercare.elica.com

CENTRI ASSISTENZA
Il Service di Elica, attraverso un network composto da 180 service partnere selezionati, garantisce una copertura capillare del territorio nazionale.

SUPPORTO DEDICATO SU ELICA.COM
È possibile eseguire il download dei libretti di istruzioni direttamente su elica.com. Inoltre, per ulteriori approfondimenti, è disponibile un form di assistenza tecnica.

ACCESSORI E RICAMBI ORIGINALI
Una corretta manutenzione e la regolare sostituzione dei filtri carbone sono fondamentali per garantire il perfetto funzionamento dei nostri prodotti. I filtri carbone e grassi, gli accessori (es. tubazioni, telecomandi e lampade) e i prodotti per la pulizia sono disponibili su shop.elica.com

GARANZIA 24 MESI
Tutti i prodotti Elica godono della garanzia legale di 2 anni a partire dalla data di acquisto del prodotto.

PERCHÉ ACCONTENTARSI QUANDO PUOI AVERE DI PIÙ?
DEEP BREATHE ASSISTANCE
Acquistala per avere fino a **5 anni** di garanzia

- Estensione dell'assistenza a cinque anni
- Nessun costo aggiuntivo per intervento
- Ricambi originali Elica
- Centri assistenza selezionati

Chiama il numero assistenza o collegati al sito.

SERVICE NUMBER
02.382.93.009

A specialized support center available from Monday to Friday from 8 am to 8 pm and on Saturday from 8 am to 2 pm.

EMAIL FOR TECHNICAL SUPPORT
trade.italia@consumercare.elica.com

SERVICE CENTRES
Elica's service, through a network of 180 selected service partners, guaranteeing widespread coverage throughout Italy.

DEDICATED SUPPORT ON ELICA.COM
Instruction handbooks can be downloaded directly on elica.com. For further information, a technical support form is also available.

ACCESSORIES AND ORIGINAL SPARE PARTS
Proper maintenance and the regular replacement of the carbon filters is essential in guaranteeing the perfect operation of our products. Carbon and grease filters, accessories (ex. pipings, remote controls and lamps) and cleaning products are available on shop.elica.com.

24-MONTH WARRANTY
All Elica products enjoy a 2-year manufacturer's warranty, effective from the date of purchase.

WHY SETTLE FOR SECOND BEST WHEN YOU CAN HAVE SO MUCH MORE?

DEEP BREATH ASSISTANCE
Purchase it to enjoy up to **5 years'** warranty

- Warranty extension to five years
- No additional costs for intervention
- Elica original spare parts
- Selected service centres

Call the service number or go to the website.



REALIZED BY ELICA TEAM
BARBARA PERSIGILLI
FRANCESCA POETA
Graphic Design
and Coordination

IN COLLABORATION WITH

MMG - GALLARATE
Project Art Direction

ARCHÈ AGENCY - PESARO
Scenic Art Direction
Photorealistic 3D

SELECOLOR - FIRENZE
Post Production
Color Separation

GRAFICHE ANTIGA - TREVISO
Printing



**Il catalogo è proprietà di Elica spa. Tutti i diritti sono riservati.
È vietata ogni forma di riproduzione anche parziale.**

This catalogue is of exclusive property of Elica spa.
All rights are reserved. Any form of total or partial reproduction of
catalogue is strictly forbidden.

**La stampa tipografica non sempre riproduce fedelmente le tinte
ed i materiali originali.**

The printing process do not always permit a faithful reproducton
of tones and materials of originals.


**Elica si riserva di apportare modifiche ai dati e ai dettagli dei
prodotti presenti su questo catalogo anche senza preavviso.**

Elica may at any time modify the specifications and details of the
products present in the catalogue.

**I prezzi sono da considerarsi Iva esclusa
Data inizio validità 1 Ottobre 2020**

The prices are without IVA
Valid from the 1st of October 2020

OTTOBRE 2020
October 2020



www.elica.com